SUMMARY OF RATE ANALYSIS 2080-081(PARSA).DTO office

SN.	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O.H. and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O.H. only)	
1	**Site clearance work**	Sqm	30.90	30.90	35.54	
2	**Cutting of Tree**					
(I)	above 30cm to 60cm girth	No	231.75	231.75	266.51	
(II)	above 60cm to 90cm girth	No	309.00	309.00	355.35	
(III)	**above 90cm to 180cm girth**	No	1158.75	1158.75	1332.56	
(IV)	**above 180cm to 270cm girth**	No	2317.50	2317.50	2665.13	
(V)	**above 270cm to 450cm girth**	No	7725.00	7725.00	8883.75	
3	**Removal of Tree root**					
(I)	Above 12 cm to 30 cm girth	No	309.00	309.00	355.35	
(II)	Above 31 cm to 60 cm girth	No	409.43	409.43	470.84	
(III)	**Above 61 cm to 90 cm girth**	No	1890.00	1890.00	2173.50	
(IV)	**Above 91 cm to120 cm girth**	No	1890.00	1890.00	2173.50	
(V)	**Above 121 cm to 180 cm girth**	No	9000.00	9000.00	10350.00	
(VI)	**Above 181 cm to 240 cm girth**	No	9000.00	9000.00	10350.00	
(VII)	**Above 241cm to 300 cm girth**	No	22200.00	22200.00	25530.00	
4	Cutting of Thin bush (Buta buti), Removal of its root and lead of 25m. From construction site. (Girth of Bush (Buta buti) upto 30 cm and no. of bush in 100 sqm is less than 15	Sqm	22.50	22.50	25.88	
5	Grass cutting, its root removal and site clearance by levelling	Sqm	17.25	17.25	19.84	
6	Cutting of Bomboo, Removal of its root and clearing the site	cum	2100.00	2100.00	2415.00	
7	Surface dressing work, filling of pots, cutting of undulated soil, surface levelling etc. Work included (Service road etc.)	Sqm	7.73	7.73	8.88	
8	Dismantling of Culverts, bridges, Pavements and other structures ;					
(I)	Brick masonry (Per m3)	cum	1158.75	1158.75	1332.56	
(II)	Stone masonry (Per m3)	cum	1545.00	1545.00	1776.75	
(III)	Concrete (Plain and reinforced) Masonry	cum	2317.50	2317.50	2665.13	
(IV)	Flexible and cement concrete pavement (Per m3)	cum	5150.00	5150.00	5922.50	
(V)	Steel structures (Per tonne)	Tonne	4377.50	4377.50	5034.13	
(VI)	Timber structure (Per m3)	cum	772.50	772.50	888.38	
(VII)	Pipes, guard rails, kerbs, gutters, fencing (Per m.)	Rm	77.25	77.25	88.84	
(VIII)	Utility poles (Per No.)	No	154.50	154.50	177.68	
(IX)	Masonry in mud mortar or in Dry (per m3)	cum	123.60	123.60	142.14	
9	Dismentalling of Cement or Bajra Plaster and removal of Dust upto 10 m. lesd	Sqm	83.43	83.43	95.94	
10	Dismentalling of Tile roof and removal of tiles upto 10 m. fron site including stacking it.	Sqm	118.19	118.19	135.92	
11	Dismentalling of Approne and reconstruction after laying of cable	cum	4813.71	4813.71	5535.76	
12	Excavation of Cable Trench along the Bitumineous Road	Sqm	772.50	77.25	88.84	

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O.H. and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O.H. only)	
13	Stripping of Top soil for a minimum depth of 150 mm including storing or reapplication within a lead upto 100 m lead route.	Sqm	618.00	618.00	710.70	
14	Excavation in roadway and drain					
(I)	Ordinary soil (Per m3)	cum	386.25	386.25	444.19	
(II)	Hard soil (Per m3)	cum	463.50	463.50	533.03	
(III)	Marshy soil (Per m3)	cum	772.50	772.50	888.38	
(IV)	Ordinary rock (Per m3)	cum	1545.00	1545.00	1776.75	
15	Transporting material from roadway and drain excavation including all incidentals for every additional haulage of 50 . Beyond the specified initial lead distance..	cum	309.00	309.00	355.35	
16	Excavation for structures					
(I)	Ordinary soil (Per m3)	cum	772.50	772.50	888.38	
(II)	Hard soil (Per m3)	cum	1545.00	1545.00	1776.75	
(III)	Marshy soil (Per m3)	cum	2317.50	2317.50	2665.13	
(IV)	Ordinary rock (Per m3)	cum	3090.00	3090.00	3553.50	
17	Construction of roadway in embankment and miscellaneous back filling areas with approved material obtained either from excavation for road construction or borrow pits or other sources. (Excluding the excavation and transportion component. In this case , initial lead is 50 m.)	cum	193.13	193.13	222.09	
18	Transporting material required for embankment and sub grade construction including all incidentals for every additional haulage of 50 m beyond the specified intial lead distance .	cum	309.00	309.00	355.35	
19	Loosening and re-compacting the embankment foundation.	cum	77.25	77.25	88.84	
20	Providing and laying filter material adjecent to abutments and other structure including all other operations to complete the work as per the specification	cum	1545.00	1545.00	1776.75	
21	Planting grass cutting on site or turfing with sodes by carrying out all operations explained in the specifications including full compensation for furnishing sod materials to be incorporated in the works with all leads along the lead route	Sqm	38.63	38.63	44.42	
22	Laying and Jointing the pipes for Sub surface drains.	Rm	48.93	48.93	56.26	
23	Earth filling with ordinary soil in layers of 15 .15 cm and compacting manually with water sprinkling	cum	386.25	386.25	444.19	

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O H and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O H only)	
24	Earth filling with ordinary soil in layers of 15 ,15 cm and compacting manually with no water sprinkling	cum	193.13	193.13	222.09	
25	Land slide clearance in various soil					
(I)	Ordinary soil	cum	324.45	324.45	373.12	
(II)	Gravel boulder mixed soil	cum	409.43	409.43	470.84	
(III)	Soft Rock	cum	679.80	679.80	781.77	
(IV)	Hard Rock	cum	858.00	858.00	986.70	
	Brick masonry work					
26	Brick masonry in 1:3 c/s mix ratio	cum	13486.80	14702.66	15509.82	
27	Brick masonry in 1:4 c/s mix ratio	cum	13165.60	14335.81	15140.44	
27	Brick masonry in 1:6 c/s mix ratio	cum	12596.00	13670.71	14485.40	
28	Brick masonry in mud mortar	cum	10351.25	10351.25	11903.94	
	Stone masonry work					
29	**Stone masonry in dry**	cum	3878.25	3878.25	4459.99	
30	**Stone masonry in 1:3 c/s mortar**	cum	8295.30	8543.83	9539.60	
31	**Stone masonry in 1:4 c/s mortar**	cum	7916.90	8111.95	9104.44	
32	**Stone masonry in 1:6 c/s mortar**	cum	7607.50	7749.07	8748.63	
33	Stone masonry in mud mortar	cum	4725.50	4725.50	5434.33	
	Plaster work					
34	12.5 mm thick plastering with cement sand mortar on brick walls or concretesurface with all necessary operation					
A	**In1:2 mix ratio**	Sqm	325.61	337.08	374.46	
B	**In1:3 mix ratio**	Sqm	309.28	318.31	355.67	
C	**In1:4 mix ratio**	Sqm	296.17	303.25	340.60	
D	In1:6 mix ratio	Sqm	287.57	293.19	330.71	
35	3 mm thick cement Rubbing (Punning) work	Sqm	254.80	265.17	293.02	
36	20 mm thick plaster in 1:3 c/s	Sqm	455.75	474.47	524.11	
37	**20 mm thick plaster in 1:4 c/s**	Sqm	437.00	452.80	502.55	
38	**20 mm thick plaster in 1:6 c/s**	Sqm	403.25	414.37	463.74	
39	**25 mm thick mud plaster**	Sqm	402.30	402.30	462.65	
40	**12 mm thick mud plaster on wall**	Sqm	307.40	307.40	353.51	
41	Pointing work with cement sand mortar on brick wall with all required operations					
A	**In1:1 mix ratio**	Sqm	147.80	150.84	169.97	
B	In1:2 mix ratio	Sqm	143.68	146.06	165.24	
C	**In1:3 mix ratio**	Sqm	140.39	142.26	161.45	
D	**Architectural coping work (1:2)**	Sqm	149.35	151.73	171.75	
E	**Rulled pointing in 1:3**	Sqm	255.34	257.21	293.64	
42	Formwork with timber as material.					
A	Beam or slab (Formwork and framework when the height is 4-8m i.e.above 4m.	Sqm	974.48	1030.86	1120.65	
B	For wall or vertical structure with a height not exceeding 4m.	Sqm	603.24	641.49	693.73	
C	For wall or vertical structure with a height of 4-8m (i.e. above 4m.)	Sqm	1413.65	1420.67	1625.70	

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O.H and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O.H. only)	
D	Formwork for arch including framework to errect	Sqm	1248.77	1334.12	1436.09	
E	Formwork for column including framework to erect.	Sqm	1210.25	1306.66	1391.79	
43	Reinforcement for RCC work. It includes procuring steels, its bending,placing, binding and fixing in position as shown on the drawings and as directed by the engineer.	Kg	122.66	137.40	141.06	
44	Cement concreting work.					
A-a	M10 Grade (1:3:6 mix) PCC work in foundtion (Including form work)	cum	9069.60	9526.51	10430.03	
A-b	M15 (1:2:4 mix) PCC work in foundation (Including form works)	cum	10490.95	11140.26	12064.59	
B-a	M15 (1:2:4 mix) PCC work in super structure component (Including form works)	cum	11263.45	11912.76	12952.96	
B-b	M20 (1:1.5:3 mix) PCC work in super structure component (Including form works)	cum	12478.80	13282.03	14350.61	
A-a	M10 Grade (1:3:6 mix) PCC work in foundtion (Excluding form work)	cum	7334.50	7777.02	8434.68	
A-b	M15 (1:2:4 mix) PCC work in foundation (Excluding form works)	cum	8721.50	9250.60	10029.73	
B-a	M15 (1:2:4 mix) PCC work in super structure component (Excluding form works)	cum	8721.50	9250.60	10029.73	
B-b	M20 (1:1.5:3 mix) PCC work in super structure component (Excluding form works)	cum	9787.10	10454.73	11255.17	
45	Structural steel work for structures.					
A	Steel work riveted or bolted in built-up sections, trusses including cutting, hoisting and fixing in position					
I	In rolled steel joists	Kg	147.70	165.11	169.85	
II	In Tees, angles, flats and channels	Kg	168.89	186.82	194.23	
B	Steel work welded in built-up sections, trusses including cutting, hoisting and fixing in position excluding welding					
I	In rolled steel joists	Kg	142.95	160.36	164.39	
II	**In Tees, angles, flats and channels**	Kg	150.23	168.15	172.76	
46	Structural Timber work for structures.					
I	Fixing timber beams/pillars for timber bridge	cum	243440.50	274284.37	279956.58	
II	Providing and fixing timber trusses in position	cum	256795.50	288337.79	295314.83	
III	Providing and fixing timber decks in position	cum	13004.50	14444.02	14955.18	
	Gabion works					
47	Fabrication of gabion boxes including rolling, cutting and weaving.					
A	Hexagonal mesh size=80mmx100mm					
I	Mesh wire=9 SWG					
	Selvedge wire=6 SWG					

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O H and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O H only)	
(a)	Box size (mxmxm)=2x1x1	Box	4745.25	5251.67	5457.04	
(b)	Box size (mxmxm)=3x1x1	Box	6848.96	7577.31	7876.30	
(c)	Box size (mxmxm)=2x1x0.5	Box	3266.40	3617.39	3756.36	
(d)	Box size (mxmxm)=3x1x0.5	Box	4759.95	5268.28	5473.94	
(e)	Box size (mxmxm)=2x1x0.3	Box	2696.33	2984.25	3100.77	
(f)	Box size (mxmxm)=3x1x0.3	Box	3941.15	4361.44	4532.32	
48	Fabrication of gabion boxes including rolling, cutting and weaving.					
A	Hexagonal mesh size=80mmx100mm					
II	Mesh wire=10 SWG					
	Selvedge wire=7 SWG					
(a)	Box size (mxmxm)=2x1x1	Box	3620.88	4006.90	4164.01	
(b)	Box size (mxmxm)=3x1x1	Box	5249.67	5810.61	6037.11	
(c)	Box size (mxmxm)=2x1x.05	Box	2530.80	2800.89	2910.42	
(d)	Box size (mxmxm)=3x1x0.5	Box	3685.56	4079.99	4238.39	
(e)	Box size (mxmxm)=2x1x0.3	Box	2083.23	2306.18	2395.71	
(f)	Box size (mxmxm)=3x1x0.3	Box	3059.72	3387.52	3518.67	
49	Fabrication of gabion boxes including rolling, cutting and weaving.					
A	Hexagonal mesh size=80mmx100mm					
III	Mesh wire=11SWG					
	Selvedge wire=8 SWG					
(a)	Box size (mxmxm)=2x1x1	Box	3037.18	3362.05	3492.75	
(b)	Box size (mxmxm)=3x1x1	Box	4415.18	4886.05	5077.46	
(c)	Box size (mxmxm)=2x1x0.5	Box	2111.65	2338.29	2428.39	
(d)	Box size (mxmxm)=3x1x0.5	Box	3084.22	3415.20	3546.85	
(e)	Box size (mxmxm)=2x1x0.3	Box	1753.16	1940.56	2016.13	
(f)	Box size (mxmxm)=3x1x0.3	Box	2569.02	2844.08	2954.37	
50	Fabrication of gabion boxes including rolling, cutting and weaving.					
B	Hexagonal mesh size=100mmx120mm					
I	Mesh wire=9 SWG					
	Selvedge wire=6 SWG					
(a)	Box size (mxmxm)=2x1x1	Box	3735.54	4136.46	4295.87	
(b)	Box size (mxmxm)=3x1x1	Box	5430.87	6011.69	6245.50	
(c)	Box size (mxmxm)=2x1x0.5	Box	2613.12	2893.91	3005.09	
(d)	Box size (mxmxm)=3x1x0.5	Box	3802.18	4211.77	4372.50	
(e)	Box size (mxmxm)=2x1x0.3	Box	2156.73	2389.23	2480.23	
(f)	Box size (mxmxm)=3x1x0.3	Box	3162.62	3503.79	3637.01	
51	Fabrication of gabion boxes including rolling, cutting and weaving.					
B	Hexagonal mesh size=100mmx120mm					
II	Mesh wire=10 SWG					
	Selvedge wire=7 SWG					
(a)	Box size (mxmxm)=2x1x1	Box	3134.58	3469.77	3604.77	
(b)	Box size (mxmxm)=3x1x1	Box	4538.18	5023.70	5218.91	
(c)	Box size (mxmxm)=2x1x0.5	Box	2183.69	2418.36	2511.24	
(d)	Box size (mxmxm)=3x1x0.5	Box	3191.42	3534.00	3670.13	

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O H and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O H only)	
(e)	Box size (mxmxm)=2x1x0.3	Box	1809.02	2003.68	2080.37	
(f)	Box size (mxmxm)=3x1x0.3	Box	2648.40	2933.78	3045.66	
52	Assembling of wire crates/gabion/revetment and placing them in position including stretching, binding them together and tying down lids.					
(I)	Binding wire=12 SwG					
(a)	Box size (mxmxm)=2x1x1	Box	174.03	187.61	200.13	
(b)	Box size (mxmxm)=3x1x1	Box	243.43	262.02	279.94	
(c)	Box size (mxmxm)=2x1x0.5	Box	131.08	141.09	150.74	
(d)	Box size (mxmxm)=3x1x0.5	Box	174.03	187.61	200.13	
(e)	Box size (mxmxm)=2x1x0.3	Box	117.85	127.15	135.53	
(f)	Box size (mxmxm)=3x1x0.3	Box	168.53	181.40	193.80	
53	Assembling of wire crates/gabion/revetment and placing them in position including stretching, binding them together and tying down lids.					
(II)	Binding wire=13SWG					
(a)	Box size (mxmxm)=2x1x1	Box	136.58	147.30	157.06	
(b)	Box size (mxmxm)=3x1x1	Box	187.25	201.55	215.34	
(c)	Box size (mxmxm)=2x1x0.5	Box	99.13	106.99	113.99	
(d)	Box size (mxmxm)=3x1x0.5	Box	136.58	147.30	157.06	
(e)	Box size (mxmxm)=2x1x0.3	Box	93.63	100.78	107.67	
(f)	Box size (mxmxm)=3x1x0.3	Box	131.08	141.09	150.74	
54	Packing and filling of gabion crate with rubble stones	cum	3244.00	3244.00	3730.60	
	For Ward 1,2,3	cum	2694.00	2694.00	3098.10	
55	Laying,fitting and fixing hume pipe of length 1m or more.					
A	For one or first pipe					
I	Hume pipe having 150 mm diameter	Rm.	1435.94	1615.08	1651.33	
II	Hume pipe having 200 mm diameter	Rm.	1929.25	2170.01	2218.64	
III	Hume pipe having 300 mm diameter	Rm.	3753.88	4226.82	4316.96	
IV	Hume pipe having 600 mm diameter	Rm.	7359.13	8290.71	8462.99	
V	Hume pipe having 750 mm diameter	Rm.	9051.75	10198.35	10409.51	
VI	Hume pipe having 900 mm diameter	Rm.	12648.38	14257.52	14545.63	
VII	Hume pipe having 1200 mm diameter	Rm.	17034.25	19198.49	19589.39	
56	Laying,fitting and fixing hume pipe of length 1m or more.					
B	For Every subsequent pipe having a length of minimum 1m					
I	Hume pipe having 150 mm diameter	Rm.	1452.36	1638.29	1670.21	
II	Hume pipe having 200 mm diameter	Rm.	1980.82	2231.77	2277.94	
III	Hume pipe having 300 mm diameter	Rm.	3843.37	4329.90	4419.88	
IV	Hume pipe having 600 mm diameter	Rm.	7372.00	8048.00	8477.80	
V	Hume pipe having 750 mm diameter	Rm.	9505.45	10696.47	10931.27	
VI	Hume pipe having 900 mm diameter	Rm.	12918.75	14134.25	14856.56	
VII	Hume pipe having 1200 mm diameter	Rm.	18413.90	20670.88	21175.99	
57	Bedding for stone pitching with granular materil	cum	2422.50	2422.50	2785.88	

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O H and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O H only)	
58	Stone pitching work on the prepared granular bedding	cum	3760.63	3760.63	4324.72	
	Ward 1,2,3	cum	3210.63	3210.63	3692.22	
	Roofing works					
59	Roofing work with 26 gauge CGI sheet (Medium duty)	Sqm	888.51	976.74	1021.79	
60	Roofing work with 28 gauge CGI sheet (Medium duty)	Sqm	766.50	838.86	881.48	
61	Roofing work with 26 gauge CGI coloured sheet (Medium duty)	Sqm	1030.87	1137.60	1185.50	
62	Roofing work with 28 gauge CGI coloured sheet (Medium duty)	Sqm	890.01	978.43	1023.51	
63	Roofing for ridge covering with 26 gauge GI plain sheet (Medium duty)	Rm.	869.43	924.51	999.85	
64	Roofing for ridge covering with 28 gauge GI plain sheet (Medium duty)	Rm.	826.00	875.43	949.90	
65	Roofing for ridge covering with 26 gauge GI plain Coloured sheet (Medium duty)	Rm.	869.43	924.51	999.85	
66	Roofing for ridge covering with 28 gauge GI plain Coloured sheet (Medium duty)	Rm.	826.00	875.43	949.90	
67	Roofing work with Corugated Asbetas sheet	Sqm	777.75	855.43	894.41	
68	Roofing for Ridge covering work with Asbetas sheet	Rm.	576.10	641.62	662.52	
69	Roofing work with Slate	Sqm	1449.09	1449.09	1666.45	
70	Roofing work with Clay tile	Sqm	194.70	194.70	223.91	
71	Roofing for Ridge covering work with Clay tile	Rm.	125.08	125.08	143.84	
72	Roofing work with cement tile (3'x2')	Sqm	452.98	452.98	520.92	
73	Roofing for Ridge covering work with cement tile	Rm.	232.93	232.93	267.86	
74	Thached Roofing work by making Frame of bomboo (8 cm thick)	Sqm	2218.63	2218.63	2551.42	
75	Thached Roofing work by making Frame of bomboo (15 cm thick)	Sqm	3576.00	3576.00	4112.40	
76	2.5 cm thickness Thached wall including bomboo frame	Sqm	681.85	681.85	784.13	
77	20 mm thickness wooden ceiling work with 40*20 mm bidding joint (Locl sisam wood)	Sqm	2711.00	3024.27	3117.65	
	Wood works					
78	Wood work for door and windows frame (sal wood)	cum	272886.50	303467.70	313819.48	
79	Wood work for Panel shutter in 38 mm thick wooden frame (sal wood)	Sqm	14058.95	15202.64	16167.79	
80	Glazed shutter with 4 mm glass in 38x75 mm wooden frame	Sqm	9857.72	10552.46	11336.38	
81	Making flush door using 4 mm commercial plywood in 38 mm thick wooden frame	Sqm	7570.42	8099.97	8705.98	

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O.H. and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O.H. only)	
82	Flush door using plain sheet of 26 gauge having 38 mm thick wooden frame	Sqm	7788.49	8349.28	8956.76	
83	Fitting GI Mosquito proof wire mesh of 24 gauge in 38 mm thick wooden frame	Sqm	5842.33	6278.35	6718.67	
84	Fitting 4mm thick glass in wooden frame by using wooden listy	Sqm	1676.04	1859.28	1927.44	
85	Making and jointing wooden Beam/Dalin of sal wood (Span upto 9m.)	cum	241903.10	270797.42	278188.57	
86	Making and fitting wooden Truss of sal wood	cum	260978.50	289872.82	300125.28	
87	Making and fitting wooden Eves board of 25 mm wood	Sqm	5984.54	6741.29	6882.22	
88	Cutting and fitting Steel rod in windows frame	Kg	146.30	160.63	168.25	
	Flooring works					
89	25 mm thick mosaic flooring on 20 mm 1:2:4 cement concrete including Rubbing and polish 5 mm thick white cement and marble chips in 1:1 all complete work	Sqm	9227.73	10228.03	10611.89	
90	25 mm thick mosaic flooring on 20 mm 1:2 cement plaster including Rubbing and polish 6 mm thick white cement and marble chips in 1:1 all complete work	Sqm	11837.66	12964.95	13613.31	
91	20 mm thick mosaic flooring on 12.5 mm 1:2 cement plaster including Rubbing and polish 6 mm thick white cement and marble chips in 1:1 all complete work	Sqm	14244.23	15685.20	16380.86	
92	20 mm thick Terezotile flooring 20mm thick in 1:4 cement mortar including Rubbing and polish all complete work	Sqm	5724.03	6174.98	6582.64	
93	25 mm thick marble (450mmx450mm) flooring in 20 mm 1:3 cement mortar including Grinding and polish all complete work	Sqm	4723.53	5091.09	5432.06	
94	Porcelene glazed tile flooring work in 1:4 cement sand mortar	Sqm	3183.73	3375.38	3661.28	
94	Porcelene glazed tile 2'X2' flooring work in 1:4 cement sand mortar	Sqm	4048.99	4394.37	4656.33	
95	Flate brick soling in cement sand and pointing in joints in 1:2 c/s	Sqm	1992.90	1992.90	2291.84	
96	Edge brick soling in cement sand (1:6)and pointing in joints in 1:2 c/s	Sqm	1462.86	1482.37	1682.29	
97	Dry Flate brick soling	Sqm	823.25	899.69	946.74	
98	Dry Edge brick soling	Sqm	1510.56	1647.06	1737.15	
99	Filling works with sand including water sprinkling and compacting.	cum	2319.50	2319.50	2667.43	
100	Filling works with 15-150 mm brick Piece (Broken) including water sprinkling and compacting.	cum	2966.00	2966.00	3410.90	

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O.H. and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O.H. only)	
101	Planking work having salwood size of 50mm*75mm, frame size of 600mm*600mm and plank size of 25 mm thick	Sqm	9638.94	10797.47	11084.78	
	Painting work					
102	White wash with white lime on New surface (Single coat)	Sqm	17.99	18.55	20.68	
103	White wash with white lime on New surface (Doublet coat)	Sqm	31.90	32.94	36.69	
104	White wash with white lime on New surface (Triple coat)	Sqm	63.33	64.83	72.83	
105	White wash with white lime on Old surface	Sqm	17.26	17.73	19.85	
106	Distemper painting work (Prime coat)	Sqm	68.05	72.21	78.26	
107	Distemper painting work (Single coat)	Sqm	47.30	48.76	54.39	
108	Distemper painting work (Second coat and other coat)	Sqm	41.10	42.22	47.26	
109	Washable Distemper painting work (One coat Primer with two coat washable distemper)	Sqm	163.27	170.90	187.75	
110	Plastic Emulsion painting work (One coat without primer)	Sqm	129.95	138.14	149.44	
111	Plastic Emulsion painting work (two coat without primer)	Sqm	243.33	257.89	279.82	
109	Water proof cement paint work (Single coat)	Sqm	58.24	61.83	66.98	
110	Water proof cement paint work (Two coat)	Sqm	134.75	140.55	154.96	
111	Readymade Enamel paint or Plastic Emulsan paint work (Primer coat)	Sqm	86.48	90.69	99.45	
112	Readymade Enamel paint or Plastic Emulsan paint work (First coat)	Sqm	111.95	117.80	128.74	
113	Readymade Enamel paint or Plastic Emulsan paint work (Second coat)	Sqm	99.38	103.93	114.28	
114	Double coat Aluminium Paint after one cot Primer	Sqm	288.84	301.20	332.17	
115	Double Boiled Linced oil painting work (Single coat)	Sqm	43.67	44.66	50.22	
116	Double Boiled Linced oil painting work (Second coat & other coat)	Sqm	42.40	43.23	48.76	
117	Vrnese painting work (single coat)	Sqm	56.73	58.08	65.24	
118	Vrnese painting work (Second coat & other coat)	Sqm	55.00	56.12	63.25	
119	Bitumen paint work (Single coat)	Sqm	35.29	36.86	40.58	
120	Bitumen paint work (Double coat)	Sqm	61.96	64.66	71.25	
121	Chapra polish painting work (Three coat)	Sqm	171.05	174.87	196.70	
122	Cement painting on plastered surface (Single coat)	Sqm	90.69	94.28	104.29	
123	Cement painting on plastered surface (Second coat)	Sqm	72.48	74.87	83.35	

SUMMARY OF RATE ANALYSIS 2079-080(PARSA).DTO office

SN	Description of Work	Unit	Rate			Remarks
			Basic Rate (Excluding O.H. and VAT)	User's rate (Including VAT in material)	Contractor's Rate (Including O.H. only)	
124	Flat Brick solling work (on Road) Leveling the ground, Filling the Joints with local sand or soil dust.	Sqm	701.63	701.63	806.87	
125	Edge Brick solling work (on Road) Leveling the ground, Filling the Joints with local sand or soil dust.	Sqm	1224.20	1360.70	1407.83	
126	Flat Brick pavement work (on Road) Filling the Joints With cement sant mortar(1:6)	Sqm	4604.00	5089.55	5294.60	
127	Edge Brick pavement work (on Road) Filling the Joints With cement sant mortar(1:6)	Sqm	6918.75	7625.63	7956.56	
128	Earthen Drain construction in ordinary soil (Width of drain is not exced 60 cm)	Rm.	115.88	115.88	133.26	
129	Earthen Drain construction in Hard soil (Width of drain is not exced 60 cm)	Rm.	162.23	162.23	186.56	
130	Barbed wire fencing work	Rm.	169.64	184.85	195.09	
131	Bamboo tree guards :					
	a. Weaving bamboo tree guards using bamboo poles as uprights, 1.6 m in height, and weaving split bamboo with the outer wall intact around the posts. Dimensions of the guard are 0.60 m diameter and 1.3 m high :	Sqm	771.73	771.73	887.48	
132	Earth work in excavation by excavator per cum.					
A	PC 100					
	Soft soil (1)	Cum	62.46	70.58	71.83	
	Hard Soil (2)	Cum	76.20	86.11	87.63	
	Soft Rock (3)	Cum	105.83	119.59	121.70	
	Hard Rock (4)	Cum	141.11	159.45	162.28	
B	PC 150					
	Soft soil (1)	Cum	44.30	50.06	50.95	
	Hard Soil (2)	Cum	53.66	60.64	61.71	
	Soft Rock (3)	Cum	74.71	84.42	85.92	
	Hard Rock (4)	Cum	97.69	110.39	112.34	
C	PC 200					
	Soft soil (1)	Cum	39.28	44.39	45.17	
	Hard Soil (2)	Cum	47.63	53.82	54.77	
	Soft Rock (3)	Cum	65.69	74.23	75.54	
	Hard Rock (4)	Cum	86.59	97.85	99.58	
D	PC 300					
	Soft soil (1)	Cum	26.46	29.90	30.43	
	Hard Soil (2)	Cum	32.02	36.18	36.82	
	Soft Rock (3)	Cum	44.82	50.65	51.54	
	Hard Rock (4)	Cum	58.62	66.24	67.41	

Rate of HDPE Pipe as per district rate 290 Rs./kg.
Estimate purpose for F.y. 2080-2081

Sn.	Pipe size out side Dia.	Series 2.5Kg/sqcm		Series 4Kg/sqcm		Series 6Kg/sqcm		Series 10Kg/sqcm		Remarks
		Av. Wt Kg/m	Price Rs/m	Av. Wt Kg/m	Price Rs/m	Av. Wt Kg/m	Price Rs/m	Av. Wt Kg/m	Price Rs/m	
1	16							0.092	26.68	
2	20							0.134	38.86	
3	25							0.202	58.58	
4	32					0.226	65.54	0.334	96.86	
5	40			0.251	72.79	0.35	101.50	0.514	149.06	
6	50			0.378	109.62	0.542	157.18	0.796	230.84	
7	63	0.403	116.87	0.585	169.65	0.85	246.50	1.269	368.01	
8	75	0.537	155.73	0.846	245.34	1.191	345.39	1.782	516.78	
9	90	0.799	231.71	1.22	353.80	1.715	497.35	2.568	744.72	
10	110	1.185	343.65	1.703	493.87	2.545	738.05	3.801	1102.29	
11	125	1.53	443.70	2.289	663.81	3.293	954.97	4.962	1438.98	
12	140	1.897	550.13	2.901	841.29	4.15	1203.50	6.209	1800.61	
13	160	2.453	711.37	3.773	1094.17	5.355	1552.95	8.079	2342.91	
14	180	3.148	912.92	4.762	1380.98	6.8	1972.00	10.256	2974.24	
15	200	3.876	1124.04	5.89	1708.10	8.391	2433.39	12.62	3659.80	
16	225	4.822	1398.38	7.445	2159.05	10.544	3057.76	16.014	4644.06	
17	250	6.012	1743.48	9.187	2664.23	13.041	3781.89	19.757	5729.53	
18	280	7.417	2150.93	11.455	3321.95	16.327	4734.83	24.708	7165.32	
19	315	9.417	2730.93	14.508	4207.32	20.691	6000.39	31.16	9036.40	
20	350	11.957	3467.53	18.382	5330.78	26.243	7610.47	39.635	11494.15	
21	400	16.221	4704.09	23.343	6769.47	33.309	9659.61	50.344	14599.76	
22	450	19.163	5557.27	29.251	8482.79	42.065	12198.85	63.598	18443.42	
23	500	23.836	6912.44	36.406	10557.74	61.9	17951.00	78.735	22833.15	

Note :

1 The above rates are calculated as per the weight chart specified in NS 40.
2 The above prices are Ex.Factory price excluding Vaue Added Tax

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क.स.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	खण्ड (क) ज्यालाको दररेट								
१	अदक्ष ज्यामी भरिया,स्वीपर,माली,चेनमेन,वाटरमेन, चौकीदार,रोड लेन्थ वर्कर,लेबर आदि	प्र. दिन	५४०	५८०	६००	६३०	६९३	७५०	
२	जुनियर मिस्त्री (सिकर्मी, डकर्मी, बढइकर्मी, नकर्मी, प्लम्बर, पेण्टर, ब्लाष्टर, हेल्पर, स्प्रेमैन, जेनेरेटर अपरेटर आदि)	प्र. दिन	६२०	६५०	६६५	६९०	७५९	८००	
३	सिपालु ज्यामी सकर्मी,डकर्मी,बढइकर्मी,पेन्टर,प्लम्बर,ब्लाष्टर,पम्प अपरेटर,बेल्डर,उडकटर,डिलर. ईलेक्टसियन आदि)	प्र. दिन	७४०	८००	८१५	८५०	९३५	१०००	
४	सिनियर सुपरभाइजर	प्र. दिन	५६०	६००	६२५	७००	७७०	९००	
५	जुनियर सुपरभाइजर	प्र. दिन	५४०	५७५	५७५	६००	६६०	७५०	
६	दैनिक ज्यालादारी (इन्जिनियर,सब इन्जिनीयर,असिस्टेन्ट सब इन्जिनीयर,पियन, पाले, ड्राइभर, ल्याब टेक्निसियन, मेकानिक्स, कम्प्यूटर अपरेटर, आदि)	प्र. दिन							
७	सिमेन्टको कामको कर्भिङ्ग गर्ने, नक्सा, बुटा बनाउने कालीगढ दक्ष	प्र. दिन	१०३०	१०५०	१०६५	११००	१२१०	१५००	
८	ह्याण्ड पाइप (१.५सम्म) गाड्ने कार्य १०० फिट सम्म	प्र. फुट	३९	४४	४४	४६	५१	५५	कडा माटोमा उल्लेखित रेटमा २०% ले बृद्धि हुनेछ ।
९	ह्याण्ड पाइप (१.५सम्म) गाड्ने कार्य १०० फिट देखि माथि	प्र. फुट	४५	५०	५०	५३	५८	६०	
१०	टयुवेल गडाई (१.५)(४सम्म) गाड्ने कार्य १०० फिट सम्म	प्र. फुट	१५४	१६५	१६५	१७३	१९०	२००	
११	टयुवेल गडाई (१.५)(४सम्म) गाड्ने कार्य १०० फिट देखि माथि	प्र. फुट	१६०	१७०	१७०	१७८	१९६	२०५	
१२	टयुवेल गडाई (४)(६) गाड्ने कार्य १०० फिट सम्म	प्र. फुट	१०६०	११००	११००	११५५	१२७१	१३३०	
१३	टयुवेल गडाई (४)(६) गाड्ने कार्य १०० फिट देखि माथि	प्र. फुट	१५५०	१६००	१६००	१६८०	१८४८	१९४०	
१४	टयुववेल उखाल्ने	प्र. फुट	२६	२९	२९	३०	३३	३५	
१५	असजिलो निर्माण सामग्रीहरु (फलामे डण्डी, जी.आई. तार,..) लोडरअनलोड	प्रति क्विन्टल		३०	३०	३०	३३	३५	
१६	सजिलो निर्माण सामग्रीहरु (सिमेन्ट,बोरामा पैकिन्ग गरिएका सामग्रिहरु आदी) लोड र अनलोड	प्रति बोरा		५	५	५	६	६	
१७	पर्सा जिल्ला जगल क्षेत्रबाट काठ दाउरा संकलन गर्दा गरिने कार्यहरु (छपान, कटान, मुछान, जगल पाकिङ्ग, ढुवानी, घाटगद्दीसम्म लैजाने पाइलिङ्ग गर्ने) जिल्ला वन कार्यालय/आपुर्ति समिति/टिम्बर कर्पोरेसन अफ नेपाल /साझेदारी वन व्यवस्थापन समितिको लागि निम्नानुसारको दररेट गोलिया कटान								
	(क) रुख छपान	प्र.रुख	२३	२४	२४	२६	२८	३०	
	(ख) गोलिया कटान मुछान	प्र.घ.फी	२२	२३	२३	२५	२७	२९	
	(ग) बोका झिक्ने, रिङ्ग काटने	" "	१०	१०	१०	१२	१४	१५	
	(घ) लोडिङ्ग अनलोडिङ्ग	" "	२२	२४	२४	२६	२८	३०	
	(ङ) जगल यार्डिङ्ग	" "	१४	१५	१५	१७	१९	२१	
	(च) पाइलिङ्ग	" "	१३	१४	१४	१६	१८	१९	
१८	गोलिया ढुवानी तर्फ								
	(क) ५ कि.मि मुनि सम्म	प्र.घ.फी	२६	२६	२६	२८	३०	३२	
	(ख) ५ कि मि देखि माथि प्रति कि मि	प्र.घ.फी		५	५	५	६	६	
१९	दाउरा कटान मुछान तर्फ तथा घाटगद्दी बाट समेत								
	(क) कटान मुछान (२०x५x ५ फिट)	प्रति	३७००	३७५०	३८००	३८५०	३९००	४२१२	
	(ख) लोडिङ्ग	"	२२	१५००	१५२५	१५५०	१६००	१७२८	
	(ग) अनलोडिङ्ग	"	८८०	८८०	८८०	८८०	८२५	८९१	
	(घ) चट्टा निर्माण	"	१०००	८००	८००	१०००	११००	११८८	
२०	दाउरा ढुवानी तर्फ								

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	(क) ५ कि.मि. मुनि सम्म (२०X ५X ५ फिट)	प्रति चट्टा	२२५५	२३००	२३००	२३५०	२५००	२७००	
	(ख) ५ कि.मि देखि माथि प्रति कि मि.	"		४००	४००	४००	४५०	४८६	
२१	विशेष परिस्थितिमा गर्नु पर्ने कार्यको लागि								
	क) छापामारी बाट बरामद भएका काठहरु ढुवानी गर्दा	ट्र्याक्टर	३२८०	३५००	३५५०	३५५०	३७००	३९९६	
	ख) घाटगद्दीमा रहेको काठ बिक्री भइसके पछि बाकी रहेको छरिएको काठलाई पुन: पाईलिंग गर्दा	घ.फि	२०	२१	२१	२१	२२	२४	
	ग) छापामारी हुदा लोडिंग/ अनलोडिंग कार्य छिटो छरितो गर्नु पर्ने भएमा	घ.फि.	१३	१५	१५	१५	१६	१७	
२२	गोलिया काठलाई चिरान मिलमा ल्याई गोलिया चिरान गरिने कार्यको लागि								
	(क) चिरान उत्पादन बाकल, कटपिस भुस फाल्ने	घ.फि	५७	५८	५८	५८	६०	६५	
	(ख) अनसाइज उत्पादन	क्विन्टल							
	(ग) चिरान लोड	घ.फि.	१७	१७	१७	१७	१८	१९	
	(घ) चिरान अनलोड	"	७	८	८	८	९	१०	
	(ङ) बाकल लोड	क्विन्टल	२४	२७	२७	२७	२९	३१	
	(च) बाकल अनलोड	"	६	७	७	७	८	९	
	(छ) चिरान पाइलिङ्ग	घ.फि	७	८	८	८	९	१०	
२३	(ज) १०० मिटर भन्दा टाढा बाट गोलिया मिलछेउ सम्म पुऱ्याएको	"	७	८	८	८	९	१०	
	(झ) गोलिया ढुवानी गरि मिलसम्म बारा जिल्लाबाट ल्याउदा	"	४०	४२	४२	४२	४५	४९	
	(ञ) रौतहट र पर्सा जिल्ला घाटगद्दी बाट मिलसम्म ढुवानी गर्दा	"	४६	४७	४७	४७	४९	५३	
	(ट) मिल सिपमेन्टको लागि गोलिया लोडिङ्ग	"	२९	३०	३०	३०	३२	३५	
	(ठ) मिल सिपमेन्टको लागि गोलिया अनलोडिङ्ग	"	७	८	८	८	९	१०	
	(ड) गोलिया ट्रेक्टरबाट झिकाउने	"	१०.७०	११.००	११.००	११.००	१२	१३	
	मेसिनरी सामानहरुको भाडा								
२४	६ मे.ट को ट्रकबाट मालसामान ढुवानी गर्दा लाग्ने भाडा (इन्धन समेत)	प्र.घन्टा	११००	११५०	११५०	११५०	१२६५	१३००	
२५	१० मे.ट को ट्रकबाट मालसामान ढुवानी गर्दा लाग्ने भाडा (इन्धन समेत)	प्र.घन्टा	१४३०	१५००	१५००	१५००	१६५०	१७००	
२६	स्टील रोलर ८-१० टन ईन्धन समेत	प्र.घन्टा	१२७०	१२७०	१३७०	१३७०	१५०७	१६००	
२७	भाइब्रेटर रोलर ८-१० टन ईन्धन समेत	प्र.घन्टा	३८१०	३८१०	३९१०	३९१०	४३०१	४५००	
२८	पानी छर्ने टयाङ्की ट्रकमा ईन्धन समेत	प्र.घन्टा	११००	११००	११००	११००	१२१०	१२७०	
२९	पानी छर्ने टयाङ्की ट्रेक्टरमा ईन्धन समेत	प्र.घन्टा		५५०	५५०	५५०	६०५	६३५	
३०	ब्यायलर स्प्रेयर ईन्धन समेत	प्र.घन्टा	२८००	२८००	२९००	२९००	३१९०	३३५०	
३१	ग्रेडर १३५ HP सम्मईन्धन समेत	प्र.घन्टा	३९६५	३९००	४०००	४०००	४४००	४६००	
३२	ग्रेडर १३५ HP भन्दा माथिईन्धन समेत	प्र.घन्टा		४३००	४५००	४५००	४९५०	५२००	
३३	एक्सकाभेटर ईन्धन समेत	प्र.घन्टा	३८१०	३५००	३५००	३८१०	३८५०	४०००	
३३	एक्सकाभेटर T220 ईन्धन समेत	प्र.घन्टा	४८२५	४३००	४३००	४८२५	४७३०	५०००	
३४	लोडर ईन्धन समेत	प्र.घन्टा	३९६५	३४००	३४००	३९६५	३७४०	३९००	
३५	भाइब्रेटर ईन्धन समेत	प्र.घन्टा	११०	११०	११०	११०	१२१	१२७	
३६	मिक्सचर मोसन ईन्धन समेत	प्र.घन्टा	४४०	४४०	४४०	४४०	४८४	५००	
३७	ट्रकबाट मालसामान ढुवानी इन्धन बाहेक	प्रति दिन		९०००	९०००	०	९९००	१०३९५	
३८	ट्रेक्टरबाट मालसामान ढुवानी इन्धन बाहेक	प्रति दिन		२०००	२०००	०	२२००	२३००	
३९	हाइटप जिप स्कोरपियो स्तरकाइन्धन बाहेक	प्रति दिन	४५००	४५००	४५००	४५००	४९५०	५२००	
४०	बोलेरो मिक्टा सुमो स्तरका इन्धन बाहेक	प्रति दिन	३५००	३५००	३५००	३५००	३८५०	४०००	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
२१	पिकअप भ्यान इन्धन बाहेक	प्रति दिन	४०००	४०००	४०००	४०००	४४००	४०००	
	खण्ड (ख) निर्माण सामग्रीहरुको दर रेट								
	ईटा जन्य सामाग्रीहरु								
१	प्रथम श्रेणी ईटा	हजार	११५००	१२०००	१२०००	१२०००	१४०००	१४०००	
२	दोश्रो श्रेणी ईटा	हजार	७४००	७८००	७८००	७८००	८०००	८०००	
३	गठ ईटा	हजार	४२५०	४३००	४३००	४३००	४५००	४५००	
४	ईटाको कङ्कर	घ.मी.	२३००	२३००	२३००	२३००	२३५०	२३५०	
५	ईटाको टुक्रा	घ.मी.	१२३८	१६००	१६००	१६००	१७६०	१७६०	
६	सुर्खी	घ.मी.	१६००	१६००	१६००	१६००	१७६०	१७६०	
७	गाबीस माटो	घ.मी.	४७५	४७५	४७५	४७५	५००	५००	
८	गाह्रो लगाउने चाम्रो माटो	घ.मी.	२४०	३००	३००	३००	३३०	३३०	
९	बाहिरबाट माटो ल्याई शहरी क्षेत्र भित्र पुर्याउने र खन्याउने ३ कि. मि.सम्मको ढुवानी समेत	घ.मी.	२५०	२८०	३००	३१५	३५०	४००	
	बाहिरबाट माटो ल्याई ग्रामिण क्षेत्र भित्र पुर्याउने र खन्याउने ३ कि. मि सम्मको ढुवानी समेत	घ.मी.					३५०	६००	
	ढुङ्गा जन्य सामाग्रीहरु								
१०	ब्लक स्टोन	घ.मी.	२१००	२५००	१५००	१६००	२२००	२२००	
	ब्लक स्टोन वार्ड न १,२र३	घ.मी.		१०००	७००	१३००	१७००	१७००	
११	बण्ड स्टोन	घ.मी.	२२००	२५००	१५००	१६००	२२००	२२००	
	बण्ड स्टोन वार्ड न १,२र३	घ.मी.		१०००	६००	१३००	१७००	१७००	
१२	कुदेको ढुङ्गा	घ.मी.	२२५०	२५००	१५००	१६००	२८००	२३००	
	कुदेको ढुङ्गा वार्ड न १,२र३	घ.मी.		१०००	१०००	१३००	२८००	१८००	
१३	१५० मिमि - २२५ मिमिको खोलाको ढुङ्गा	घ.मी.	२२०५	२२०५	२३१५	२३१५	२६००	२६००	
१४	बोल्डर २२५ मिमि - २५० मिमि	घ.मी.	२२५८	२२५८	२३७०	२३७०	२६००	२६००	
१५	फोस्वा ढुङ्गा	घ.मी.	२३१०	२३१०	२४२६	२४२६	२८००	२८००	
१६	**Concrete Product**								
१७	Machine made Precast Concrete Brick 230*110*70								
	Grey colour	गोटा			१७	१७	२१	२३	
	single colour	गोटा			१८	२०	२२	२४	
१८	Machine made Precast Concrete Brick 230*110*55	गोटा							
	Grey colour	गोटा			१४	१६	१७	१८	
	single colour	गोटा			१५	१७	१८	२०	
१९	Hexagon Interlock Pavers 226*200*30mm3,M35 or above	गोटा							
	single colour	गोटा			३५	३५	३७	४०	
	Blended colour	गोटा			३८	३८	४०	४५	
२०	Hexagon Interlock Pavers 226*200*60mm3,M35 or above	गोटा							
	single colour	गोटा			४०	४०	४२	४७	
	Blended colour	गोटा			४३	४३	४५	५०	
२१	Hexagon Interlock Pavers 226*200*70mm3,M35 or above	गोटा							
	single colour	गोटा			४७	४७	४९	५५	
	Blended colour	गोटा			५०	५०	५३	६०	
२२	Rectangular Interlock Pavers 200*100*60mm3,M35 or above	गोटा							
	single colour	गोटा			३१	३८	४०	४५	
	Blended colour	गोटा			३३.६०	४१.००	४३	४८	
२३	Interlock I Pavers 200*165*80mm3,M35 or above	गोटा							

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	single colour	गोटा			५२	५२	५५	६०	
	Blended colour	गोटा			५४	५८	६१	६५	
२४	3D Interlock Pavers 200*173*60mm3,M35 or above	गोटा							
	single colour	गोटा			५०	५५	५८	६०	
	Blended colour	गोटा			५२	५८	६१	६५	
२५	Grass Interlock Pavers 400*600*80mm3,M35 or above	गोटा							
	Grey colour	गोटा			३६७	४०७	४२७	४५०	
२६	Half battered Kerb Stone 200*350*300mm3, Grey Colour	गोटा							
	M15	गोटा			३०९	३२७	३४३	३५०	
	M20	गोटा			३२३	३४३	३६०	३७५	
	M25	गोटा			३५४	३७६	३९५	४२५	
२७	Half battered Kerb Stone 165*325*300mm3, Grey Colour	गोटा							
	M15	गोटा			२४७	२६२	२७५	३००	
	M20	गोटा			२६५	२८१	२९५	३२५	
	M25	गोटा			२९२	३०८	३२३	३५०	
२८	Half battered Kerb Stone 380*200*250mm3, Grey Colour	गोटा							
	M15	गोटा			३०५	३२१	३३७	३५०	
	M20	गोटा			३१८	३३८	३५५	३७५	
	M25	गोटा			३५४	३७१	३९०	४२०	
२९	Bullnose Kerb Stone 200*350*300mm3, Grey Colour	गोटा							
	M15	गोटा			३५४	३७५	३९४	४२५	
	M20	गोटा			३८०	४०३	४२३	४५०	
	M25	गोटा			३९८	४२१	४४२	४६५	
३०	V Shape drain Male & Female set with compressive strength M35. Thickness 70mm, Dimension 300x75x499.5	गोटा						५००	
१६	इन्टरलक टायल ६५ मि.मि	गोटा	२८	३०					
	इन्टरलक टायल ५० मि.मि	गोटा		२८					
१७	फोरुवा गिटी (५ मिमि - २० मिमि)	घ.मी.	२३००	२३५०	२४६८	२४६८	२६४१	२९००	
१८	फोरुवा गिटी (२० मिमि - ४० मिमि)	घ.मी	२२००	२२५०	२३६३	२३६३	२५२८	२६५०	
१९	फोरुवा गिटी (५० मिमि - ७५ मिमि)	घ.मी.	१९५०	२०००	२१००	२१००	२२४७	२४००	
२०	रिभर बेड गिटी (५ मिमि - ७० मिमि)	घ.मी.	१७००	१६००	८००	१२००	१५००	१५००	
२१	रिभर बेड गिटी (५० मिमि - ७५ मिमि)	घ.मी.	१४५०	१३५०	८००	१२००	१५००	१५००	
२२	ग्राभेल	घ.मी.	१५५०	१५००	८००	१२००	१५००	१५००	
२३	खश्रो वालुवा (धुलाई नगरेको)	घ.मी.	१४१८	१४२०	१४९१	१४९१	१५००	१५००	
२४	खश्रो वालुवा (धुलाई गरेको)	घ.मी	१६२८	१७००	१७८५	१७८५	१९१०	२१००	
	फलोरिङ्गको काम								
२५	मार्वल सादा १२ देखी १४ एम. एम.	व.मी	१८५०	१९००	१९५०	१९५०	२१४५	२३००	
२६	मार्वल रंगीन १२ देखी १४ एम एम.	व.मी.	१५००	२०००	२०५०	२०५०	२२५५	२४००	
२७	ग्रेनाईट रातो १२ देखी १४ एम. एम.	व.मी	१३६५	२२००	२२५०	२२५०	२४७५	२६००	
२८	ग्रेनाईट कालो १२ देखी १४ एम. एम.	व.मी.	४०००	२५००	२५५०	२५५०	२८०५	३०००	
२९	मार्वल टायल 1'-0"x 0'-6"	व.मी.	१६००	१६००	१६५०	१६५०	१८१५	२०००	
३०	मोज्याक टायल 10" x 10"	व.मी.	५६०	५६०	५८८	५८८	६४७	६८०	
३१	मैन पालिस	गोटा	४७०	४७०	४९४	४९४	५४३	५७०	
३२	अक्जालिक एसिड पाउडर	के.जी	१४५	१४५	१५२	१५२	१६७	१७५	
३३	फलोर टायल (२ फी x २ फी)	व.मी	१६००	१६००	१६५०	१६५०	१८१५	२०००	
३४	स्पार्टेक टायल सादा १x१	व.मी	६५	६५	६८	६८	७५	८०	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क.सं	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
३५	मार्बल चिप्स	के.जी	१२	१२	१३	१३	१४	२०	
३६	मार्बल पाउडर	के.जी	१३	१३	१४	१४	१५	१७	
३७	कार्बोरेण्डम ढुङ्गा (२" X २" X ४")	थान	२००	२००	२१०	२१०	२३१	२५०	
३८	पोर्सिलिन ग्लेज्ड / नन्ग्लेज्ड टायल	ब.मी.	७६५	७६५	८०३	८०३	८८३	९२५	
३९	टेराजो टायल	थान	६२	६२	६५	६५	७२	८०	
४०	Porcelain Glazed Tiles								
	24"x24" GVT	ब.मी				१६५	१८०	२००	
	24"x24" vertified	ब.मी				११०	१२५	१३०	
	Floor Tiles								
	24"x24" Digital	ब.मी				१२९	१७५	१९०	
	12"x24" walls	ब.मी				१३४	१७५	१९०	
	12"x18" walls	ब.मी.				१०३	१२५	१३०	
४०	**Plastic carpet**								
	(a) PVC	र.मी.	१९०	१९०	१९०	१९०	२२५	२४८	
	(b) M calio	र.मी.	४५०	४५०	४५०	४५०	५५०	६०५	
	(a) Curavan	र.मी.	३५०	३५०	३५०	३५०	४५०	४९५	
	(a) Calio	र.मी.	७५०	७५०	७५०	७५०	८५०	९३५	
४१	**Yeti carpet**								
	(a) Full Rib	र.मी.	६००	६५०	६५०	६५०	७००	७७०	
	(b) Sajawat	र.मी.	५७५	५७५	५७५	५७५	६५०	७१५	
	(a) Gri Laxmi	र.मी.	५५०	५५०	५५०	५५०	६००	६६०	
	(a) Mehfil	र.मी.	४५०	४५०	४५०	४५०	५००	५५०	
	सिमेन्ट जन्य सामाग्रीहरु								
४२	पी.पी.सि सिमेण्ट	बोरा	६०५	६०५	६०५	६०५	६०५	६२०	
४३	पी.एस.सि.सिमेण्ट	बोरा	६०५	६०५	६०५	६०५	६०५	६२०	
४४	ओ.पी.सि.सिमेण्ट	बोरा	७३५	७४०	७४०	७४०	७४०	७५०	
४५	सेतो सिमेण्ट	बोरा	११५०	११५०	११५०	११५०	११५०	१२००	
४६	वाटर प्रुफिङ कम्पाउण्ड	के.जी.	९२	९२	९२	९२	९२	१००	
४७	Silica cement admixture	के.जी.	१६.२५	१६.२५	१६.२५	१६.२५			
४८	सेफकिट एडमिक्स्चर	लिटर	३२५	३२५	३२५	३२५			
४९	सेफ माइट एडमिक्स्चर	लिटर	३५०	३५०	३५०	३५०			
	केकिट एडमिक्स्चर	लिटर			३५०	३५०	३५०	२५०	
५०	फलाम जन्य सामग्रीहरु								
५१	फलामे डण्डी विभिन्न साइजको	के.जी.	८५	८७	८७	९०	९७	१०५	
५२	एनिल्ड वायर	के.जि.	९२	९५	९५	९५	१००	१२०	
५३	पेच किला २५ मिमि (२०० पिस)	बट्टा	११०	११०	११०	११०	११५	१२५	
५४	साधारण किला विभिन्न साइजको	के.जी.	८९	८९	८९	८९	९०	१२०	
५५	एम.एस. ब्लाक पाइप विभिन्न साइज	के.जि.	७६	७६	७६	७६	८०	१३०	
५६	सामान सहित फलामे ग्रील जडान गर्ने कार्य	के.जि	११५	११५	१२५	१२५	१३०	१७०	
५७	डण्डी बाध्ने कालो तार	के.जी.	१०५	१०५	१०५	१०५	११६	१३०	
५८	डण्डी बाध्ने ग्याल्भनाइज्ड तार	के.जी	१०५	१०५	१०५	१०५	११०	११५	
५९	ऐंगल फलाम	के.जी.	८३	८३	८३	८३	८९	१३०	
६०	ग्रील पाता	के.जी.	८३	८३	८३	८३	८९	१३०	
६१	सोलिड स्क्वायर रड	के.जी	८३	८३	८३	८३	८९	१३०	
६२	फलामे कोलेप्सेबल गेट जडान सहित	के.जी	१२०	१५०	१६०	१६०	१७९	१८५	
६३	१८ गेज रोलिङ सटर जडान सहित	के.जि.	१२०	१५०	१६०	१६०	१७९	१८५	
६४	फलामे एङ्गलमा ग्रील तथा गेट जडान सहित	के.जी.	११५	१४०	१४०	१४०	१५८	१८५	
६५	चिकन वायर मेस(३ फिट चौडाई भएको)	र.मी.	४६	४६	४६	४६	४८	५५	
६६	विभिन्न साइजको नट बोल्ट	के.जी.	११०	११०	११०	११०	११६	१३०	
६७	सुलिस पाता	के.जी.	८३	८३	८३	८३	८७	१००	
६८	सिट पाइल (३ मिमि - १० मिमि) (with driving), २ मी गहिराइ सम्म	के.जी.	२२५	२२५	२२५	२२५	२३०	२५०	

आ.व. २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

क.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
६९	सिट पाइल (१२ मिमि - ३० मिमि)(with driving) २ मी गहिराइसम्म	के.जी.	२२५	२२५	२२५	२२५	२३०	२५०	
७०	हेड वर्क, हेड रेगुलेटरको गियर सिस्टम गेट	के.जि.	३००	३००	३००	३००	३३०	३५०	
७१	हेड रेगुलेटर, क्रस रेगुलेटरको लागि साधारण फलामे गेट गियर बाहेक	के.जि.	२५०	२५०	२५०	२५०	२६३	२७०	
७२	रबर सिल	प्रति मी	१२६०	१२६०	१२६०	१२६०	१२६०	१३८६	
७३	Thusrst bearing per cm 51114	Nos	३९५०	३९५०	३९५०	३९५०	३९५०	४३४५	
७४	Thusrst bearing per cm 51115	Nos	४४५०	४४५०	४४५०	४४५०	४४५०	४८९५	
७५	Thusrst bearing per cm 51116	Nos	४७५०	४७५०	४७५०	४७५०	४७५०	५२२५	
७६	Bearing	Nos	२६२५	२६२५	२६२५	२६२५	२६२५	२८८८	
७७	Dis nut bolt	Nos	१३०	१३०	१३०	१३०	१३०	१४३	
७८	Handle caller	Nos	१५५०	१५५०	१५५०	१५५०	१५५०	१७०५	
७९	Rubber seal 6", 9" , 12"	Rmt	१२६०	१२६०	१२६०	१२६०	१२६०	१३८६	
८०	Bore (Bearing size)	Nos	२६००	२६००	२६००	२६००	२६००	२८६०	
८१	Crown set	set	१५५००	१५५००	१५५००	१५५००	१५५००	१७०५०	
८२	Penion set	set	१०५००	१०५००	१०५००	१०५००	१०५००	११५५०	
८३	Brass bush	set	१५००	१५००	१५००	१५००	१५००	१६५०	
८४	Handle bush	set	५२००	५२००	५२००	५२००	५२००	५७२०	
८५	Handle bush threading	set	३९००	३९००	३९००	३९००	३९००	४२९०	
८६	Handle bearing size bore	set	१३००	१३००	१३००	१३००	१३००	१४३०	
८७	Lifting device	set	१७०००	१७०००	१७०००	१७०००	१७०००	१८७००	
८८	Threading spindle	cm	५०	५०	५०	५०	५०	५५	
८९	एम एस च्यानल (३ ४ ५ ६)	के.जि.	८६	८६	८६	८६	९५	१३०	
९०	स्पाइरल सिडी (४" मिडियम पाप्ट, ३ * २० मि.मी. पाता, ३२ मि.मी. डाय ह्याण्ड्रेल समेतको तयारी) जडान सहित	के.जी.	१३०	१५५	१५५	१६०	१६८	१७५	
९१	[illegible] मिडियम १.५ ईन्चको कालो पाईप हेन्डरेल र १ ईन्च स्क्वायर पाईपको ६ ईन्चको फरकमा ठाडो पोप्ट राखि तयार तथा जडान गर्ने काम (कालो पाइप) जडान सहित	फिट	१३०	१५५	१५५	१६०	१६८	१७५	
९२	ट्युबलर ट्रस (फेब्रिकेसन गरी तयारी)	के.जी.	११५	११५	११५	१२०	१३२	१८५	
९३	ट्रस, परलिन, फ्रेम आदिको जडान चार्ज	के.जी.	३५	३५	३५	३५	३९	५०	
९४	Stainless steel pipe 1/2" dia.	के.जी.	२६५	२६५	२६५	२६५	२९२	३५०	
९५	Stainless steel pipe 3/4" dia.	के.जी.	२१५	२१५	२१५	२१५	२३७	३५०	
९६	Stainless steel pipe 1" dia.	के.जी.	२००	२००	२००	२००	२२०	३५०	
९७	Stainless steel pipe 1.25" dia.	के.जी.	२००	२००	२००	२००	२२०	३५०	
९८	Stainless steel pipe 1.50" dia.	के.जी.	२००	२००	२००	२००	२२०	३५०	
९९	Stainless steel pipe 2.50" dia.	के.जी.	२००	२००	२००	२००	२२०	३५०	
	विभिन्न साइज, व्यासको स्टेनलेस स्टिलको ग्रिल, गेट, रेलिङ्ग, झ्याल ढोका सामान समेत	के.जी.						६२५	
	स्टेनलेस स्टिलको पाईप रेलिङ्ग								
१००	भरांगको लागि ५० मिमिको हेन्डरेल पाईप, विचमा २० मिमि व्यासको स्टेनलेस स्टिल पाईपको तिन लाईन, ४० मिमिको ठाडो पोप्ट र ७५ मिमिको वोलुप्टर पाईपको रेलिङ्ग वनाई जडान गर्ने काम उचाई ९० से.मि. आवश्यक	फिट	१२००	१२००	१२००	१२००	१३२०	१५००	
१०१	वरण्डाको लागि ५० मिमिको हेन्डरेल पाईप, विचमा २० मिमि व्यासको स्टेनलेस स्टिल पाईपको तिन लाईन, ४० मिमिको ठाडो पोप्टको रेलिङ्ग वनाई जडान गर्ने काम उचाई ९० से.मि. आवश्यक फेन्सी सामान समेत	फिट	११००	११००	११००	११००	१२१०	१४००	

आ.व. २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.स	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
१०२	बरण्डाको लागि ५० मिमिको हेन्डरेल पाईप, बिचमा २० मिमि व्यासको स्टेनलेस स्टिल पाईपको तिन लाईन, ४० मिमिको ठाडो पोष्टको रेलिङमा बुट्टा लगाई जडान गर्ने काम उचाई ७५ से.मि. आवश्यक फेन्सी सामान समेत	फिट	११००	११००	११००	११००	१२१०	१३००	
१०३	Welding charge								
	a) Arc welding	र.मी	४०	४२	४२	४२	४६	५०	
	b) Gas welding	र.मी.	८०	८३	८३	८३	९१	१००	
	ग्याविपन तार सम्बन्धी कार्यहरु								
१०४	जि. आई. तार लाइट ड्युटी(कमर्सियल)	के.जी.	८५	८५	८९	८९	९३	९८	
१०५	जि. आई. तार मेडियम ड्युटी	के.जी.	९०	९५	७६	१००	१०५	११०	
१०६	जि. आई. तार हेभी ड्युटी	के.जी.	९५	१००	७६	१०५	११०	११५	
१०७	जि आई बारबेड तार	के.जी.	९०	९०	९५	९५	१००	१०५	
१०८	जि आई लिक थागर मेस १० swg ५०मिमि	ब.मि.		८००	८००	८००			
	काम गर्ने औजारहरु								
१०८	फलामको तगारी	थान	७६	७६	७६	७६	८४	८४	
१०९	फलामको बाल्टी	थान	३१५	३१५	३१५	३१५	३४७	३६४	
११०	फलामे कोदालो (टाटा वा सो सरह)	थान	२६५	२६५	२६५	२६५	२९२	३०६	
१११	साबेल (टाटा वा सो सरह)	थान	३६५	३६५	३६५	३६५	४०२	४२२	
११२	पिक (गैति) (टाटा वा सो सरह)	थान	३५९	३५९	३५९	३५९	२९५	४१५	
११३	घन	थान	५०४	५०४	५०४	५०४	५५४	५८२	
११४	ओपेन स्पानर (तपडिया) १७ नं.	गोटा	२३९	२३९	२३९	२३९	२६३	२७६	
११५	क्लोज स्पानर (तपडिया) १७ नं.	गोटा	२६५	२६५	२६५	२६५	२९२	३०६	
११६	क्लोज स्पानर (तपडिया) १४ नं.	गोटा	२३३	२३३	२३३	२३३	२५६	२६९	
११७	स्टेनलेस क्रोमोप्लेटेड हिटिङ प्लेट (१०० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	१७०१	१७०१	१७०१	१७०१	१८७१	१९६५	
११८	स्टेनलेस क्रोमोप्लेटेड हिटिङ प्लेट (१५० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	१८९०	१८९०	१८९०	१८९०	२०७९	२१८३	
११९	स्टेनलेस क्रोमोप्लेटेड हिटिङ प्लेट (२०० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	३१५०	३१५०	३१५०	३१५०	३४६५	३६३८	
१२०	स्टेनलेस क्रोमोप्लेटेड हिटिङ प्लेट (२५० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	३२७६	३२७६	३२७६	३२७६	३६०४	३७८४	
१२१	माइल्ड स्टील क्रोमोप्लेटेड हिटिङ प्लेट(१०० मिमि व्यास तथा १५ मिमि मोटाईको)	थान	१५७५	१५७५	१५७५	१५७५	१७३३	१८१९	
१२२	माइल्ड स्टील क्रोमोप्लेटेड हिटिङ प्लेट (१५० मिमि व्यास तथा १५ मिमि मोटाइको)	थान	१८२७	१८२७	१८२७	१८२७	२०१०	२११०	
१२३	चेन पाइप रेन्च हेभी ड्युटी ५० मिमि	थान	१५१२	१५१२	१५१२	१५१२	१६६३	१७४६	
१२४	चेन पाइप रेन्च हेभी ड्युटी ८० मिमि	थान	१७६४	१७६४	१७६४	१७६४	१९४०	२०३७	
१२५	चेन पाइप रेन्च हेभी ड्युटी १०० मिमि	थान	२०२२	२०२२	२०२२	२०२२	२२२४	२३३५	
१२६	चेन पाइप रेन्च हेभी ड्युटी १५० मिमि	थान	२४६३	२४६३	२४६३	२४६३	२७०९	२८४५	
१२७	पाइप रेन्च ३० से.मि.	थान	३२१	३२१	३२१	३२१	३५३	३७१	
१२८	पाइप रेन्च ३५ से.मि.	थान	३५९	३५९	३५९	३५९	३९५	४१५	
१२९	पाइप रेन्च ४५ से.मि.	थान	७२५	७२५	७२५	७२५	७९८	८३७	
१३०	पाइप रेन्च ६० से.मि.	थान	११३४	११३४	११३४	११३४	१२४७	१३१०	
१३१	पाइप रेन्च ९० से.मि.	थान	२११७	२११७	२११७	२११७	२३२९	२४४५	
१३२	मेन्टिनेन्स टुल बक्स २२ गेजको २००X२००X४२५ मिमि	थान	१८९०	१८९०	१८९०	१८९०	२०७९	२१८३	
१३३	टेफलन क्लथ	ब.मी.	३९०६	३९०६	३९०६	३९०६	४२९७	४५११	
१३४	थर्मोक्रोम चक (जर्मनी)	थान	८८२	८८२	८८२	८८२	९७०	१०१९	
१३५	फेब्रिक ग्लास मेजरिङ्ग टेप ३० मीटर	थान	९४५	९४५	९४५	९४५	१०४०	१०९१	
१३६	फेब्रिक ग्लास मेजरिङ्ग टेप ५० मीटर	थान	१२६०	१२६०	१२६०	१२६०	१३८६	१४५५	
१३७	फेब्रिक ग्लास मेजरिङ्ग टेप ५ मीटर	थान	१२६	१२६	१२६	१२६	१३९	१४६	
१३८	पाइप भाइस सेल्प लकिङ्ग १२ मिमि ह ५० मिमि	थान	१६००	१६००	१६००	१६००	१७६०	१८४८	
१३९	पाइप भाइस सेल्प लकिङ्ग १२ मिमि ह ८० मिमि	थान	२८९८	२८९८	२८९८	२८९८	३१८८	३३४७	
१४०	पाइप भाइस सेल्प लकिङ्ग १२ मिमि ह १०० मिमि	थान	४९७७	४९७७	४९७७	४९७७	५४७५	५७४८	

आ.व. २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.स	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
१४१	अटोमेटिक पाइप डाइ सेट (राचेट टाइप ३हर) १२ मिमि ह २५ मिमि	थान	४४७३	४४७३	४४७३	४४७३	४९२०	५१६६	
१४२	अटोमेटिक पाइप डाइ सेट ३२ मिमि ह ५० मिमि	थान	७५४७	७५४७	७५४७	७५४७	८३०२	८७१७	
१४३	अटोमेटिक पाइप डाइ सेट ६३ मिमि ह ८० मिमि	थान	१३२३०	१३२३०	१३२३०	१३२३०	१४५५३	१५२८१	
१४४	हेण्डल डाई हेड १५ - २५ मिमि	थान	१६५७	१६५७	१६५७	१६५७	१८२३	१९१४	
१४५	हेण्डल डाई हेड ३२ - ५० मिमि	थान	२७६६	२७६६	२७६६	२७६६	३०४३	३१९५	
१४६	हेण्डल डाई हेड ६३ - ८० मिमि	थान	३७७७	३७७७	३७७७	३७७७	४१५५	४३६२	
१४७	स्लाइड रेन्च २०० मिमि हेभी ड्युटी	थान	३५३	३५३	३५३	३५३	३८८	४०८	
१४८	स्लाइड रेन्च २५० मिमि हेभी ड्युटी	थान	४९८	४९८	४९८	४९८	५४८	५७५	
१४९	स्लाइड रेन्च ३०० मिमि हेभी ड्युटी	थान	५७७	५७७	५७७	५७७	६३५	६६६	
१५०	स्लाइड रेन्च ३७० मिमि हेभी ड्युटी	थान	१३८६	१३८६	१३८६	१३८६	१५२५	१६०१	
१५१	स्लाइड रेन्च ४५० मिमि हेभी ड्युटी	थान	१७५८	१७५८	१७५८	१७५८	१९३४	२०३०	
१५२	पाइप कटर हेभी ड्युटी २५ मिमि ब्यासको	थान	१४४९	१४४९	१४४९	१४४९	१५९४	१६७४	
१५३	पाइप कटर हेभी ड्युटी ५० मिमि ब्यासको	थान	२३७८	२३७८	२३७८	२३७८	२६१६	२७४७	
१५४	पाइप कटर हेभी ड्युटी ८० मिमि ब्यासको	थान	४२३२	४२३२	४२३२	४२३२	४६५५	४८८८	
१५५	पाइप कटर हेभी ड्युटी १०० मिमि ब्यासको	थान	४७८८	४७८८	४७८८	४७८८	५२६७	५५३०	
१५६	पाइप कटर हेभी ड्युटी १५० मिमि ब्यासको	थान	८६९४	८६९४	८६९४	८६९४	९५६३	१००४२	
१५७	पीक एक्स (टाटा वा सो सरह)	थान	३५९	३५९	३५९	३५९	३९५	४१५	
१५८	३०० मिमि राउण्ड फायल टेस्टेड २५० मिमि	थान	४८४	४८४	४८४	४८४	५३२	५५९	
१५९	१२ मिमि फ्लोट फायल टेस्टेड २५० मिमि	थान	२३८	२३८	२३८	२३८	२६२	२७५	
१६०	डोको	थान	१२६	१२६	१२६	१२६	१३९	१४६	
१६१	ह्वील बैरो	थान	४०३२	४०३२	४०३२	४०३२	४४३५	४६५७	
१६२	गल (५ केजिको)	थान	४१०	४१०	४१०	४१०	४५१	४७४	
१६३	दाते गैती	थान	१८९	१८९	१८९	१८९	२०८	२१८	
	छानाका सामाग्रीहरु								
	ट्रान्स्पारेन्ट फाईवर ग्लास सिट								
१६४	०.८० मि.मि.को साधा	व.फिट	५५	५५	५५	५५	६०	६३	
१६५	०.८० मि.मि.को कोरुगेटेड	व.फिट	१८०	१८०	१८०	१८०	२००	२१०	
१६६	१.२ मि.मि.को साधा फाईवर	व.फिट	११०	११०	११०	११०	१३०	१३७	
१६७	१.२ मि.मि.को कोरुगेटेड फाईवर	व.फिट	११०	११०	११०	११०	१३०	१३७	
१६८	२.० मि.मि.को कोरुगेटेड फाईवर	व.फिठ	१६०	१६०	१६०	१६०	१८०	१८९	
१६९	एस्वेस्टस सिमेण्ट सिट	ब.मि	४२५	४२५	४२५	४२५	५००	५२५	
१७०	Glass block (7.5"x7.5')	गोटा	२३५	२३५	२३५	२३५	३००	३१५	
१७१	UPVC Sheet 3mm	व.फिट					१७५	१८४	
१७१	UPVC Ridge Cover (3'-7" x 2')	गोटा	८७३	८७३	८७३	८७३	१००	१८००	
१७२	एसवेसटस क्यारुगेटेड सीट	ब. मी.	३४७	३४७	३४७	३४७	४००	४२०	
१७३	एसवेसटस प्लेन रीज सीट	र.मी.	३८०	३८०	३८०	३८०	४००	४२०	
१७४	स्काई लाइट क्यारुगेटेड सीट	ब.मी.	२४३	२४३	२४३	२४३	३००	३१५	
१७५	जि. आई. प्लेन सिट २२ गेजको	बण्डल	१०२८८	१०२८८	१०२८८	१०२८८	१०२८८	१०८०२	
१७६	जि. आई. प्लेन सिट २४ गेजको	बण्डल	८९०३	८९०३	८९०३	८९०३	८९०३	९३४८	
१७७	जि. आई प्लेन सिट २६ गेजको	बण्डल	६१८८	६१८८	६१८८	६१८८	६१८८	६४९७	
१७८	जि. आई. प्लेन सिट २८ गेजको	बण्डल	५५५३	५५५३	५५५३	५५५३	५५५३	५८३१	
१७९	बिटुमिन वासर	गोटा	४	४	४	४	४	५	
१८०	जे वा एल हुक	के.जी.	१०३	१०३	१०३	१०३	१०३	१०८	
१८१	नट बोल्ट (८ मिमि)	गोटा	११	११	११	११	११	१२	
१८२	कन्ट्री टायल	हजार	२०८२	२०८२	२०८२	२०८२	२०८२	२१८६	
१८३	कन्ट्री टायल धुरी	हजार	४१६१	४१६१	४१६१	४१६१	४१६१	४३६९	
१८४	छाना छाउने सिमेण्टको टायल	गोटा	१७	१७	१७	१७	२०	२१	
१८५	सिमेन्ट टायल ३'x२'x० २५"	गोटा	११३	११३	११३	११३	११३	११९	
१८६	धुरीमा लगाउने सिमेण्टको टायल	गोटा	२०	२०	२०	२०	२०	२१	
१८७	मिक्स खर	बोझा	११४	११४	११४	११४	११४	१२०	
१८८	चटाई	व.मी	११४	११४	११४	११४	११४	१२०	
१८९	बांस	गोटा	१५०	१५०	१५०	१५०	२५०	२६३	
१९०	टार फेल्ट सिट (१ मी. X २० मी.)	रोल	१३३१	१३३१	१३३१	१३३१	१३३१	१३९८	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
१९१	सि जि आई सिट २२ गेज हेभी ड्युटी	बण्डल	१२१३०	१२१३०	१२१३०	१२१३०	१३३४३	१४०१०	
१९२	सि जि आई सिट २२ गेज लाइट ड्युटी	बण्डल	१०८००	१०८००	१०८००	१०८००	११८८०	१२४७४	
१९३	सि जि आई सिट २४ गेज हेभी ड्युटी	बण्डल	१०२६०	१०२६०	१०२६०	१०२६०	११२८६	११८५०	
१९४	सि जि आई सिट २४ गेज मिडियम ड्युटी	बण्डल	९९१०	९९१०	९९१०	९९१०	१०९०१	११४४६	
१९५	सि जि आई सिट २४ गेज लाइट ड्युटी	बण्डल	९०१०	९०१०	९०१०	९०१०	९९११	१०४०७	
१९६	सि जि आई सिट २६ गेज हेभी ड्युटी	बण्डल	८३००	८३००	८३००	८३००	९१३०	९५८७	
१९७	सि जि आई सिट २६ गेज मिडियम ड्युटी	बण्डल	७५७०	७५७०	७५७०	७५७०	८३२७	८७४३	
१९८	सि जि आई सिट २६ गेज लाइट ड्युटी	बण्डल	७२२०	७२२०	७२२०	७२२०	७९४२	८३३९	
१९९	सि जि आई सिट २८ गेज हेभी ड्युटी	बण्डल	६५००	६५००	६५००	६५००	७१५०	७५०८	
२००	सि जि आई सिट २८ गेज मिडियम ड्युटी	बण्डल	५९५०	५९५०	५९५०	५९५०	६५४५	६८७२	
२०१	सि जि आई सिट २८ गेज लाइट ड्युटी	बण्डल	५५८०	५५८०	५५८०	५५८०	६१३८	६४४५	
२०२	सि जि आई सिट (कलर कोट) २२ गेज हेभी ड्युटी	बण्डल	१४१२०	१४१२०	१४१२०	१४१२०	१५५३२	१६३०९	
२०३	सि. जि. आई. सिट (कलर कोट) २२ गेज लाइट ड्युटी	बण्डल	१२८९०	१२८९०	१२८९०	१२८९०	१४१७९	१४८८८	
२०४	सि जि. आई. सिट (कलर कोट) २४ गेज हेभी ड्युटी	बण्डल	१२३३०	१२३३०	१२३३०	१२३३०	१३५६३	१४२४१	
२०५	सि जि. आई. सिट (कलर कोट) २४ गेज मिडियम ड्युटी	बण्डल	११९३०	११९३०	११९३०	११९३०	१३१२३	१३७७९	
२०६	सि. जि. आई. सिट (कलर कोट) २४ गेज लाइट ड्युटी	बण्डल	१०९६०	१०९६०	१०९६०	१०९६०	१२०५६	१२६५९	
२०७	सि. जि. आई. सिट (कलर कोट) २६ गेज हेभी ड्युटी	बण्डल	१०२४०	१०२४०	१०२४०	१०२४०	११२६४	११८२७	
२०८	सि जि. आई. सिट (कलर कोट) २६ गेज मिडियम ड्युटी	बण्डल	९४६०	९४६०	९४६०	९४६०	१०४०६	१०९२६	
२०९	सि जि. आई. सिट (कलर कोट) २६ गेज लाइट ड्युटी	बण्डल	९०१०	९०१०	९०१०	९०१०	९९११	१०४०७	
२१०	सि जि. आई सिट (कलर कोट) २८ गेज हेभी ड्युटी	बण्डल	८१६०	८१६०	८१६०	८१६०	८९७६	९४२५	
२११	सि जि. आई सिट (कलर कोट) २८ गेज मिडियम ड्युटी	बण्डल	७५९०	७५९०	७५९०	७५९०	८३४९	८७६६	
२१२	सि जि. आई. सिट (कलर कोट) २८ गेज लाइट ड्युटी	बण्डल	७१८०	७१८०	७१८०	७१८०	७८९८	८२९३	
२१३	जि.आई. रिज सिट २६ गेज हेभी ड्युटी	बण्डल	२८१३	२८१३	२८१३	२८१३	३०९४	३२४९	
२१४	जि.आई. रिज सिट २६ गेज मिडियम ड्युटी	बण्डल	२५७०	२५७०	२५७०	२५७०	२८२७	२९६८	
२१५	जि.आई. रिज सिट २६ गेज लाइट ड्युटी	बण्डल	२४५३	२४५३	२४५३	२४५३	२६९८	२८३३	
२१६	जि.आई. रिज सिट २८ गेज हेभी ड्युटी	बण्डल	२२१३	२२१३	२२१३	२२१३	२४३४	२५५६	
२१७	जि.आई रिज सिट २८ गेज मिडियम ड्युटी	बण्डल	२०३०	२०३०	२०३०	२०३०	२२३३	२३४५	
२१८	जि आई रिज सिट २८ गेज लाइट ड्युटी	बण्डल	१९०७	१९०७	१९०७	१९०७	२०९८	२२०३	
	सि जि. आई. सिट रङिन टयल प्रोफयल १०१५× ०.४९ मि मि	बण्डल			१९६१५	१९६१५	२१५७७	२२६५५	
	सि जि. आई. सिट रङिन हेरिटेज प्रोफयल ८६०× ०.४९ मि मि	बण्डल			१९६१५	१९६१५	१५५७६	१६३५५	
	काठ जन्य निर्माण सामाग्रीहरु								
२१९	अग्राख काठ (चिरान गरिएको)	क्यु.फि.	४५००	४५००	४५००	४५००	५०६०	६०००	
२२०	सिसम काठ (जङ्गली सिसौ चिरान समेत)	क्यु.फि.	२७००	२७००	२७००	२७००	३०८०	४०००	
२२१	देहाती सिसौ (चिरान समेत)	क्यु.फि.	२१००	२१००	२१००	२१००	२४२०	२६००	
२२२	आसन, कर्मा, जामुन (चिरान समेत)	क्यु.फि.	१६००	१६००	१६००	१६००	१८१५	२०००	
२२३	कुकाठ (चिरान समेत)	क्यु.फि.	१२५०	१२५०	१२५०	१३००	१४३०	१६००	
२२४	कु काठ गोलिया	क्यु.फि.	८१०	८१०	८१०	९००	९९०	१०००	
२२५	दाउरा	के.जि.	९.१०	९.१०	९.१०	१०.००	१२.००		
	वाटर प्रुफ प्लाई बोर्ड १२ मीमी मोटाई	ब.फी.				१०४.००	१२०	१२५	
	वाटर प्रुफ प्लाई बोर्ड १९ मीमी मोटाई	ब.फी.				१३५.००	१५५	१७०	
२२६	वाटर प्रुफ प्लाई बोर्ड ३२ मीमी मोटाई	ब.फी.	१७३	१७३	१७३	१८०	२५०	३५०	
२२७	भारतीय प्लाइउड ३ मिमि	ब.फी.	१८	१८	१८	१८		६०	
२२८	भारतीय प्लाइउड ४ मिमि	ब.फी.	१८	१८	१८	१८		६५	
२२९	भारतीय प्लाइउड ६ मिमि	ब.फी.	२२	२२	२२	२२		७०	
२३०	कमर्सियल प्लाइउड ४ मिमि	ब.फी.	१७	१७	१७	१७	२०	२१	
२३१	कमर्सियल प्लाइउड ६ मिमि	ब.फी.	३२	३२	३२	३२	४०	४२	
२३२	कमर्सियल प्लाइउड १० मिमि	ब.फी.	४२	४२	४२	४२	४५	४७	
२३३	कमर्सियल प्लाइउड १२ मिमि	ब.फी.	४८	४८	४८	४८	५५	५८	
२३४	टिक प्लाइउड ३ मिमि	ब.फी.	४७	४७	४७	४७	५५	५८	
२३५	टिक प्लाइउड ४ मिमि	ब.फी.	५३	५३	५३	५३	६०	६३	
२३६	टिक प्लाइउड ६ मिमि	ब.फी.	६३	६३	६३	६३	७०	७४	
२३७	टिक प्लाइउड १२ मिमि	ब.फी.	१०४	१०४	१०४	१०४	११४	१२०	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
२२८	सबमाइका १२ गेज (४' X ८')	थान	७३०	७३०	७३०	७३०	६५०	६८३	
२२९	फोरमाइका	थान	९५०	९५०	९५०	९५०	१०४५	१०९७	
२३०	प्लाई बोर्ड १९ मिमि	व.फी.	७२	७२	७२	७२	७५	१२०	
	भवन सम्बन्धी सामानहरु								
२४१	ऐना साधारण ३ मिमि मोटाईको	ब.मी.	९४५	९४५	९४५	९४५	१०४०	१०९१	
२४२	ऐना साधारण ४ मिमि मोटाईको	ब.मी.	१०७१	१०७१	१०७१	१०७१	११७८	१२३७	
२४३	ऐना साधारण ५ मिमि मोटाईको	ब.मी.	१०८४	१०८४	१०८४	१०८४	११९२	१२५२	
२४४	ऐना साधारण ५.५ मिमि मोटाईको	ब.मी.	११३४	११३४	११३४	११३४	१२४७	१३१०	
२४५	ऐना साधारण ६ मिमि मोटाईको	ब.मी.	१२६८	१२६८	१२६८	१२६८	१३९५	१४६५	
२४६	ऐना बुट्टावाला ३ मिमि	ब.मी.	८१४	८१४	८१४	८१४	८९५	९४०	
२४७	ऐना बुट्टावाला ४ मिमि	ब.मी.	९६०	९६०	९६०	९६०	१०५६	११०९	
२४८	प्लेन पार्टिकल बोर्ड (इन्टिरियर ग्रेड) ६ मिमि मोटाईको	ब.मी.	२५४	२५४	२५४	२५४		२९३	
२४९	प्लेन पार्टिकल बोर्ड (इन्टिरियर ग्रेड) ९ मिमि मोटाईको	ब.मी.	२९२	२९२	२९२	२९२		३३७	
२५०	प्लेन पार्टिकल बोर्ड (इन्टिरियर ग्रेड) १२ मिमि मोटाईको	ब.मी.	३३०	३३०	३३०	३३०		३८१	
२५१	प्लेन पार्टिकल बोर्ड (इन्टिरियर ग्रेड) १८ मिमि मोटाईको	ब.मी.	४८९	४८९	४८९	४८९		५६५	
२५२	प्लेन पार्टिकल बोर्ड (इन्टिरियर ग्रेड) २५ मिमि मोटाईको	ब.मी.	६३५	६३५	६३५	६३५		७३३	
२५३	होल्ड फास्ट हेभि ड्युटी	के.जी.	६२	६२	६२	६२	६८	७२	
२५४	Brass Tower bolt 3"	Nos	७९	७९	७९	७९	८७	९१	
२५५	Brass Tower bolt 4"	Nos	८९	८९	८९	८९	९८	१०३	
२५६	Brass Tower bolt 6"	Nos	१०५	१०५	१०५	१०५	११६	१२१	
२५७	Handle (Muthiya) 3"	Nos	७९	७९	७९	७९	८७	९१	
२५८	Handle (Muthiya) 4"	Nos	१०५	१०५	१०५	१०५	११६	१२१	
२५९	Handle (Muthiya) 6"	Nos	१७३	१७३	१७३	१७३	१९०	२००	
२६०	L- Drop (Handle) - 8"	Nos	६५६	६५६	६५६	६५६	७२२	७५८	
२६१	L- Drop (Handle) - 10"	Nos	८६६	८६६	८६६	८६६	९५३	१०००	
२६२	L- Drop (Handle) - 12"	Nos	९९८	९९८	९९८	९९८	१०९८	११५३	
२६३	Brass Mortice lock	Nos	१४७०	१४७०	१४७०	१४७०	१६१७	१६९८	
२६४	Door closer	Nos	२१००	२१००	२१००	२१००	२३१०	२४२६	
२६५	कब्जा ७५ मिमि हेभि ड्युटी	गोटा	१७	१७	१७	१७	१९	२०	
२६६	कब्जा १०० मिमि हेभि ड्युटी	गोटा	२४	२४	२४	२४	२६	२८	
२६७	कब्जा १५० मिमि हेभि ड्युटी	गोटा	४५	४५	४५	४५	५०	५२	
२६८	छेस्किनी ७५ मिमि एल्मुनियम	गोटा	३२	३२	३२	३२	३५	३७	
२६९	छेस्किनी १०० मिमि एल्मुनियम	गोटा	३७	३७	३७	३७	४१	४३	
२७०	छेस्किनी १५० मिमि एल्मुनियम	गोटा	४७	४७	४७	४७	५२	५४	
२७१	छेस्किनी २०० मिमि एल्मुनियम	गोटा	६४	६४	६४	६४	७०	७४	
२७२	छेस्किनी २५० मिमि एल्मुनियम	गोटा	७४	७४	७४	७४	८१	८५	
२७३	मोर्टिस लक १५० मिमि	गोटा	६०४	६०४	६०४	६०४	६६४	६९८	
२७४	लकिङ्ग सेट २५० मिमि	गोटा	२९४	२९४	२९४	२९४	३२३	३४०	
२७५	ह्याण्डल साधारण	गोटा	६३	६३	६३	६३	६९	७३	
२७६	ह्याण्डल स्टील	गोटा	७४	७४	७४	७४	८१	८५	
२७७	ह्याण्डल ब्रास	गोटा	३६८	३६८	३६८	३६८	४०५	४२५	
२७८	जि. आई. मस्क्युटो प्रुफ वायर मेस २४ गेज	ब.मि.	२५४	२५४	२५४	२५४	२७९	२९३	
२७९	डोर स्प्रिङ साधारण	गोटा	२१०	२१०	२१०	२१०	२३१	२४३	
२८०	डोर स्प्रिङ राम्रो	गोटा	२३६	२३६	२३६	२३६	२६०	२७३	
२८१	हाइड्रोलिक डोर स्प्रिङ Amar	गोटा	९००	९००	९००	९००	९९०	१०४०	
२८२	हाइड्रोलिक डोर स्प्रिङ Godrej	गोटा	१९००	१९००	१९००	१९००	२०९०	२१९५	
२८३	हाइड्रोलिक डोर स्प्रिङ GP	गोटा	१४५०	१४५०	१४५०	१४५०	१५९५	१६७५	
२८४	मोर्टिस लक (पित्तल)	गोटा	१२५०	१२५०	१२५०	१२५०	१३७५	१४४४	
२८५	मोर्टिस लक (स्टील नेकल)	गोटा	५००	५००	५००	५००	५५०	५७८	
२८६	अल्ड्राफ सेट	सेट	१४७	१४७	१४७	१४७	१६२	१७०	
२८७	काठको लिस्टी	मिटर	७	७	७	७	८	८	
	वाटर प्रुफिङ सम्वन्धि सामग्रिहरु								

आ.व. २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
८८	Water proofing treatment by **Injection and Pressure Grouting System** using perma Grout 500 with mixing fresh gray cement slurry all complete (slope roof, sunk slab, basement)	व.मि	५४५	५४५	५४५	५४५	५७५	६०४	
८९	Providing and applying Dustban/Permise chemicals for **Anti Termite Treatment** all complete	व.मि	४६०	४६०	४६०	४६०	४७५	४९९	
९०	Dr FIXIT liquid	लिटर	२८०	२८०	२८०	२८०	२८०	२९४	
९१	Dr FIXIT Powder	के.जी.	१४०	१४०	१४०	१४०	१४०	१४७	
९२	Cement Admixture (Mix 5% by weight of cement)	के.जी.	२८९	२८९	२८९	२८९	२८९	३०३	
९३	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिटर	२२८	२२८	२२८	२२८	२२८	२३९	
९४	सेफक्रिट	लिटर	२१७	२१७	२१७	२१७	२१७	२२८	
९५	पि भि सी ढोका 3' x 6'-6" तयारी	थान	४९५०	४९५०	४९५०	४९५०	५२००	५४६०	
९६	False ceiling by Gypsum, Gypsum Board : 12mm thick	ब.मि.	१०७२	१०७२	१०७२	१०७२	१०७२	१२००	
९७	जिप्सम् बोर्ड साधारण	व.मि.	९१०	९१०	९१०	९१०	९१०	१००१	
९८	जिप्सम् बोर्ड डिजाइन	व.मि.	१२७५	१२७५	१२७५	१२७५	१२७५	१४०३	
९९	जिप्सम बोर्ड वाल प्यानलिङ	व.मि.	१०००	१०००	१०००	१०००	१०००	११००	
१००	जिप्सम बोर्डबाट वाल पार्टिशन	व.मि.	१९५०	१९५०	१९५०	१९५०	१९५०	२१४५	
	Door & Window Frames(Chaukath)								
३०१	Readymade RCC door frame of section 5"x3" with concrete mix 1:1:1 with rebar including arrangement of necessary holes and safety plates all complete								
a	Door size 3'-0"x7'-0"	प्रति गोटा	२५००	२५००	२५००	२५००	२७५०	२८८८	
b	Door size 2'-6"x7'-0"	प्रति गोटा	२२००	२२००	२२००	२२००	२४२०	२५४१	
c	Door size 3'-0"x6'-6"	प्रति गोटा	२५००	२५००	२५००	२५००	२७५०	२८८८	
d	Door size 2'-6"x6'-6"	प्रति गोटा	२२००	२२००	२२००	२२००	२४२०	२५४१	
३०२	Readymade RCC window frame of section 4"x3" with concrete mix 1:1:1 with rebar including arrangement of necessary holes and safety plates all complete								
a	Window size 3'-0"x3'-0"	प्रति गोटा	२२००	२२००	२२००	२२००	२४२०	२५४१	
b	Window size 3'-0"x4'-0"	प्रति गोटा	३१००	३१००	३१००	३१००	३४१०	३५८१	
c	Window size 4'-0"x4'-0"	प्रति गोटा	४६००	४६००	४६००	४६००	५०६०	५३१३	
d	Window size 4'-0"x5'-0"	प्रति गोटा	५२००	५२००	५२००	५२००	५७२०	६००६	
३०३	Readymade wooden moulded door shutter including painting all complete works	प्रति वर्ग फिट	४२०	४२०	४२०	४२०	४६२	४८५	
३०४	Readymade wooden membrance door shutter including painting all complete	प्रति वर्ग फिट	५००	५००	५००	५००	५५०	५७८	
३०५	Readymade wooden Nepali door shutter including painting all complete works	प्रति वर्ग फिट	२१५	२१५	२१५	२१५	२३७	२४८	
३०६	Readymade Steel Door 900*2100mm2	सेट		१५२७४	१५२७४	१५२७४	१६०३८	१६८४०	
३०७	Readymade Steel Door 1000*2100mm2	सेट		१६१५९	१६१५९	१६१५९	१६९६७	१७८१५	
३०७	Readymade ABS door 900*2100mm2	सेट		१३५०४	१३५०४	१३५०४	१४१७९	१४८८८	
३०८	Readymade Sy Sandwich/Eps Panel door 900*2100mm2	सेट		११७३४	११७३४	११७३४	१२३२१	१२९३७	
३०८	Readymade Sy Sandwich/Eps Panel Window 115mm	सेट		७६५	७६५	७६५	८०३	८४३	
	रंग रोगन सम्बन्धी सामाग्रीहरु								
३०६	वाटर प्रुफ सिमेन्ट पेण्ट (स्नोसेम)	के जी	७६	७६	७६	८०	८८	९२	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
३०७	डिस्टेम्पर ड्राई पाउडर	के.जी.	१४४	१४४	१४४	१५०	१६५	१७३	
३०८	कार्बन डिस्टेम्पर (झोल)	लीटर	१३९	१३९	१३९	१४५	१६०	१६७	
३०९	प्लास्टिक इमल्सन पेण्ट	लीटर	४६२	४६२	४६२	६००	६६०	७००	
३१०	रेडिमेड इनामेल पेण्ट	लीटर	३८५	३८५	३८५	४५०	१२१	५००	
३११	प्राइमर पेण्ट (काठको लागि)	लीटर	३१९	३१९	३१९	३५०	३८५	४००	
३१२	प्राइमर पेण्ट (फलामको लागि)	लीटर	३१९	३१९	३१९	३५०	३८५	४००	
३१३	तारपिन तेल	लीटर	१३९	१३९	१३९	१५०	१६५	१७३	
३१४	स्पीरिट	लीटर	१०५	१०५	१०५	१२५	१३८	१४४	
३१५	लिनसिड आयल	लीटर	११०	११०	११०	११०	१२१	१२७	
३१६	चक्का	के.जी.	६३६	६३६	६३६	६५०	७१५	७५१	
३१७	वार्निस	लीटर	१४४	१४४	१४४	१५०	१६५	१७३	
३१८	आलुमिनियम पेन्ट	लीटर	४८४	४८४	४८४	५००	५५०	५७८	
३१९	तयारी गेरु रंग (झोल)	के.जी.	४५	४५	४५	५०	५५	५८	
३२०	खाली चुना (१ नं.)	के.जी.	२१	२१	२१	२५	२८	२९	
३२१	खाली चुना (२ नं.)	के.जी.	१५	१५	१५	२०	२२	२३	
३२२	खाली चुना (३ नं.)	के.जी.	१३	१३	१३	१५	१७	१७	
३२३	गुद	के.जी.	१५३	१५३	१५३	१५५	१७१	१७९	
३२४	सरेस चपरा	के.जी.	११६	११६	११६	१२०	१३२	१३९	
३२५	राम तिलक	के.जी.	१३	१३	१३	१५	१७	१७	
३२६	गेरु माटो	के.जी.	१५	१५	१५	१५	१७	१७	
३२७	उड ब्रिजरभेटिभ	लीटर	३८२	३८२	३८२	४००	४४०	४६२	
३२८	सफेदा विभिन्न कलरको	के.जी.	३५२	३५२	३५२	३५२	३८७	४०७	
३२९	खारसी	ताउ	७	७	७	१०	११	१२	
३३०	रोड मार्किङ पेण्ट	लीटर	६९९	६९९	६९९	८००	८८०	९२४	
३३१	अलकत्रा पेण्ट	लीटर	११६	११६	११६	१५०	१६५	१७३	
३३२	मैन पालिस	के.जी.	४३३	४३३	४३३	४५०	४९५	५२०	
३३३	ब्लैक जापान पेण्ट	लीटर	१२१	१२१	१२१	१५०	१६५	१७३	
३३४	फेविकल	लिटर	३४७	३४७	३४७	३५०	३८५	४०४	
३३५	रबर सिल कम्पाउण्ड	लिटर	८१	८१	८१	९०	९९	१०४	
३३६	Super coat paint	kg	४६२	४६२	४६२	६००	६६०	७००	
३३७	Apex paint	kg	४६२	४६२	४६२	६००	६६०	७००	
३३८	क्रिरमिची रंग	के.जी.	२००	२००	२००	२००	२२०	२३१	
३३९	स्टेनर रंग	१००ग्राम	१५५	१५५	१५५	१६०	१७६	१८५	
३४०	फ्रेन्च पाउडर	के.जी.	१६१	१६१	१६१	१६५	१८२	१९१	
३४१	नीर (डब्बा)	के.जी.	२५८	२५८	२५८	२५८	२८४	२९८	
३४२	चूना (टीनको)	के.जी.	२९	२९	२९	२९	३२	३३	
३४३	वाल पुट्टी (Wall Putty)	के.जी.	३५	३५	३५	४०	४४	४६	
३४४	मेटल खाक्सी	पिस	१५	१५	१५	१५	१७	१७	
३४५	काठको पुटिङ	के.जी.	६७	६७	६७	६७	७४	७७	
३४६	1" चौडा पेन्ट ब्रस	गोटा	५५	५५	५५	६०	६६	६९	
३४७	2" चौडा पेन्ट ब्रस	गोटा	११०	११०	११०	११५	१२७	१३३	
३४८	3" चौडा पेन्ट ब्रस	गोटा	१५०	१५०	१५०	१६०	१७६	१८५	
३४९	4" चौडा पेन्ट ब्रस	गोटा	२२०	२२०	२२०	१२५	२४८	२६०	
३५०	तारको मेटल ब्रस	गोटा	४०	४०	४०	५०	५५	५८	
३५१	रंग लगाउने रोलर	गोटा	३५०	३५०	३५०	३५०	३८५	४०४	
३५२	जुत्ता ब्रस	गोटा	३०	३०	३०	३०	३३	३५	
	Aluminium material (For Door and Windows)								
३५३	Alluminium	Kg	३९५८	३९५८	३९५८	३९५८	४१५६	४३६४	
३५४	PVC Plug	No	१०	१०	१०	१०	११	११	
३५५	Alluminium screw	No	२	२	२	२	२	२	
३५६	Rubber bidding	M	८०	८०	८०	८०	८४	८८	
३५७	Wheel Runner	No	५०	५०	५०	५०	५३	५५	
३५८	Handle with luck	No	६००	६००	६००	६००	६३०	६६२	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
३५९	Friction stay	No	२००	२००	२००	२००	२१०	२२१	
३६०	4" Alluminium Hinge	No	६५	६५	६५	६५	६८	७२	
३६१	Pre laminated board	sqm	८०७	८०७	८०७	८०७	८४७	८९०	
३६२	Automatic closer	No	८००	८००	८००	८००	८४०	८८२	
	एल्युमिनियममा सादा सिसा जडान सहितको झ्यालको कार्य								
३६३	५ मिमिको सादा सिसा जडान गरिएको डवल मेशको स्लाईडिङ्ग झ्याल	ब. फी.	५७८	५७८	५७८	५७८	६०७	६६८	
३६४	५ मिमिको सादा सिसा जडान गरिएको मेश नभएको स्लाईडिङ्ग झ्याल	ब. फी.	५२५	५२५	५२५	५२५	५५१	६०६	
	एल्युमिनियममा सादा सिसा जडान सहितको ढोकाको कार्य								
३६५	५ मिमिको सादा सिसा जडान गरिएको कब्जावाला एक साइड खुल्ने स्विङ्ग ढोका	ब. फी.	६३०	६३०	६३०	६३०	६६२	७२८	
३६६	५ मिमिको सादा सिसा जडान गरिएको कब्जावाला दुई साइड खुल्ने स्विङ्ग ढोका	ब. फी.	६३०	६३०	६३०	६३०	६६२	७२८	
३६७	५ मिमिको सादा सिसा जडान गरिएको स्लाइडिङ्ग ढोका	ब. फी.	६८३	६८३	६८३	६८३	७१७	७८९	
	एल्युमिनियममा सादा सिसा जडान सहितको पार्टिसन वालको कार्य								
३६८	१.५फि.X१.५फि.X१.८ मिमिको फ्रेममा ५ मिमिको सादा सिसा जडान गरिएको पार्टिसन वाल	ब. फी.	४२०	४२०	४२०	४२०	४४१	४८५	
	प्रिफ्याब्रिकेटेड पार्टिशन वाल प्यानल (सप्लाई र इरेक्सन सहित)								
३६९	१२'-०" X १०'-०", ९'-०", ८'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	२६३	२६३	२६३	२६३	२७६	३०४	
३७०	१२'-०" X ७'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	३१५	३१५	३१५	३१५	३३१	३६४	
३७१	१२'-०" X ६'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	३१५	३१५	३१५	३१५	३३१	३६४	
३७२	१२'-०" X ५'-०" साइज तथा ५० मिमि मोटाई भएको	ब. फी.	२६३	२६३	२६३	२६३	२७६	३०४	
३७३	१२'-०" X १०'-०", ९'-०", ८'-०" साइज तथा ४० मिमि मोटाई भएको	ब. फी.	२३६	२३६	२३६	२३६	२४८	२७३	
३७४	१२'-०" X ७'-०" साइज तथा ४० मिमि मोटाई भएको	ब. फी.	२५२	२५२	२५२	२५२	२६५	२९१	
३७५	१२'-०" X ६'-०" साइज तथा ४० मिमि मोटाई भएको	ब. फी.	२८९	२८९	२८९	२८९	३०३	३३४	
३७६	१२'-०" X ५'-०" साइज तथा ४० मिमि मोटाई भएको	ब. फी.	२३६	२३६	२३६	२३६	२४८	२७३	
३७७	१२'-०" X १०'-०", ९'-०", ८'-०" साइज तथा ७५ मिमि मोटाई भएको	ब. फी.	३१५	३१५	३१५	३१५	३३१	३६४	
३७८	१२'-०" X ७'-०" साइज तथा ७५ मिमि मोटाई भएको	ब. फी.	३४१	३४१	३४१	३४१	३५८	३९४	
३७९	१२'-०" X ६'-०" साइज तथा ७५ मिमि मोटाई भएको	ब. फी.	३९४	३९४	३९४	३९४	४१४	४५५	
३८०	१२'-०" X ५'-०" साइज तथा ७५ मिमि मोटाई भएको	ब. फी.	३१५	३१५	३१५	३१५	३३१	३६४	
	कंक्रीट सम्बन्धी								
३८१	सिमेन्ट ब्लाक 6"x6"x12"	गोटा	३८	३८	३८	३८			
३८२	सिमेन्ट ब्लाक 4"x6"x12"	गोटा	३२	३२	३२	३२			
३८३	तारबार गर्नको लागि ५'X३ "X४" साइजको कंक्रिटको पोल	गोटा	२८९	२८९	२८९	२८९	३०३	३३४	
३८४	तारबार गर्नको लागि ६'X३ X४" साइजको कंक्रिटको पोल	गोटा	२८९	२८९	२८९	२८९	३०३	३३४	
३८५	तारबार गर्नको लागि ६'६"X३ "X४" साइजको कंक्रिटको पोल	गोटा	३१८	३१८	३१८	३१८	३३४	३६७	
३८६	तारबार गर्नको लागि ७'X३ "X४" साइजको कंक्रिटको पोल	गोटा	३४७	३४७	३४७	३४७	३६४	४०१	
३८७	तारबार गर्नको लागि ८'X३ "X४" साइजको कंक्रिटको पोल	गोटा	३७५	३७५	३७५	३७५	३९४	४३३	
३८८	१.५" मोटाई, ३' गोलाई र १' उचाइको सिमेण्ट कंक्रिट रिङ्ग	गोटा	४९१	४९१	४९१	४९१	५१६	५६७	
३८९	१.५" मोटाई, ३' गोलाई को सिमेण्ट कंक्रिट रिङ्ग कभर	गोटा	४९१	४९१	४९१	४९१	५१६	६३४	
३९०	सिमेण्ट कंक्रिट प्यान	गोटा	५४९	५४९	५४९	५४९	५७६	६३४	
३९१	फल्स सिलिङको लागि १२२०X६१०X६ मिमिको १००% वाटर प्रुफ सिमेण्ट बोर्ड (फ्रेमिङ्ग र फिटिङ्ग चार्ज बाहेक)	ब.फी.	५३	५३	५३	५३	५६	१२५	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
[illegible]	Cement concrete railing post 2'	गोटा	६०	६०	६०	६०	६३	६६	
[illegible]	Cement concrete railing post 2.5'	गोटा	१५०	१५०	१५०	१५०	१५८	१६५	
[illegible]	Cement concrete ventilation (1'x1')	गोटा	४५	४५	४५	४५	४७	५०	
[illegible]	Cement concrete ventilation (1'x1.5')	गोटा	६०	६०	६०	६०	६३	६६	
[illegible]	Cement concrete ventilation (1.5'x2')	गोटा	१०५	१०५	१०५	१०५	११०	११६	
[illegible]	Cement concrete ventilation (2'x2')	गोटा	१५५	१५५	१५५	१५५	१६३	१७१	
	खानेपानी सम्बन्धी सामग्री								
	जि.आई/पि.आई. सम्बन्धी								
[illegible]	०.५" व्यासको जी.आई. पाइप हेभि क्लास	र.मि	#☐इच्छ!	१६४	१६४	१६४	१९८	२१८	
[illegible]	०.५" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि	#☐इच्छ!	१३७	१३७	१३७	१६५	१८२	
[illegible]	०.५" व्यासको जी.आई. पाइप लाइट क्लास	र.मि	#☐इच्छ!	११६	११६	११६	१४०	१५४	
४०१	०.७५" व्यासको जी.आई. पाइप हेभि क्लास	र.मि	#☐इच्छ!	२०३	२०३	२०३	२४५	२७०	
४०२	०.७५" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि	#☐इच्छ!	१७३	१७३	१७३	२०९	२३०	
४०३	०.७५" व्यासको जी.आई. पाइप लाइट क्लास	र.मि	#☐इच्छ!	१५७	१५७	१५७	१९०	२०९	
४०४	१" व्यासको जी.आई. पाइप हेभि क्लास	र.मि.	#☐इच्छ!	३०८	३०८	३०८	३७२	४०९	
४०५	१" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि	#☐इच्छ!	२६३	२६३	२६३	३१८	३४९	
४०६	१" व्यासको जी.आई. पाइप लाइट क्लास	र.मि.	#☐इच्छ!	२२३	२२३	२२३	२६९	२९६	
४०७	१.२५" व्यासको जी.आई. पाइप हेभि क्लास	र.मि.	#☐इच्छ!	३९४	३९४	३९४	४७६	५२३	
४०८	१.२५" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि.	#☐इच्छ!	३४३	३४३	३४३	४१४	४५६	
४०९	१.२५" व्यासको जी.आई. पाइप लाइट क्लास	र.मि.	#☐इच्छ!	२८६	२८६	२८६	३४५	३८०	
४१०	१.५" व्यासको जी.आई. पाइप हेभि क्लास	र.मि.	#☐इच्छ!	४५५	४५५	४५५	५४९	६०४	
४११	१.५" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि.	#☐इच्छ!	३९४	३९४	३९४	४७६	५२३	
४१२	१.५" व्यासको जी.आई. पाइप लाइट क्लास	र.मि.	#☐इच्छ!	३५४	३५४	३५४	४२७	४७०	
४१३	२" व्यासको जी.आई. पाइप हेभि क्लास	र.मि	#☐इच्छ!	६६९	६६९	६६९	८०८	८८९	
४१४	२" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि.	#☐इच्छ!	५४१	५४१	५४१	६५३	७१९	
४१५	२" व्यासको जी.आई. पाइप लाइट क्लास	र.मि.	#☐इच्छ!	४४८	४४८	४४८	५४१	५९५	
४१६	३" व्यासको जी.आई. पाइप हेभि क्लास	र.मि.	#☐इच्छ!	९८६	९८६	९८६	११९१	१३१०	
४१७	३" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि.	#☐इच्छ!	८६०	८६०	८६०	१०४८	११४२	
४१८	३" व्यासको जी.आई. पाइप लाइट क्लास	र.मि	#☐इच्छ!	७२६	७२६	७२६	८७७	९६४	
४१९	४" व्यासको जी.आई. पाइप हेभि क्लास	र.मि.	#☐इच्छ!	१५१५	१५१५	१५१५	१८२९	२०१२	
४२०	४" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि.	#☐इच्छ!	१२८७	१२८७	१२८७	१५५४	१७०९	
४२१	४" व्यासको जी.आई. पाइप लाइट क्लास	र.मि	#☐इच्छ!	१०४४	१०४४	१०४४	१२६१	१३८७	
	६" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि.						३५४१	
	६" व्यासको जी.आई. पाइप हेभि क्लास	र.मि.						४०१०	
	८" व्यासको जी.आई. पाइप मिडियम क्लास	र.मि.						५९०६	
	८" व्यासको जी.आई. पाइप हेभि क्लास	र.मि.						६२६१	
४२२	१/२" साइजको मिडियम क्लास ब्रास गेट भल्भ	गोटा	२९६	२९६	२९६	३११	३११	३४२	
४२३	१/२" व्यासको जी.आई. सकेट	थान	३०	३०	३०	३२	३२	३५	
४२४	३/४" व्यासको जी.आई. सकेट	थान	४६	४६	४६	४८	४८	५३	
४२५	१" व्यासको जी.आई. सकेट	थान	६२	६२	६२	६६	६६	७३	
४२६	१.२५" व्यासको जी.आई. सकेट	थान	९४	९४	९४	९८	९८	१०८	
४२७	१.५" व्यासको जी.आई. सकेट	थान	११८	११८	११८	१२३	१२३	१३५	
४२८	२" व्यासको जी.आई. सकेट	थान	१९८	१९८	१९८	२०७	२०७	२२८	
४२९	२.५" व्यासको जी.आई. सकेट	थान	३२४	३२४	३२४	३४१	३४१	३७५	
४३०	३" व्यासको जी.आई. सकेट	थान	४८८	४८८	४८८	५१२	५१२	५६३	
४३१	४" व्यासको जी.आई. सकेट	थान	७९१	७९१	७९१	८३१	८३१	९१४	
४३२	मिडियम क्लास जि.आई. एल्बो १/२" व्यास भएको	थान	३१	३१	३१	३३	३३	३६	
४३३	मिडियम क्लास जि.आई. एल्बो ३/४" व्यास भएको	थान	५१	५१	५१	५४	५४	५९	
४३४	मिडियम क्लास जि.आई. एल्बो १" व्यास भएको	थान	८२	८२	८२	८६	८६	९५	
४३५	मिडियम क्लास जि.आई. एल्बो १.२५" व्यास भएको	थान	१२६	१२६	१२६	१३२	१३२	१४५	
४३६	मिडियम क्लास जि.आई. एल्बो १.५" व्यास भएको	थान	१७५	१७५	१७५	१८३	१८३	२०१	
४३७	मिडियम क्लास जि.आई. एल्बो २" व्यास भएको	थान	२७४	२७४	२७४	२८७	२८७	३१६	
४३८	मिडियम क्लास जि.आई. एल्बो २.५" व्यास भएको	थान	५१९	५१९	५१९	५४५	५४५	६००	
४३९	मिडियम क्लास जि.आई. एल्बो ३" व्यास भएको	थान	६९९	६९९	६९९	७३४	७३४	८०७	

आ.व. २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
४४०	मिडियम क्लास जि.आई. एल्बो ४" व्यास भएको	थान	१२५६	१२५६	१२५६	१३१९	१३१९	१४५१	
४४१	मिडियम क्लास जि.आई. टी १/२" व्यास भएको	थान	५५	५५	५५	५८	५८	६४	
४४२	मिडियम क्लास जि.आई. टी ३/४" व्यास भएको	थान	८२	८२	८२	८६	८६	९५	
४४३	मिडियम क्लास जि.आई. टि १" व्यास भएको	थान	१११	१११	१११	११७	११७	१२९	
४४४	मिडियम क्लास जि.आई. टि १.२५" व्यास भएको	थान	१७१	१७१	१७१	१७९	१७९	१९७	
४४५	मिडियम क्लास जि.आई. टि १.५" व्यास भएको	थान	२२२	२२२	२२२	२३३	२३३	२५६	
४४६	मिडियम क्लास जि.आई. टि २" व्यास भएको	थान	३५५	३५५	३५५	३७२	३७२	४०९	
४४७	मिडियम क्लास जि.आई. टी २.५" व्यास भएको	थान	६५७	६५७	६५७	६९०	६९०	७५९	
४४८	मिडियम क्लास जि.आई. टी ३" व्यास भएको	थान	९४२	९४२	९४२	९८९	९८९	१०८८	
४४९	मिडियम क्लास जि.आई. टी ४" व्यास भएको	थान	१५४४	१५४४	१५४४	१६२२	१६२२	१७८४	
४५०	मिडियम क्लास जि.आई. युनियन १/२" व्यास भएको	थान	९३	९३	९३	९७	९७	१०७	
४५१	मिडियम क्लास जि.आई. युनियन ३/४" व्यास भएको	थान	१२६	१२६	१२६	१३२	१३२	१४५	
४५२	मिडियम क्लास जि.आई. युनियन १" व्यास भएको	थान	१७५	१७५	१७५	१८३	१८३	२०१	
४५३	मिडियम क्लास जि.आई. युनियन १.२५" व्यास भएको	थान	२७४	२७४	२७४	२८७	२८७	३१६	
४५४	मिडियम क्लास जि.आई. युनियन १.५" व्यास भएको	थान	३३१	३३१	३३१	३४७	३४७	३८२	
४५५	मिडियम क्लास जि.आई. युनियन २" व्यास भएको	थान	५०८	५०८	५०८	५३३	५३३	५८६	
४५६	मिडियम क्लास जि.आई. युनियन २.५" व्यास भएको	थान	९५३	९५३	९५३	१०००	१०००	११००	
४५७	मिडियम क्लास जि.आई. युनियन ३" व्यास भएको	थान	१३२५	१३२५	१३२५	१३९१	१३९१	१५३०	
४५८	मिडियम क्लास जि.आई. युनियन ४" व्यास भएको	थान	१८१९	१८१९	१८१९	१९१०	१९१०	२१०१	
४५९	मिडियम क्लास जि.आई. रेड्युसर सकेट १/२" X ३/४"	थान	४९	४९	४९	५१	५१	५६	
४६०	मिडियम क्लास जि.आई. रेड्युसर सकेट १" X ३/४"	थान	६६	६६	६६	६९	६९	७६	
४६१	मिडियम क्लास जि.आई. रेड्युसर सकेट १" X १.२५"	थान	१००	१००	१००	१०५	१०५	११६	
४६२	मिडियम क्लास जि.आई. रेड्युसर सकेट १.५"X १.२५"	थान	१२६	१२६	१२६	१३२	१३२	१४५	
४६३	मिडियम क्लास जि.आई. रेड्युसर सकेट १.५" X २"	थान	२१०	२१०	२१०	२२१	२२१	२४३	
४६४	मिडियम क्लास जि.आई. रेड्युसर सकेट २.५" X २"	थान	३४२	३४२	३४२	३५९	३५९	३९५	
४६५	मिडियम क्लास जि.आई. रेड्युसर सकेट २.५" X ३"	थान	५१४	५१४	५१४	५३९	५३९	५९३	
४६६	मिडियम क्लास जि.आई. रेड्युसर सकेट ३" X ४"	थान	८३३	८३३	८३३	८७५	८७५	९६३	
४६७	मिडियम क्लास सि.आई. प्लग १/२" व्यास भएको	थान	९	९	९	१०	१०	११	
४६८	मिडियम क्लास सि.आई. प्लग ३/४" व्यास भएको	थान	१८	१८	१८	१९	१९	२१	
४६९	मिडियम क्लास सि.आई. प्लग १" व्यास भएको	थान	२७	२७	२७	२८	२८	३१	
४७०	मिडियम क्लास सि.आई. प्लग १.२५" व्यास भएको	थान	४८	४८	४८	५०	५०	५५	
४७१	मिडियम क्लास सि.आई. प्लग १.५" व्यास भएको	थान	५८	५८	५८	६१	६१	६७	
४७२	मिडियम क्लास सि.आई. प्लग २" व्यास भएको	थान	८७	८७	८७	९२	९२	१०१	
४७३	मिडियम क्लास सि.आई. प्लग २.५" व्यास भएको	थान	१२३	१२३	१२३	१२९	१२९	१४२	
४७४	मिडियम क्लास सि.आई. प्लग ३" व्यास भएको	थान	१७४	१७४	१७४	१८२	१८२	२००	
४७५	मिडियम क्लास सि.आई. प्लग ४" व्यास भएको	थान	२९७	२९७	२९७	३१२	३१२	३४३	
४७६	मिडियम क्लास जि.आई. रिड्युरस टी ३/४" व्यास भएको	थान	८९	८९	८९	९४	९४	१०३	
४७७	मिडियम क्लास जि.आई. रिड्युरस टी १" व्यास भएको	थान	१२४	१२४	१२४	१३०	१३०	१४३	
४७८	मिडियम क्लास जि.आई. रिड्युरस टी १.२५" व्यास भएको	थान	१८८	१८८	१८८	१९८	१९८	२१८	
४७९	मिडियम क्लास जि.आई. रिड्युरस टी १.५" व्यास भएको	थान	२४५	२४५	२४५	२५८	२५८	२८४	
४८०	मिडियम क्लास जि.आई. रिड्युसर टी २" व्यास भएको	थान	३८९	३८९	३८९	४०८	४०८	४४९	
४८१	मिडियम क्लास जि.आई. रिड्युरस टी २.५" व्यास भएको	थान	७२३	७२३	७२३	७५९	७५९	८३५	
४८२	मिडियम क्लास जि.आई. रिड्युसर टी ३" व्यास भएको	थान	१०३८	१०३८	१०३८	१०९०	१०९०	११९९	
४८३	मिडियम क्लास जि.आई. रिड्युरस टी ४" व्यास भएको	थान	१६९८	१६९८	१६९८	१७८३	१७८३	१९६१	
४८४	मिडियम क्लास जि.आई. इण्डक्याप १/२" व्यास भएको	थान	१९	१९	१९	२०	२०	२२	
४८५	मिडियम क्लास सि.आई. इण्डक्याप ३/४" व्यास भएको	थान	३३	३३	३३	३५	३५	३९	
४८६	मिडियम क्लास सि आई इण्क्याप १" व्यास भएको	थान	४२	४२	४२	४४	४४	४८	
४८७	मिडियम क्लास सि आई इण्डक्याप १.२५" व्यास भएको	थान	७५	७५	७५	७९	७९	८७	
४८८	मिडियम क्लास सि.आई इण्डक्याप १.५" व्यास भएको	थान	८८	८८	८८	९३	९३	१०२	
४८९	मिडियम क्लास सि.आई. इण्डक्याप २" व्यास भएको	थान	१०९	१०९	१०९	११५	११५	१२७	
४९०	मिडियम क्लास सि.आई. इण्डक्याप २.५" व्यास भएको	थान	२०५	२०५	२०५	२१५	२१५	२३७	
४९१	मिडियम क्लास सि.आई. इण्डक्याप ३" व्यास भएको	थान	२८०	२८०	२८०	२९४	२९४	३२३	
४९२	मिडियम क्लास सि.आई. इण्डक्याप ४" व्यास भएको	थान	४२६	४२६	४२६	४४८	४४८	४९२	

आ.व. २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.स	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
२२३	मिडियम क्लास जि.आई. रेड्युसर एल्बो १/२" X ३/४"	थान	५७	५७	५७	६०	६०	६६	
२२४	मिडियम क्लास जि.आई. रेड्युसर एल्बो १" X ३/४"	थान	८९	८९	८९	९४	९४	१०३	
२२५	मिडियम क्लास जि.आई. रेड्युसर एल्बो १" x १.२५"	थान	१३८	१३८	१३८	१४५	१४५	१६०	
२२६	मिडियम क्लास जि.आई. रेड्युसर एल्बो १.५"x १.२५"	थान	१९१	१९१	१९१	२०१	२०१	२२१	
२२७	मिडियम क्लास जि.आई. रेड्युसर एल्बो १.५" X २"	थान	३०१	३०१	३०१	३१६	३१६	३४८	
२२८	मिडियम क्लास जि.आई. रेड्युसर एल्बो २.५" X २"	थान	५७०	५७०	५७०	५९८	५९८	६५८	
२२९	मिडियम क्लास जि.आई. रेड्युसर एल्बो २.५" X ३"	थान	७६८	७६८	७६८	८०६	८०६	८८७	
२३०	मिडियम क्लास जि.आई. रेड्युसर एल्बो ३" X ४"	थान	१३८१	१३८१	१३८१	१४५०	१४५०	१५९५	
२३१	१/२" ब्यासको जी.आई. क्रस	थान	८२	८२	८२	८६	८६	९५	
२३२	३/४" ब्यासको जी.आई. क्रस	थान	११९	११९	११९	१२४	१२४	१३६	
२३३	१" ब्यासको जी.आई. क्रस	थान	१८८	१८८	१८८	१९८	१९८	२१८	
२३४	१.२५" ब्यासको जी.आई. क्रस	थान	३१४	३१४	३१४	३३०	३३०	३६३	
२३५	१.५" ब्यासको जी.आई. क्रस	थान	४२७	४२७	४२७	४४९	४४९	४९४	
२३६	२" ब्यासको जी.आई. क्रस	थान	५४२	५४२	५४२	५६९	५६९	६२६	
२३७	१/२" ब्यासको जी.आई. हेक्स निप्पल	थान	३४	३४	३४	३६	३६	४०	
२३८	३/४" ब्यासको जी.आई. हेक्स निप्पल	थान	५३	५३	५३	५६	५६	६२	
२३९	१" ब्यासको जी.आई. हेक्स निप्पल	थान	७९	७९	७९	८३	८३	९१	
२४०	१.२५" ब्यासको जी.आई. हेक्स निप्पल	थान	१२८	१२८	१२८	१३४	१३४	१४७	
२४१	१.५" ब्यासको जी.आई. हेक्स निप्पल	थान	१५८	१५८	१५८	१६६	१६६	१८३	
२४२	२" ब्यासको जी.आई. हेक्स निप्पल	थान	२३९	२३९	२३९	२५१	२५१	२७६	
२४३	१/२" ब्यासको सि.आई. ट्याङ्ग निप्पल	थान	३७	३७	३७	३९	३९	४३	
२४४	३/४" ब्यासको सी.आई. ट्याङ्ग निप्पल	थान	८६	८६	८६	९१	९१	१००	
२४५	१" ब्यासको सी.आई. ट्याङ्ग निप्पल	थान	१०७	१०७	१०७	११२	११२	१२३	
२४६	१/२" ब्यासको जी आई.चेक नट	थान	२५	२५	२५	२६	२६	२९	
२४७	३/४" ब्यासको जी.आई. चेक नट	थान	४२	४२	४२	४४	४४	४८	
२४८	१" ब्यासको जी.आई. चेक नट	थान	५३	५३	५३	५६	५६	६२	
२४९	१.२५" ब्यासको जी.आई. चेक नट	थान	६३	६३	६३	६७	६७	७४	
२५०	१.५" ब्यासको जी.आई. चेक नट	थान	११३	११३	११३	११९	११९	१३१	
२५१	२" ब्यासको जी आई. चेक नट	थान	१४६	१४६	१४६	१५३	१५३	१६८	
२५२	मिडियम क्लास जि.आई. फ्लेन्जसेट २" व्यास भएको	थान	८२०	८२०	८२०	८६०	८६०	९४६	
२५३	मिडियम क्लास जि.आई. फ्लेन्जसेट २.५" व्यास भएको	थान	१०४२	१०४२	१०४२	१०९४	१०९४	१२०३	
२५४	मिडियम क्लास जि आई. फ्लेन्जसेट ३" व्यास भएको	थान	१३७६	१३७६	१३७६	१४४५	१४४५	१५९०	
२५५	मिडियम क्लास जि.आई. फ्लेन्जसेट ४" व्यास भएको	थान	१७०४	१७०४	१७०४	१७८९	१७८९	१९६८	
२५६	हेभि ड्युटी जि.आई. निपल १/२" व्यास भएको र २" लामो	थान	१५	१५	१५	१५	१५	१७	
२५७	हेभि ड्युटी जि आई. निपल ३/४" व्यास भएको र २" लामो	थान	२१	२१	२१	२२	२२	२४	
२५८	हेभि ड्युटी जि.आई. निपल १" व्यास भएको र २" लामो	थान	२८	२८	२८	२९	२९	३२	
२५९	हेभि ड्युटी जि.आई. निपल १/२" व्यास भएको र ३" लामो	थान	२२	२२	२२	२३	२३	२५	
२६०	हेभि ड्युटी जि.आई. निपल ३/४" व्यास भएको र ३" लामो	थान	३०	३०	३०	३२	३२	३५	
२६१	हेभि ड्युटी जि.आई. निपल १" व्यास भएको र ३" लामो	थान	४३	४३	४३	४५	४५	५०	
२६२	हेभि ड्युटी जि.आई. निपल १/२" व्यास भएको र ४" लामो	थान	२९	२९	२९	३१	३१	३४	
२६३	हेभि ड्युटी जि.आई. निपल ३/४" व्यास भएको र ४" लामो	थान	४१	४१	४१	४३	४३	४७	
२६४	हेभि ड्युटी जि.आई. निपल १" व्यास भएको र ४" लामो	थान	५७	५७	५७	६०	६०	६६	
२६५	जि.आई. स्ट्रेनर १/२" व्यास भएको	थान	३९३	३९३	३९३	२२४	२२४	२४६	
२६६	जि.आई. स्ट्रेनर ३/४" व्यास भएको	थान	५२४	५२४	५२४	४५४	४५४	४९९	
२६७	जि.आई. स्ट्रेनर १" व्यास भएको	थान	६५५	६५५	६५५	५९३	५९३	६५२	
२६८	जि.आई. स्ट्रेनर १.२५" व्यास भएको	थान	७८६	७८६	७८६	९८०	९८०	१०७८	
२६९	जि.आई. स्ट्रेनर १.५" व्यास भएको	थान	९१७	९१७	९१७	११४३	११४३	१२५७	
२७०	जि.आई. स्ट्रेनर २" व्यास भएको	थान	१११४	१११४	१११४	१५४९	१५४९	१७०४	
२७१	जि.आई. स्ट्रेनर २.५" व्यास भएको	थान	१३७६	१३७६	१३७६	१७९७	१७९७	१९७७	
२७२	जि.आई. स्ट्रेनर ३" व्यास भएको	थान	१६३८	१६३८	१६३८	२६०२	२६०२	२८६२	
२७३	जि.आई. स्ट्रेनर ४" व्यास भएको	थान	१९६६	१९६६	१९६६	२८२०	२८२०	५८८९	
	जि.आई. स्ट्रेनर ५" व्यास भएको	थान						६७३४	
२७४	गन मेटल गेट भल्भ १/२" व्यास भएको (प्रिति वा सो सरह)	थान	९७२	९७२	९७२	१०३५	१०३५	११३९	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
४४	गन मेटल गेट भल्भ ३/४" व्यास भएको (प्रिति वा सो सरह)	थान	१३९७	१३९७	१३९७	१४००	१४००	१५४०	
४५	गनमेटल गेट भल्भ १" व्यास भएको, ०.६५ के.जि. पिस तौल भएको	थान	२१२१	२१२१	२१२१	२१४०	२१४०	२३५४	
४६	गन मेटल गेट भल्भ १.२५" व्यास भएको, तौल = १.२५ के.जि. पिस	थान	३१६६	३१६६	३१६६	३१९०	३१९०	३५०९	
४७	गन मेटल गेट भल्भ १.५" व्यास भएको (प्रिति वा सो सरह)	थान	४०५०	४०५०	४०५०	४०८०	४०८०	४४८८	
४८	गनमेटल गेट भल्भ २" व्यास भएको (प्रिति वा सो सरह)	थान	६६७०	६६७०	६६७०	६७१०	६७१०	७३८१	
४९	गन मेटल गेट भल्भ २.५" व्यास भएको (प्रिति वा सो सरह)	थान	१३०९९	१३०९९	१३०९९	१२३००	१२३००	१३५३०	
५०	गनमेटल गेट भल्भ ३" व्यास भएको (प्रिति वा सो सरह)	थान	१९९४६	१९९४६	१९९४६	१५३००	१५३००	१६८३०	
५१	गनमेटल गेट भल्भ ४" व्यास भएको (प्रिति वा सो सरह)	थान	२०५००	२०५००	२०५००	२५०००	२५०००	२७५००	
५२	गन मेटल चेक भल्भ १/२" व्यास भएको (प्रिति वा सो सरह)(horizontal heavy)	थान	५३१	५३१	५३१	५५८	५५८	६१४	
५३	गन मेटल चेक भल्भ ३/४" व्यास भएको (प्रिति वा सो सरह)(horizontal heavy)	थान	८२५	८२५	८२५	८६६	८६६	९५३	
५४	गनमेटल चेक भल्भ १" व्यास भएको (प्रिति वा सो सरह) horizontal heavy)	थान	१८०६	१८०६	१८०६	१८९७	१८९७	२०८७	
५५	गन मेटल चेक भल्भ १.२५" व्यास भएको (प्रिति वा सो सरह) horizontal heavy)	थान	३०४९	३०४९	३०४९	३२०२	३२०२	३५२२	
५६	गन मेटल चेक भल्भ १.५" व्यास भएको (प्रिति वा सो सरह) horizontal heavy)	थान	४५७३	४५७३	४५७३	४८०२	४८०२	५२८२	
५७	गनमेटल चेक भल्भ २" व्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	थान	६८६१	६८६१	६८६१	७२०४	७२०४	७९२४	
५८	गन मेटल चेक भल्भ २.५" व्यास भएको (प्रिति वा सो सरह) horizontal heavy)	थान	११९४३	११९४३	११९४३	१२५४१	१२५४१	१३७९५	
५९	गनमेटल चेक भल्भ ३" व्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	थान	१६३८०	१६३८०	१६३८०	१७१९९	१७१९९	१८९१९	
६०	गनमेटल चेक भल्भ ४" व्यास भएको (प्रिति वा सो सरह) (horizontal heavy)	थान	२०३११	२०३११	२०३११	२१३२७	२१३२७	२३४६०	
६१	गन मेटल ग्लोभ भल्भ १/२" व्यास भएको (प्रिति वा सो सरह)	थान	८६९	८६९	८६९	९१३	९१३	१००४	
६२	गन मेटल ग्लोभ भल्भ ३/४" व्यास भएको (प्रिति वा सो सरह)	थान	१३९७	१३९७	१३९७	१४६७	१४६७	१६१४	
६३	गनमेटल ग्लोभ भल्भ १" व्यास भएको (प्रिति वा सो सरह)	थान	२०९७	२०९७	२०९७	२२०१	२२०१	२४२१	
६४	गन मेटल ग्लोभ भल्भ १.२५" व्यास भएको (प्रिति वा सो सरह)	थान	४०६५	४०६५	४०६५	४२६९	४२६९	४६९६	
६५	गन मेटल ग्लोभ भल्भ १.५" व्यास भएको (प्रिति वा सो सरह)	थान	५२०९	५२०९	५२०९	५४७०	५४७०	६०१७	
६६	गनमेटल ग्लोभ भल्भ २" व्यास भएको (प्रिति वा सो सरह)	थान	७३६८	७३६८	७३६८	७७३७	७७३७	८५११	
६७	गन मेटल ग्लोभ भल्भ २.५" व्यास भएको (प्रिति वा सो सरह)	थान	१४८८७	१४८८७	१४८८७	१५६३१	१५६३१	१७१९४	
६८	गनमेटल ग्लोभ भल्भ ३" व्यास भएको (प्रिति वा सो सरह)	थान	२०२४६	२०२४६	२०२४६	२१२५८	२१२५८	२३३८४	
६९	गनमेटल ग्लोभ भल्भ ४" व्यास भएको (प्रिति वा सो सरह)	थान	३६०२५	३६०२५	३६०२५	३७८२६	३७८२६	४१६०९	
७०	गन मेटल फ्लोट भल्भ १/२" व्यास भएको (प्रिति वा सो सरह)	थान	२९६४	२९६४	२९६४	२११२	२११२	३४२३	
७१	गन मेटल फ्लोट भल्भ ३/४" व्यास भएको (प्रिति वा सो सरह)	थान	३५९९	३५९९	३५९९	३७७९	३७७९	४१५७	
७२	गनमेटल फ्लोट भल्भ १" व्यास भएको (प्रिति वा सो सरह)	थान	४७६४	४७६४	४७६४	५००२	५००२	५५०२	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

सं	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
७४	गन मेटल फ्लोट भल्भ १.२५" व्यास भएको (प्रिति वा सो सरह)	थान	१०६०१	१०६०१	१०६०१	१११३१	१११३१	१२२४४	
७५	गन मेटल फ्लोट भल्भ १.५" व्यास भएको (प्रिति वा सो सरह)	थान	१३६२५	१३६२५	१३६२५	१४३०६	१४३०६	१५७३७	
७६	गनमेटल फ्लोट भल्भ २" व्यास भएको (प्रिति वा सो सरह)	थान	२१०५८	२१०५८	२१०५८	२२१११	२२१११	२४३२२	
७७	ब्रास युनियन एडप्टर सहित १/२" व्यास भएको (प्रिति वा सो सरह)	थान	२२४	२२४	२२४	३५०	३५०	३८५	
७८	ब्रास युनियन एडप्टर सहित ३/४" व्यास भएको (प्रिति वा सो सरह)	थान	४४७	४४७	४४७	५४०	५४०	५९४	
७९	ब्रास युनियन एडप्टर सहित १" व्यास भएको (प्रिति वा सो सरह)	थान	५६०	५६०	५६०	८१०	८१०	८९१	
८०	ब्रास युनियन एडप्टर सहित १.२५" व्यास भएको (प्रिति वा सो सरह)	थान	७८१	७८१	७८१	१०९०	१०९०	११९९	
८१	ब्रास युनियन एडप्टर सहित १.५" व्यास भएको (प्रिति वा सो सरह)	थान	१११८	१११८	१११८	१६००	१६००	१७६०	
८२	ब्रास युनियन एडप्टर सहित २" व्यास भएको (प्रिति वा सो सरह)	थान	१७८८	१७८८	१७८८	२२४०	२२४०	२४६४	
८३	ब्रास युनियन एडप्टर सहित २.५" व्यास भएको (प्रिति वा सो सरह)	थान	५९३०	५९३०	५९३०	४९००	४९००	५३९०	
८४	ब्रास युनियन एडप्टर सहित ३" व्यास भएको (प्रिति वा सो सरह)	थान	८८९४	८८९४	८८९४	७४००	७४००	८१४०	
८५	ब्रास युनियन एडप्टर सहित ४" व्यास भएको (प्रिति वा सो सरह)	थान	१३९३४	१३९३४	१३९३४	१३९३४	१३९३४	१५३२७	
८६	ब्रास ट्याप १२ मिमि व्यास (४०० ग्राम)	थान	६१५	६१५	६१५	६१५	६१५	६७६	
८७	गन मेटल फेरुल कक १/२" व्यास भएको (प्रिति वा सो सरह)	थान	११९४	११९४	११९४	७४०	७४०	८१४	
८८	गन मेटल फेरुल कक ३/४" व्यास भएको (प्रिति वा सो सरह)	थान	२४१४	२४१४	२४१४	१५५०	१५५०	१७०५	
८९	गनमेटल फेरुल कक १" व्यास भएको (प्रिति वा सो सरह)	थान	४३१९	४३१९	४३१९	२३५०	२३५०	२५८५	
९०	०.५" व्यास भएको सि.आइ. एयर भल्भ	थान	७८०	७८०	७८०	९३६	९३६	३९२७	
९१	०.७५" व्यास भएको सि.आई. एयर भल्भ	थान	१०६०	१०६०	१०६०	१२७२	१२७२	५३७९	
९२	१" व्यास भएको सि आई. एयर भल्भ	थान	१३३०	१३३०	१३३०	१५९६	१५९६	६३०३	
९३	१.५" व्यास भएको जी आई सैडल फेरुल	थान	२७६	२७६	२७६	३३१	३३१	१०८९	
९४	२" व्यास भएको जी आई सैडल फेरुल	थान	२८८	२८८	२८८	३४६	३४६	११७२	
९५	२.५" व्यास भएको जी. आई. सैडल फेरुल	थान	३१४	३१४	३१४	३७७	३७७	१२६५	
९६	३" व्यास भएको जी. आई. सैडल फेरुल	थान	३४१	३४१	३४१	४०९	४०९	१३३७	
९७	४" व्यास भएको जी. आई. सैडल फेरुल	थान	३८७	३८७	३८७	४६४	४६४	१६५०	
९८	०.५" व्यास भएको फ्लो रेगुलेटर कि सहित	थान	९१७	९१७	९१७	११०१	११०१	१०८४	
९९	२" व्यास भएको स्लुइस भल्भ	थान	४६७८	४६७८	४६७८	४६७८	४६७८	५१४६	
१००	२.५" व्यास भएको स्लुइस भल्भ	थान	५९४९	५९४९	५९४९	५९४९	५९४९	६५४४	
१०१	३" व्यास भएको स्लुइस भल्भ	थान	६७२३	६७२३	६७२३	६७२३	६७२३	७३९५	
१०२	४" व्यास भएको स्लुइस भल्भ	थान	७८५१	७८५१	७८५१	७८५१	७८५१	८६३६	
१०३	४" व्यास भएको जि.आई. वैण्ड	थान	७२१	७२१	७२१	७२१	७२१	७९३	
१०४	४" व्यास भएको जि.आई. डक फुट वैण्ड	थान	७३४	७३४	७३४	७३४	७३४	८०८	
१०५	४" व्यास भएको वेल माउथ	थान	७१४	७१४	७१४	७१४	७१४	७८६	
१०६	४" व्यास भएको सी आई. चेक भल्भ	थान	७३२५	७३२५	७३२५	७३२५	७३२५	८०५७	
१०७	१०० मिमि वाई १०० मिमिको सि आई फ्लेन्ज सेट	थान	८५९५	८५९५	८५९५	८५९५	८५९५	९४५४	
१०८	सि आई ९० डिग्री वेण्ड विथ फ्लेन्ज १०० मिमि व्यास	थान	९४३५	९४३५	९४३५	९४३५	९४३५	१०३७९	
१०९	सि आई पाइप ८० मिमि व्यास	३ मि	४८८	४८८	४८८	४८८	४८८	५३७	
११०	सि.आई. पाइप १०० मिमि व्यास	३ मि	५९०	५९०	५९०	५९०	५९०	६४९	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
६११	सि आई पाइप १५० मिमि व्यास	रनि	८८१	८८१	८८१	८८१	३९३	४३२	
६१२	सि आई एल्बो ८० मिमि व्यास	थान	३९३	३९३	३९३	३९३	३४१	३७५	
६१३	सि आई एल्बो १०० मिमि व्यास	थान	३४१	३४१	३४१	३४१	६२९	६९२	
६१४	सि आई एल्बो १५० मिमि व्यास	थान	६२९	६२९	६२९	६२९	८७२	५१९	
६१५	७५ मिमि X ७५ मिमि सी आई क्रस टी	थान	४७२	४७२	४७२	४७२	३९३	४३२	
६१६	८० मिमि X ८० मिमि सी आई क्रस टी	थान	३९३	३९३	३९३	३९३	६२९	६९२	
६१७	१५० मिमि X १५० मिमि सी आई क्रस टी	थान	६२९	६२९	६२९	६२९			
	एच.डि.पी.ई. सम्बन्धी								
६१८	एच डि पी पाइप	के.जि.	११५	११५	११५	११५	११५	१२१	
६१९	एच डि पी पाइप लोकल मध्यम वर्ग	के.जि.	२१५	२१५	२१५	२१५	२१५	२२६	
६२०	एच.डि.पी. पाइप एन.एस. ४० मार्क	के.जि.	२६०	२६०	२६०	२६०	२८०	२९०	
६२१	एच.डि.पी. ट्याङ्क	लीटर	९	९	९	१०	१०	१२	
६२२	११० मिमि X ११० मिमि एच.डि.पी. टी	थान	८०	८०	८०	८०	८०	८८	
६२३	१२५ मिमि X १२५ मिमि एच.डि.पी. टी	थान	८६	८६	८६	८६	८६	९५	
६२४	१४० मिमि X १४० मिमि एच.डि.पी. टी	थान	९२	९२	९२	९२	९२	१०२	
६२५	१६० मिमि X १६० मिमि एच.डि.पी. टी	थान	१००	१००	१००	१००	१००	११०	
६२६	२०० मिमि X २०० मिमि एच.डि.पी. टी	थान	१०६	१०६	१०६	१०६	१०६	११७	
६२७	२०० मिमि X १८० मिमि एच.डि.पी. रेड्यूसर	थान	१०६	१०६	१०६	१०६	१००	११०	
६२८	१८० मिमि X १६० मिमि एच.डि.पी. रेड्यूसर	थान	१००	१००	१००	१००	९२	१०२	
६२९	१६० मिमि X १४० मिमि एच.डि.पी. रेड्यूसर	थान	९२	९२	९२	९२	८६	९५	
६३०	१४० मिमि X १२५ मिमि एच.डि.पी. रेड्यूसर	थान	८६	८६	८६	८६	८०	८८	
६३१	१२५ मिमि X ११० मिमि एच.डि.पी. रेड्यूसर	थान	८०	८०	८०	८०	७२	८०	
६३२	११० मिमि X ९० मिमि एच.डि.पी. रेड्यूसर	थान	७२	७२	७२	७२	६०	६६	
६३३	९० मिमि X ७५ मिमि एच.डि.पी. रेड्यूसर	थान	६०	६०	६०	६०	५३	५८	
६३४	७५ मिमि X ६३ मिमि एच.डि.पी. रेड्यूसर	थान	५३	५३	५३	५३	४६	५१	
६३५	६३ मिमि X ५० मिमि एच.डि.पी. रेड्यूसर	थान	४६	४६	४६	४६	४०	४४	
६३६	५० मिमि X ४० मिमि एच.डि.पी. रेड्यूसर	थान	४०	४०	४०	४०	३४	३७	
६३७	४० मिमि X ३२ मिमि एच.डि.पी. रेड्यूसर	थान	३४	३४	३४	३४	२६	२९	
६३८	३२ मिमि X २५ मिमि एच.डि.पी. रेड्यूसर	थान	२६	२६	२६	२६	२०	२२	
६३९	२० मिमि X २५ मिमि एच.डि.पी. रेड्यूसर	थान	२०	२०	२०	२०	११९	१३१	
६४०	२०० मिमि X १८० मिमि एच डि पी. अनइक्वायल टी	थान	११९	११९	११९	११९	११२	१२३	
६४१	२०० मिमि X १८० मिमि एच.डि.पी. अनइक्वायल टी	थान	११२	११२	११२	११२	१०६	११७	
६४२	१८० मिमि X १६० मिमि एच.डि.पी. अनइक्वायल टी	थान	१०६	१०६	१०६	१०६	१००	११०	
६४३	१६० मिमि X १४० मिमि एच.डि.पी. अनइक्वायल टी	थान	१००	१००	१००	१००	९२	१०२	
६४४	१४० मिमि X १२५ मिमि एच.डि.पी. अनइक्वायल टी	थान	९२	९२	९२	९२	८६	९५	
६४५	१२५ मिमि X ११० मिमि एच.डि.पी. अनइक्वायल टी	थान	८६	८६	८६	८६	८०	८८	
६४६	११० मिमि X १०० मिमि एच.डि.पी. अनइक्वायल टी	थान	८०	८०	८०	८०	७२	८०	
६४७	१०० मिमि X ९० मिमि एच.डि.पी. अनइक्वायल टी	थान	७२	७२	७२	७२	६०	६६	
६४८	९० मिमि X ७५ मिमि एच.डि.पी. अनइक्वायल टी	थान	६०	६०	६०	६०	५३	५८	
६४९	७५ मिमि X ६३ मिमि एच.डि.पी. अनइक्वायल टी	थान	५३	५३	५३	५३	४०	४४	
६५०	६३ मिमि X ५० मिमि एच.डि.पी. अनइक्वायल टी	थान	४०	४०	४०	४०	२६	२९	
६५१	५० मिमि X ४० मिमि एच.डि.पी. अनइक्वायल टी	थान	२६	२६	२६	२६	२६	२९	
६५२	४० मिमि X ३२ मिमि एच.डि.पी. अनइक्वायल टी	थान	२६	२६	२६	२६	२०	२२	
६५३	३२ मिमि X २५ मिमि एच.डि.पी. अनइक्वायल टी	थान	२०	२०	२०	२०	२०	२२	
६५४	२० मिमि X २५ मिमि एच.डि.पी. अनइक्वायल टी	थान	२०	२०	२०	२०	१४	१५	
६५५	२० मिमि व्यासको एच.डि.पि. वेण्ड	थान	१४	१४	१४	१४	१४	१५	
६५६	२५ मिमि व्यासको एच.डि.पि. वेण्ड	थान	१४	१४	१४	१४	२०	२२	
६५७	३२ मिमि व्यासको एच.डि.पि. वेण्ड	थान	२०	२०	२०	२०	२०	२२	
६५८	४० मिमि व्यासको एच.डि.पि. वेण्ड	थान	२०	२०	२०	२०	२६	२९	
६५९	५० मिमि व्यासको एच.डि.पि. वेण्ड	थान	२६	२६	२६	२६	३४	३७	
६६०	६३ मिमि व्यासको एच.डि.पि. वेण्ड	थान	३४	३४	३४	३४	४०	४४	
६६१	७५ मिमि व्यासको एच.डि.पि. वेण्ड	थान	४०	४०	४०	४०	४६	५१	
६६८	९० मिमि व्यासको एच.डि.पि. वेण्ड	थान	४६	४६	४६	४६	५३	५८	
६६९	१०० मिमि व्यासको एच.डि.पि. वेण्ड	थान	५३	५३	५३	५३			

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
१०	१६० मिमि व्यासको एच डि पि वेण्ड	थान	६६	६६	६६	६६	६६	७३	
११	१२५ मिमि व्यासको एच डि पि वेण्ड	थान	८६	८६	८६	८६	८६	९५	
१२	१५० मिमि व्यासको एच डि पि वेण्ड	थान	१००	१००	१००	१००	१००	११०	
१३	१८० मिमि व्यासको एच डि पि वेण्ड	थान	११२	११२	११२	११२	११२	१२३	
१४	२०० मिमि व्यासको एच डि पि वेण्ड	थान	१३२	१३२	१३२	१३२	१३२	१४५	
१५	४० मिमि व्यासको एच डि पी फ्लेन्ज सेट	थान	५१२	५१२	५१२	५१२	५१२	५६४	
१६	५० मिमि व्यासको एच डि पी फ्लेन्ज सेट	थान	६९०	६९०	६९०	६९०	६९०	७५९	
१७	६३ मिमि व्यासको एच डि पी फ्लेन्ज सेट	थान	८९०	८९०	८९०	८९०	८९०	९७९	
१८	८० मिमि व्यासको एच डि पी फ्लेन्ज सेट	थान	१०६१	१०६१	१०६१	१०६१	१०६१	११६७	
१९	१०० मिमि व्यासको एच.डि.पी. फ्लेन्ज सेट	थान	१५११	१५११	१५११	१५११	१५११	१६६२	
	HDP/HDP Tee (mmxmmxmm)								
	280x250x250	no					4456	4902	
	250x225x225	no					3573	3930	
	225x200x200	no					3336	3670	
	160x160x160	no					1480	1628	
	140x140x140	no					1050	1155	
	125x125x125	no					787	866	
	110x110x110	no					560	616	
	90x90x90	no					350	385	
	75x75x75	no					220	242	
	HDPE Reducer (mmxmm)								
	300x250	no					1060	1166	
	250x200	no					850	935	
	180x160	no					760	836	
	160x140	no					670	737	
	140x125	no					450	495	
	125x110	no					350	385	
	110x90	no					303	333	
	90x75	no					204	224	
	75x63	no					150	165	
	63x50	no					97	107	
	HDP Bends mm								
	250	no					1680	1848	
	225	no					1550	1705	
	200	no					1060	1166	
	160	no					990	1089	
	140	no					700	770	
	125	no					550	605	
	110	no					385	424	
	HDP/HDP Flange sert (mm)								
	40	set					1464	1610	
	50	set					2239	2463	
	63	set					2539	2793	
	75	set					2864	3150	
	90	set					3693	4062	
	110	set					7861	8647	
	125	set					9390	10329	
	GI/HDP Flange set (mm)								
	40	set					1317	1449	
	50	set					1500	1650	
	65	set					1700	1870	
	80	set					1925	2118	
	100	set					2375	2613	
	125	set					3500	3850	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी गा पा						कैफियत
		०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
150	set					4025	4428	
200	set					4690	5159	
Water Meter Heavy Quality	no					2000	2200	
Brass Tap 450 Gram	no					516	568	
CI Sluice Valve								
2"	Nos					9132	10045	
3"	Nos					11979	13177	
4"	Nos					15968	17565	
5"	Nos					24270	26697	
6"	Nos					29127	32040	
8"	Nos					40778	44856	
10"	Nos					85000	93500	
CI Non Return Valve								
50 (2")	no					3160	3476	
65 (2.5")	no					3800	4180	
80 (3")	no					4560	5016	
100 (4")	no					19500	21450	
125 (5")	no					25000	27500	
150 (6")	no					29000	31900	
200	no					31000	34100	
250	no					36300	39930	
300	no					45500	50050	
Joshan Radial screen	mtrs					25000	27500	
CI Flange Tee								
80	No					2871	3158	
100	No					3555	3911	
125	No					4922	5414	
150	No					6427	7070	
200	No					10118	11130	
250	No					14904	16394	
300	No					20647	22712	
CI Flange Bell mouth								
80	No					2625	2888	
100	No					3250	3575	
125	No					4901	5391	
150	No					5607	6168	
200	No					6305	6936	
250	No					9807	10788	
300	No					11900	13090	
CI Bend 90 degree								
80	No					1926	2119	
100	No					2410	2651	
125	No					3364	3700	
150	No					4361	4797	
200	No					6985	7684	
250	No					10587	11646	
300	No					14284	15712	
CI Pipe								
150	rm					6500	7150	
200	rm					7500	8150	
MS pipe 7mm thick	R.mtrs							
150	R.mtrs					4020	4422	

आ.व. २०८०/०८१ को ठोरी गा.पा. दर रेट, पर्सा

	विवरण	इकाई	ठोरी गा.पा.						कैफियत
			०७५/७६	०७६/०७७	०७७/०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	200	R.mtrs					4500	4950	
	250	R.mtrs					6000	6600	
	300	R.mtrs					7000	7700	
	MS Falenge set OD								
	80	no					2500	2750	
	100	no					3200	3520	
	125	no					5500	6050	
	150	no					7500	8250	
	200	no					9500	10450	
	250	no					11000	12100	
	Bulk Water Metre								
	50	no					18900	20790	
	65	no					22500	24750	
	80	no					28500	31350	
	100	no					36000	39600	
	125	no					40200	44220	
	150	no					48000	52800	
	200	no					103000	113300	
	250	no					150000	165000	
	Rubber Gasket	mtrs					3520	3872	
	HDPE Double Wall Corrugated pipes	rm							
	100						500	550	
	150						1000	1100	
	200						1500	1650	
	250						1900	2090	
	300						3160	3476	
	400						4070	4477	
	500						4860	5346	
	600						8370	9207	
	800						13875	15263	
	1000						20900	22990	
	ट्यूबवेल सम्बन्धी								
६५२	ट्युवेल हेड (हेभी ड्युटी) (HLC २२ किलो वजन)	थान	४०७९	४०७९	४०७९	४०७९	४४८७	४९३६	
६५३	ट्युवेल हेड (मिडियम ड्युटी)	थान	३६९४	३६९४	३६९४	३६९४	३८७९	४२६६	
६५४	ट्युवेल हेड (हेभी ड्युटी) (KC३० किलो वजन)	थान	४८००	४८००	४८००	४८००	५०४०	५५४४	
६५५	ट्युवेल हेड (मिडियम ड्युटी) (KC२४ किलो वजन)	थान	३९००	३९००	३९००	३९००	४०९५	४५०५	
६५६	४० मिमि व्यासको ट्युवेल ब्रास फिल्टर	थान	१८१९	१८१९	१८१९	१८१९	१९१०	२१०१	
६५७	४० मिमि व्यासको पी.भी.सी. फिल्टर (२ मि. लामो)	थान	६३०	६३०	६३०	६३०	६६२	७२८	
६५८	ह्याण्ड पाइप लेदर बासर ६ नं.	थान	९०	९०	९०	९०	९०	९९	
६५९	ह्याण्ड पाइप लेदर बासर ४ नं.	थान	९०	९०	९०	९०	९०	९९	
	पि.भि.सि. पाइप								
६६०	P.V.C Pipe (NS 206/046) 2.5 kg/cm^2, 90 mm dia.	र.मि.	१७५	१७५	१७५	१८४	१९३	२१२	
६६१	P.V.C. Pipe (NS 206/046) 2.5 kg/cm^2, 110 mm dia.	र.मि.	२६०	२६०	२६०	२६०	२७३	३००	
६६२	P.V.C. Pipe (NS 206/046) 2.5 kg/cm^2, 125 mm dia.	र.मि.	३३१	३३१	३३१	३३१	३४८	३८३	
६६३	P.V.C. Pipe (NS 206/046) 2.5 kg/cm^2, 140 mm dia.	र.मि.	४१०	४१०	४१०	४१०	४३१	४७४	
६६४	P.V.C. Pipe (NS 206/046) 2.5 kg/cm^2, 160 mm dia.	र.मि.	५३६	५३६	५३६	५३६	५६३	६२०	
६६५	P.V.C. Pipe (NS 206/046) 2.5 kg/cm^2, 180 mm dia.	र.मि.	६८८	६८८	६८८	६८८	७२२	७९४	

आ व २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६/०७७	०७७/०७८	०७८/०७९	०७९/०८०	०८०/०८१	
६१	P.V.C. Pipe (NS 206/046) 2.5 kg/cm², 200 mm dia.	र.मि.	८३९	८३९	८३९	८३९	८८१	९६९	
६२	P.V.C. Pipe (NS 206/046) 4 kg/cm², 63 mm dia.	र.मि.	१३९	१३९	१३९	१३९	१४६	१६१	
६३	P.V.C. Pipe (NS 206/046) 4 kg/cm², 75 mm dia.	र.मि.	१९७	१९७	१९७	१९७	२०७	२२८	
६४	P.V.C. Pipe (NS 206/046) 4 kg/cm², 90 mm dia.	र.मि.	२७४	२७४	२७४	२७४	२८७	३१६	
६५	P.V.C. Pipe (NS 206/046) 4 kg/cm², 110 mm dia.	र.मि.	३९६	३९६	३९६	३९६	४१६	४५७	
६६	P.V.C. Pipe (NS 206/046) 4 kg/cm², 125 mm dia.	र.मि.	५२०	५२०	५२०	५२०	५४६	६००	
६७	P.V.C. Pipe (NS 206/046) 4 kg/cm², 140 mm dia.	र.मि.	६५९	६५९	६५९	६५९	६९२	७६१	
६८	P.V.C. Pipe (NS 206/046) 4 kg/cm², 160 mm dia.	र.मि.	८५३	८५३	८५३	८५३	८९६	९८५	
६९	P.V.C. Pipe (NS 206/046) 4 kg/cm², 180 mm dia.	र.मि.	१०९७	१०९७	१०९७	१०९७	११५२	१२६७	
७०	P.V.C. Pipe (NS 206/046) 4 kg/cm², 200 mm dia.	र.मि.	१३३१	१३३१	१३३१	१३३१	१३९७	१५३७	
७१	P.V.C. Pipe (NS 206/046) 6 kg/cm², 40 mm dia.	र.मि.	८२	८२	८२	८२	८६	९५	
७२	P.V.C. Pipe (NS 206/046) 6 kg/cm², 50 mm dia.	र.मि.	१२२	१२२	१२२	१२२	१२९	१४१	
७३	P.V.C. Pipe (NS 206/046) 6 kg/cm², 63 mm dia.	र.मि.	१९८	१९८	१९८	१९८	२०८	२२९	
७४	P.V.C. Pipe (NS 206/046) 6 kg/cm², 75 mm dia.	र.मि.	२७६	२७६	२७६	२७६	२९०	३१९	
७५	P.V.C. Pipe (NS 206/046) 6 kg/cm², 90 mm dia.	र.मि.	४००	४००	४००	४००	४२०	४६२	
७६	P.V.C. Pipe (NS 206/046) 6 kg/cm², 110 mm dia.	र.मि.	५८०	५८०	५८०	५८०	६०९	६६९	
७७	P.V.C. Pipe (NS 206/046) 6 kg/cm², 125 mm dia.	र.मि.	७७०	७७०	७७०	७७०	८०९	८९०	
७८	P.V.C. Pipe (NS 206/046) 6 kg/cm², 140 mm dia.	र.मि.	९५९	९५९	९५९	९५९	१००७	११०७	
७९	P.V.C. Pipe (NS 206/046) 6 kg/cm², 160 mm dia.	र.मि.	१२२८	१२२८	१२२८	१२२८	१२८९	१४१८	
८०	P.V.C. Pipe (NS 206/046) 6 kg/cm², 180 mm dia.	र.मि.	१५६६	१५६६	१५६६	१५६६	१६४४	१८०९	
८१	P.V.C. Pipe (NS 206/046) 6 kg/cm², 200 mm dia.	र.मि.	१९१९	१९१९	१९१९	१९१९	२०१५	२२१६	
८२	P.V.C. Pipe (NS 206/046) 10 kg/cm², 20 mm dia.	र.मि.	३१	३१	३१	३१	३३	३६	
८३	P.V.C. Pipe (NS 206/046) 10 kg/cm², 25 mm dia.	र.मि.	४९	४९	४९	४९	५२	५७	
८४	P.V.C. Pipe (NS 206/046) 10 kg/cm², 32 mm dia.	र.मि.	८०	८०	८०	८०	८४	९२	
८५	P.V.C. Pipe (NS 206/046) 10 kg/cm², 40 mm dia.	र.मि.	१२२	१२२	१२२	१२२	१२९	१४१	
८६	P.V.C. Pipe (NS 206/046) 10 kg/cm², 50 mm dia.	र.मि.	१९३	१९३	१९३	१९३	२०३	२२३	
८७	P.V.C. Pipe (NS 206/046) 10 kg/cm², 63 mm dia.	र.मि.	३०७	३०७	३०७	३०७	३२३	३५५	
८८	P.V.C. Pipe (NS 206/046) 10 kg/cm², 75 mm dia.	र.मि.	४३९	४३९	४३९	४३९	४६१	५०७	
८९	P.V.C. Pipe (NS 206/046) 10 kg/cm², 90 mm dia.	र.मि.	६२६	६२६	६२६	६२६	६५८	७२३	
९०	P.V.C. Pipe (NS 206/046) 10 kg/cm², 110 mm dia.	र.मि.	९२८	९२८	९२८	९२८	९७४	१०७२	
९१	P.V.C. Pipe (NS 206/046) 10 kg/cm², 125 mm dia.	र.मि.	११८८	११८८	११८८	११८८	१२४७	१३७२	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
९७	P.V.C. Pipe (NS 206/046) 10 kg/cm², 140 mm dia	र.मि.	१५००	१५००	१५००	१५००	१५७५	१७३३	
९८	P.V.C. Pipe (NS 206/046) 10 kg/cm², 160 mm dia.	र.मि.	१९३०	१९३०	१९३०	१९३०	२०२६	२२२९	
९९	P.V.C. Pipe (NS 206/046) 10 kg/cm², 180 mm dia	र.मि.	२४६०	२४६०	२४६०	२४६०	२५८३	२८४१	
००	P.V.C. Pipe (NS 206/046) 10 kg/cm², 200 mm dia	र.मि.	३०४१	३०४१	३०४१	३०४१	३१९३	३५१२	
०१	uP.V.C. Pipe (BS 3505) Class C, 60 mm dia.	र.मि.	२२९	२२९	२२९	२२९	२४१	२६५	
०२	P.V.C. Pipe (BS 3505) Class C, 89 mm dia.	र.मि	४६४	४६४	४६४	४६४	४८८	५३६	
०३	P.V.C. Pipe (BS 3505) Class C, 114 mm dia.	र.मि.	७५८	७५८	७५८	७५८	७९६	८७६	
०४	P.V.C. Pipe (BS 3505) Class C, 140 mm dia.	र.मि.	११२८	११२८	११२८	११२८	११८४	१३०३	
०५	P.V.C. Pipe (BS 3606) Class C, 168 mm dia.	र.मि.	१६१२	१६१२	१६१२	१६१२	१६९२	१८६१	
०६	P.V.C. Pipe (BS 3606) Class C, 219 mm dia.	र.मि.	२४७३	२४७३	२४७३	२४७३	२५९७	२८५६	
०७	P.V.C. Pipe (BS 3606) Class D, 42 mm dia.	र.मि	१४२	१४२	१४२	१४२	१४९	१६४	
०८	P.V.C. Pipe (BS 3606) Class D, 48 mm dia.	र.मि	१८१	१८१	१८१	१८१	१९०	२०९	
०९	P.V.C. Pipe (BS 3606) Class D, 60 mm dia.	र.मि.	२८०	२८०	२८०	२८०	२९४	३२३	
९०	P.V.C. Pipe (BS 3606) Class D, 89 mm dia.	र.मि.	५९२	५९२	५९२	५९२	६२१	६८३	
९१	P.V.C. Pipe (BS 3606) Class D, 114 mm dia.	र.मि	९७७	९७७	९७७	९७७	१०२६	११२८	
९२	P.V.C. Pipe (BS 3606) Class D, 140 mm dia.	र.मि.	१४६४	१४६४	१४६४	१४६४	१५३७	१६९१	
९३	P.V.C. Pipe (BS 3606) Class D, 168 mm dia.	र.मि.	२०९५	२०९५	२०९५	२०९५	२२००	२४२०	
९४	P.V.C. Pipe (BS 3606) Class D, 219 mm dia.	र.मि.	३२१७	३२१७	३२१७	३२१७	३३७८	३७१६	
९५	P.V.C. Pipe (BS 3606) Class E, 21 mm dia.	र.मि.	५४	५४	५४	५४	५७	६२	
९६	P.V.C. Pipe (BS 3606) Class E, 26 mm dia.	र.मि.	८०	८०	८०	८०	८४	९२	
९७	P.V.C. Pipe (BS 3606) Class E, 33 mm dia.	र.मि.	११०	११०	११०	११०	११६	१२७	
९८	P.V.C. Pipe (BS 3606) Class E, 40 mm dia.	र.मि.	१६७	१६७	१६७	१६७	१७५	१९३	
९९	P.V.C. Pipe (BS 3606) Class E, 48 mm dia.	र.मि.	२२०	२२०	२२०	२२०	२३१	२५४	
२००	P.V.C. Pipe (BS 3606) Class E, 60 mm dia.	र.मि.	३३६	३३६	३३६	३३६	३५३	३८८	
२०१	P.V.C. Pipe (BS 3606) Class E, 89 mm dia.	र.मि	७१६	७१६	७१६	७१६	७५२	८२७	
२०२	P.V.C. Pipe (BS 3606) Class E, 114 mm dia.	र.मि	११७६	११७६	११७६	११७६	१२३५	१३५८	
२०३	P.V.C. Pipe (BS 3606) Class E, 140 mm dia.	र.मि	१७५८	१७५८	१७५८	१७५८	१८४६	२०३०	
२०४	P.V.C. Pipe (BS 3606) Class E, 168 mm dia.	र.मि	२५२६	२५२६	२५२६	२५२६	२६५२	२९१८	
२०५	P.V.C. Pipe (BS 3606) Class E, 219 mm dia.	र.मि	३८६४	३८६४	३८६४	३८६४	४०५७	४४६३	
	UPVC सम्बन्धी								
२०६	Supplying and fixing of (80*50mm) white colour casement windows (double glazing glass)etc all complete	Sqm	११९७०	११९७०	११९७०	११९७०	१२५६९	१३८२५	
२०७	UPVC (60*60mm)size white colour swing door with 5mm glass pannel fixing all complete	Sqm	१०३३२	१०३३२	१०३३२	१०३३२	१०८४९	११९३३	
२०८	Providing and fixing in position UPVC 60*60mmThickness white with 5mm glass pannel all complete	Sqm	९४५०	९४५०	९४५०	९४५०	९९२३	१०९१५	
२०९	Providing and fixing in position UPVC100*60mmThickness white with 9mm glass white colour door with 5mm pannel all complete	Sqm	९४५०	९४५०	९४५०	९४५०	९९२३	१०९१५	
२१०	Providing and fixing in position UPVC80*50mmThickness white colour sliding windows with 5mm glass panel all complete	Sqm	८८२०	८८२०	८८२०	८८२०	९२६१	१०१८७	
	50T UPVC wall panel	sqm						३८५०	
	3mm UPVC sheet	Sqm						२०६८	
	PPR Pipes & Fitting works								
	PPR Pipes PN 2.0								
२११	20mm outer Dia ,2.8mm Thickness	Rm	११८	११८	११८	११८	१२३	१३०	
२१२	25mm outer Dia ,3.5mm Thickness	Rm	१८१	१८१	१८१	१८१	१९०	२००	
२१३	32mm outer Dia ,4.4mm Thickness	Rm	४१८	४१८	४१८	४१८	४३८	४६१	

आ व २०८० ०८१ को ठोरी मा पा दर रेट पत्र

क्र	विवरण	इकाई	ठोरी मा पा						कैफियत
			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible] outer Dia 5.5mm Thickness	Rm	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible] outer Dia 6.9mm Thickness	Rm	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible] outer Dia 8.6mm Thickness	Rm	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
	PPR Pipes PN 2.5								
[illegible]	[illegible] outer Dia 3.4mm Thickness	Rm	१३९	१३९	१३९	१३९	१४६	१४३	
[illegible]	[illegible] outer Dia 4.2mm Thickness	Rm	२१४	२१४	२१४	२१४	२२६	२३७	
[illegible]	[illegible] outer Dia 5.4mm Thickness	Rm	३४४	३४४	३४४	३४४	३६२	३८०	
[illegible]	[illegible] outer Dia 6.7mm Thickness	Rm	४२९	४२९	४२९	४२९	४४६	४८३	
[illegible]	[illegible] outer Dia 8.3mm Thickness	Rm	८२१	८२१	८२१	८२१	८६२	९०४	
[illegible]	[illegible] outer Dia 10.6mm Thickness	Rm	१२७९	१२७९	१२७९	१२७९	१३४३	१४१०	
	कोरेरी फिटिङका सामग्रीहरु								
[illegible]	500 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica, cera or equivalent)	सेट	१३६९	१३६९	१३६९	१३६९	१६०४	१६८४	
[illegible]	530 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica,cera or equivalent)	सेट	१४३४	१४३४	१४३४	१४३४	१७६६	१८४४	
[illegible]	580 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica, cera or equivalent	सेट	१६००	१६००	१६००	१६००	१९२६	२०२२	
[illegible]	Porcelain clay white glaze Indian Pan (Hindustan, Parryware, Classica,Cera or equivalent) regular	सेट	१२३९	१२३९	१२३९	१२३९	१४००		
[illegible]	कमोड इरोपियन टाइप सिस्टर्न सहित सम्पुर्ण सेटको	थान	१५५००	१५५००	१५५००	१५५००	१७६५५	१८५३८	
[illegible]	कमोड कभर	थान	१३९४	१३९४	१३९४	१३९४	१४९२	१५६६	
[illegible]	कमोड एम टाप विथ बैण्ड	थान	१४५२	१४५२	१४५२	१४५२	१५५४	१६३१	
[illegible]	४०० x ३०० मिमि वास बेसिन	थान	८१२	८१२	८१२	८१२	८६९	९१२	
[illegible]	40x40cm Porcelain clay white glaze Corner Wash basin (Hindustan, Parryware, Classica, cera or equivalent)		८७९	८७९	८७९	८७९	९४१	९८८	
[illegible]	५०० x ४०० मिमि वास बेसिन	थान	८८४	८८४	८८४	८८४	९४६	९९३	
[illegible]	55x40cm Porcelain clay white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) regular		१५००	१५००	१५००	१५००	१६०५	१६८५	
[illegible]	किचन सिङ्क स्टील (६००X४५०X२५० मिमि)	थान	१९०६	१९०६	१९०६	१९०६	२०३९	२१४१	
[illegible]	किचन सिङ्क स्टील (६००X४५०X२०० मिमि)	थान	१८९०	१८९०	१८९०	१८९०	२०२२	२१२३	
[illegible]	45x30x15 Cm (18"x12"x6") White glaze sink with C I bracket (Hindustan, Parryware, Classica, cera or equivalent)		१४५५	१४५५	१४५५	१४५५	१५५७	१६३५	
[illegible]	पेडेस्टल	थान	१२५८	१२५८	१२५८	१२५८	१३४६	१४१३	
[illegible]	23"X14" White glaze squatting plate urinal (Hindustan or equivalent)	थान	१००१	१००१	१००१	१००१	१०७१	११२५	
[illegible]	61x41x38 cm Large Flat back White glazed urinal with bracket (Hindustan, Parryware, Classica, cera or equivalent.)		२९८९	२९८९	२९८९	२९८९	३१९८	३३५८	
[illegible]	46 5x35.5x26.5 cm White glaze flat back Urinal (Hindustan, Parryware, Classica,cera or equivalent)	थान	७१८	७१८	७१८	७१८	७६८	८०७	
[illegible]	हाइ लेभल सिस्टर्न (सि. आई)	सेट	३४६५	३४६५	३४६५	३४६५	३७०८	३८९३	
[illegible]	लो लभल सिस्टर्न (पोर्सिलिन)	सेट	३४६५	३४६५	३४६५	३४६५	३७०८	३८९३	
[illegible]	लो लेभल सिस्टर्न (पि.भि.सी.)	सेट	५२९	५२९	५२९	५२९	५६६	५९४	
[illegible]	सि पी टावेल रड	थान	३१२	३१२	३१२	३१२	३३४	३५१	
[illegible]	सि पी सोप डिस		१७३	१७३	१७३	१७३	१८५	१९४	
[illegible]	१२"x१८" साइजको बाथ रुम ऐना	गोटा	५७८	५७८	५७८	५७८	६१८	६४९	
[illegible]	२४"x १८" साइजको बाथ रुम ऐना	गोटा	९००	९००	९००	९००	९६३	१०११	
[illegible]	सि पी गाइरल विथ ग्लास		२८९	२८९	२८९	२८९	३०९	३२५	
[illegible]	११/४" सि पि वास पाइप विथ कपलिङ्ग	गोटा	४४५	४४५	४४५	४४५	४७६	५००	
[illegible]	११/४" सि पि वास पि अथवा एस टाइप ट्याप	गोटा	५७८	५७८	५७८	५७८	६१८	६४९	
७७१	१/२" फेन्सि पिल्ट कक	गोटा	५२०	५२०	५२०	५२०	५५६	५८४	

आ व २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	१ (२ इञ्च) पाइप कनेक्टर								
	११ २" क्लाम्प कप्लिङ्ग	गोटा	९.२	९.२	९.२	९.२	९.८	१०३	
	१० के.जि.को सि.पि. राइजरको फोमिंग टाइपको ७५ मि.मि.	गोटा	९.२	९.२	९.२	९.२	९.८	१०३	
	६ देखि ५० मि.मि. लम्बाइको साधारण बालको सावर रोज	गोटा	४६२	४६२	४६२	४६२	४९.४	५१९	
	१००० मिमि पीटिङ्ग स्टिल	गोटा	४६२	४६२	४६२	४६२	४९.४	५१९	
	१२० मिमि पीटिङ्ग स्टिल	थान	६९	६९	६९	६९	७४	७८	
	कप्लिङ्ग विथ चेन	थान	७६	७६	७६	७६	८१	८५	
	सि.पि. कप्लिङ्ग चेन	थान	५३१	५३१	५३१	५३१	५६८	५९७	
	प्लाकेट ब्राइरन (वेल्डिङको लागि)	थान	४०४	४०४	४०४	४०४	४३२	४५४	
	सि.पि. फ्लस पाइप (७५ मेमि)	थान	१०४	१०४	१०४	१०४	१११	११७	
	कप्लिङ्ग फ्लस पाइप	थान	४५०	४५०	४५०	४५०	४८२	५०६	
	सी.पि.सी. पाइप कनेक्टर	थान	११६	११६	११६	११६	१२४	१३०	
	सि.पी. पीतर कक	थान	१४५	१४५	१४५	१४५	१५५	१६३	
	सि.पी. ट्वाइलेट पेपर होल्डर	थान	५५४	५५४	५५४	५५४	५९३	६२२	
	६२ मिमि सिपि कन्सिल स्टप कक (हैभी ड्यूटी)	थान	५३१	५३१	५३१	५३१	५६८	५९७	
	६२ मिमि सिपि कन्सिल स्टप कक (मिडियम ड्यूटी)	थान	११००	११००	११००	११००	११७७	१२३६	
	६२ मिमि सिपि कन्सिल स्टप कक (लाइट ड्यूटी)	थान	९८५	९८५	९८५	९८५	१०५४	११०७	
	६२ मिमि सिपि कन्सिल विब कक (हैभी ड्यूटी)	थान	६१२	६१२	६१२	६१२	६५५	६८८	
	६२ मिमि सिपि कन्सिल विब कक (मिडियम ड्यूटी)	थान	८२७	८२७	८२७	८२७	८८५	९२९	
	६२ मिमि सिपि कन्सिल विब कक (लाइट ड्यूटी)	थान	८०४	८०४	८०४	८०४	८६०	९०३	
	सि.पि. एङ्गल कक (मोडेल २००१)	थान	४९७	४९७	४९७	४९७	५३२	५५८	
	सि.पि. स्टर्ट बडि (मोडेल २००१)	थान	७४७	७४७	७४७	७४७	७९९	८३९	
	सि.पि. लङ बडि (मोडेल २००१)	थान	७४७	७४७	७४७	७४७	७९९	८३९	
	सि.पि. वेसिन मिक्स्चर (मोडेल २००१)	थान	८९७	८९७	८९७	८९७	९६०	१००८	
	सि.पि. बाल मिक्स्चर (मोडेल २००१)	थान	३१७३	३१७३	३१७३	३१७३	३३९५	३५६५	
	सि.पि. स्टप कक (मोडेल २००१)	थान	३१७३	३१७३	३१७३	३१७३	३३९५	३५६५	
	सि.पि. कन्सिल्ड कक (मोडेल २००१)	थान	६७३	६७३	६७३	६७३	७२०	७५६	
	सि.पि. सिङ कक (मोडेल २००१)	थान	१०४६	१०४६	१०४६	१०४६	१११९	११७५	
	सि.पि. निपल (सर्ट) (मोडेल २००१)	थान	१७१८	१७१८	१७१८	१७१८	१८३८	१९३०	
	सि.पि. निपल (लङ) (मोडेल २००१)	थान	१२०	१२०	१२०	१२०	१२८	१३५	
	१२ मिमि ब्रास विब कक साधारण	थान	१७९	१७९	१७९	१७९	१९२	२०१	
	१२ मिमि ब्रास स्टप कक साधारण	थान	४६२	४६२	४६२	४६२	४९.४	५१९	
	१० मेमि व्यासको ब्रास सावर (टिल्टीङ टाइप)	थान	४६२	४६२	४६२	४६२	४९.४	५१९	
	५० मिमि व्यासको सि.आई. वेण्ड	थान	४५०	४५०	४५०	४५०	४८२	५०६	
	५० मिमि व्यासको सि.आई. टी	थान	२८९	२८९	२८९	२८९	३०९	३२५	
	५० मिमि व्यासको सि.आई. सकेट	थान	४६१	४६१	४६१	४६१	४९३	५१८	
	५० मिमि व्यासको सि.आई. डोरवैण्ड	थान	२१६	२१६	२१६	२१६	२३१	२४३	
	५० मिमि व्यासको सि.आई. डोर टी	थान	४१६	४१६	४१६	४१६	४४५	४६७	
	७५ मिमि व्यासको सि.आई. पाइप (२ मि. लामो)	थान	३०१	३०१	३०१	३०१	३२२	३३८	
	१०० मिमि व्यासको सि.आई. पाइप (२ मि. लामो)	थान	४३१	४३१	४३१	४३१	४६१	४८४	
	१०० मिमि व्यासको सि.आई. जङ्सन बक्स	थान	६२४	६२४	६२४	६२४	६६८	७०१	
	१०० मिमि व्यासको सि.आई. वैण्ड	थान	६२४	६२४	६२४	६२४	६६८	७०१	
	१०० मिमि व्यासको सि.आई. टी	थान	३१२	३१२	३१२	३१२	३३४	३५१	
	१०० मिमि व्यासको सि.आई. कावेल	थान	४१६	४१६	४१६	४१६	४४५	४६७	
	२" व्यासको सि.आई. कावेल	थान	३४७	३४७	३४७	३४७	३७१	३९०	
	२" व्यासको यच.डि.पि. कावेल	थान	२३१	२३१	२३१	२३१	२४७	२६०	
	एस.डब्लु.आर.पी.भी.सि. फिटिङ्गस कोप्पर ७५ मिमि व्यास	थान	१४५	१४५	१४५	१४५	१५५	१६३	
	एस.डब्लु.आर.पी.भी.सि. फिटिङ्गस वेण्ड ८७.५ डिग्री, ७५	थान	३५	३५	३५	३५	३७	३९	
	एस.डब्लु.आर.पी.भी.सि. फिटिङ्गस वेण्ड ४५ डिग्री, ७५ मिमि	थान	२२४	२२४	२२४	२२४	२४०	२५२	
	एस.डब्लु.आर.पी.भी.सि. फिटिङ्गस वेण्ड ८७.५	थान	१६८	१६८	१६८	१६८	१८०	१८९	
	एस.डब्लु.आर.पी.भी.सि. फिटिङ्गस डोरसहित वेण्ड ८७.५	थान	३०६	३०६	३०६	३०६	३२७	३४४	
	एस.डब्लु.आर.पी.भी.सि. फिटिङ्गस सिङ्गल टी, ७५ मिमि व्यास	थान	१८७	१८७	१८७	१८७	२००	२१०	
	एस.डब्लु.आर.पी.भी.सि. फिटिङ्गस डोरसहित सिङ्गल टी, ७५ मिमि व्यास	थान	२०७	२०७	२०७	२०७	२२१	२३३	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
२४	एस डब्लु आर पी भी सि फिटिङ्गस डवल टी, ७५ मिमि व्यास	थान	५२२	५२२	५२२	५२२	५५९	५८६	
२५	एस डब्लु आर पी भी सि फिटिङ्गस ढोर सहित डवल टी, ७५ मिमि व्यास	थान	४६०	४६०	४६०	४६०	४९२	५१७	
२६	एस डब्लु आर पी भी सि फिटिङ्गस पाइप क्लीप, ७५ मिमि	थान	२९	२९	२९	२९	३१	३३	
२७	एस डब्लु आर पी भी सि फिटिङ्गस भेण्ट काउल, ७५ मिमि	थान	६५	६५	६५	६५	७०	७३	
२८	एस डब्लु आर पी भी सि फिटिङ्गस सकेट प्लग, ७५ मिमि	थान	७९	७९	७९	७९	८५	८९	
२९	एस डब्लु आर पी भी सि फिटिङ्गस सिङ्गल वाई, ७५ मिमि	थान	२०८	२०८	२०८	२०८	२२३	२३४	
३०	एस डब्लु आर पी भी सि फिटिङ्गस ढोर सहित सिङ्गल वाई, ७५ मिमि व्यास	थान	२०८	२०८	२०८	२०८	२२३	२३४	
३१	एस डब्लु आर पी भी सि फिटिङ्गस डवल वाई, ७५ मिमि व्यास	थान	२३९	२३९	२३९	२३९	२५६	२६९	
३२	एस डब्लु आर पी भी सि फिटिङ्गस ढोर सहित डवल वाई, ७५ मिमि व्यास	थान	३४४	३४४	३४४	३४४	३६८	२८६	
३३	एस डब्लु आर पी भी सि फिटिङ्गस क्लीनिङ्ग पाइप, ७५ मिमि	थान	१६२	१६२	१६२	१६२	१७३	१८२	
३४	एस डब्लु आर पी भी सि फिटिङ्गस पी ट्राप १२५ वाई ११०, ७५ मिमि व्यास	थान	३१२	३१२	३१२	३१२	३३४	३५१	
३५	एस डब्लु आर पी भी सि फिटिङ्गस मल्टी फ्लोर ट्राप ११० वाई ७५, ७५ मिमि व्यास	थान	३४२	३४२	३४२	३४२	३६६	३८४	
३६	एस डब्लु आर पी भी सि फिटिङ्गस नहानी ट्राप ११० वाई ७५, ७५ मिमि व्यास	थान	३१२	३१२	३१२	३१२	३३४	३५१	
३७	एस डब्लु आर पी भी सि फिटिङ्गस स्क्वायर टायल जाली समेत, ७५ मिमि व्यास	थान	४१	४१	४१	४१	४४	४६	
३८	एस डब्लु आर पी भी सि राउण्ड जाली, ७५ मिमि व्यास	थान	३९	३९	३९	३९	४२	४४	
३९	एस डब्लु आर पी भी सि फिटिङ्गस कोप्लर ११० मिमि व्यास	थान	२४३	२४३	२४३	२४३	२६०	२७३	
४०	एस डब्लु आर पी भी सि फिटिङ्गस बेण्ड ८७५ डिग्री ११० मिमि व्यास	थान	१८५	१८५	१८५	१८५	१९८	२०८	
४१	एस डब्लु आर पी भी सि फिटिङ्गस बेण्ड ४५ डिग्री ११० मिमि व्यास	थान	२७४	२७४	२७४	२७४	२९३	३०८	
४२	एस डब्लु आर पी भी सि फिटिङ्गस डोरसहित बेण्ड ८७५ डिग्री, ११० मिमि व्यास	थान	३०६	३०६	३०६	३०६	३२७	३४४	
४३	एस डब्लु आर पी भी सि फिटिङ्गस सिङ्गल टी, ११० मिमि व्यास	थान	३५८	३५८	३५८	३५८	३८३	४०२	
४४	एस डब्लु आर पी भी सि फिटिङ्गस ढोरसहित सिङ्गल टी, ११० मिमि व्यास	थान	६८८	६८८	६८८	६८८	७३६	७७३	
४५	एस डब्लु आर पी भी सि फिटिङ्गस डवल टी, ११० मिमि व्यास	थान	८२६	८२६	८२६	८२६	८८४	९२८	
४६	एस डब्लु आर पी भी सि फिटिङ्गस ढोर सहित डवल टी, ११० मिमि व्यास	थान	४२८	४२८	४२८	४२८	४५८	४८१	
४७	एस डब्लु आर पी भी सि फिटिङ्गस पाइप क्लीप, ११० मिमि व्यास	थान	१९०१	१९०१	१९०१	१९०१	२०३४	२१३६	
४८	एस डब्लु आर पी भी सि फिटिङ्गस भेण्ट काउल, ११० मिमि व्यास	थान	६६	६६	६६	६६	७१	७४	
४९	एस डब्लु आर पी भी सि फिटिङ्गस सकेट प्लग, ११० मिमि व्यास	थान	७९	७९	७९	७९	८५	८९	
५०	एस डब्लु आर पी भी सि फिटिङ्गस सिङ्गल वाई, ११० मिमि व्यास	थान	२२९	२२९	२२९	२२९	२४५	२५७	
५१	एस डब्लु आर पी भी सि फिटिङ्गस ढोर सहित सिङ्गल वाई, ११० मिमि व्यास	थान	२८९	२८९	२८९	२८९	३०९	३२५	
५२	एस डब्लु आर पी भी सि फिटिङ्गस डवल वाई, ११० मिमि व्यास	थान	२९९	२९९	२९९	२९९	३२०	३३६	
५३	एस डब्लु आर पी भी सि फिटिङ्गस ढोर सहित डवल वाई ११० मिमि व्यास		३६८	३६८	३६८	३६८	३९४	४१३	
५४	एस डब्लु आर पी भी सि फिटिङ्गस क्लीनिङ्ग पाइप ११० मिमि व्यास	थान	१८६	१८६	१८६	१८६	१९९	२०९	
५५	एस डब्लु आर पी भी सि फिटिङ्गस रिड्युसर ११० वाई ७५, ११० मिमि व्यास	थान	९८	९८	९८	९८	१०५	११०	
५६	एस डब्लु आर पी भी सि फिटिङ्गस पी ट्राप १२५ वाई ११०, ११० मिमि व्यास	थान	३७८	३७८	३७८	३७८	४०४	४२५	
५७	एस डब्लु आर पी भी सि फिटिङ्गस मल्टी फ्लोर ट्राप ११० वाई ७५, ११० मिमि व्यास	थान	२१०	२१०	२१०	२१०	२२५	२३६	
५८	एस डब्लु आर पी भी सि फिटिङ्गस नहानी ट्राप ११० वाई ७५, ११० मिमि व्यास	थान	१८९	१८९	१८९	१८९	२०२	२१२	
५९	एस डब्लु आर पी भी सि फिटिङ्गस डब्लु सी कनेक्टर (बेण्ड टाइप), ११० मिमि व्यास	थान	१९३	१९३	१९३	१९३	२०७	२१७	
६०	एस डब्लु आर पी भी सि फिटिङ्गस स्क्वायर टायल जाली समेत, ११० मिमि व्यास	थान	६३	६३	६३	६३	६७	७१	
६१	एस डब्लु आर पी भी सि राउण्ड जाली, ११० मिमि व्यास	थान	२८	२८	२८	२८	३०	३१	
६२	Plastic Toilet pan with paddle	set	३५५	३५५	३५५	३५५	३८०	३९९	
६३	Plastic Toilet pan	set	३२०	३२०	३२०	३२०	३४२	३६०	
६४	रिङ्ग ३'x१'x२"	गोटा	३२५	३२५	३२५	३२५	३४८	३६५	
	बिजली सम्बन्धी सामग्री								
६५	ऐगल होल्डर	थान	४०	४०	४०	४०	४२	४४	
६६	बैण्ड	थान	२	२	२	२	२	२	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
१	कम्पटन मरकरी (१२५ मिटर)	थान	१८४	१८४	१८४	१८४	१९३	२०३	
२	फिलिप्स मरकरी (१२५ मिटर)	थान	१८४	१८४	१८४	१८४	१९३	२०३	
३	२० सेमि डोम लाइट	थान	४५०	४५०	४५०	४५०	४७३	४९६	
४	वेदरप्रुफ लाइट	थान	२७८	२७८	२७८	२७८	२९२	३०६	
५	सिलिण्डम क्रास डेकोरेटिभ बाल ल्याम्प	थान	३१५	३१५	३१५	३१५	३३१	३४७	
६	स्क्रोप ध्वन	थान	३०	३०	३०	३०	३२	३३	
७	पावर प्लग स्वीच सहित	थान	१९०	१९०	१९०	१९०	२००	२०९	
८	सेलिङ्ग रोज	थान	३५	३५	३५	३५	३७	३९	
९	पी भि सी एडप्टर	थान	१३१	१३१	१३१	१३१	१३८	१४४	
१०	काठे जक्सन बोर्ड (७५X ७५)	थान	५८	५८	५८	५८	६१	६४	
११	काठे जक्सन बोर्ड (१००X १००)	थान	७४	७४	७४	७४	७८	८२	
१२	काठे जक्सन बोर्ड (१००X १५०)	थान	९५	९५	९५	९५	१००	१०५	
१३	काठे जक्सन बोर्ड (१५०X २००)	थान	११६	११६	११६	११६	१२२	१२८	
१४	काठे जक्सन बोर्ड (२००X २५०)	थान	१४५	१४५	१४५	१४५	१५२	१६०	
१५	काठे जक्सन बोर्ड (२५०X ३००)	थान	१८३	१८३	१८३	१८३	१९२	२०२	
१६	काठे जक्सन बोर्ड (३००X ३५०)	थान	२२१	२२१	२२१	२२१	२३२	२४४	
१७	काठे जक्सन बोर्ड (३००X ४००)	थान	२५२	२५२	२५२	२५२	२६५	२७८	
१८	काठे जक्सन बोर्ड (२००X ३००)	थान	२९०	२९०	२९०	२९०	३०५	३२०	
१९	पी भी.सी जक्सन बोर्ड (७५X ७५)	थान	१५	१५	१५	१५	१६	१७	
२०	पी भी सी जक्सन बोर्ड (१००X १००)	थान	३०	३०	३०	३०	३२	३३	
२१	पी भी सी जक्सन बोर्ड (१५०X २००)	थान	६५	६५	६५	६५	६८	७२	
२२	पी भी सी जक्सन बोर्ड (२००X २५०)	थान	९५	९५	९५	९५	१००	१०५	
२३	पी भी सी जक्सन बोर्ड (२५०X ३००)	थान	७०	७०	७०	७०	७४	७७	
२४	पी भी सी जक्सन बोर्ड (३००X ३५०)	थान	७६	७६	७६	७६	८०	८४	
२५	पी भी सी जक्सन बोर्ड (३००X ४००)	थान	८०	८०	८०	८०	८४	८८	
२६	पी भी सी जक्सन बोर्ड (२००X ३००)	थान	८८	८८	८८	८८	९२	९७	
२७	फ्यूज कट ३० एम्पियर	थान	७०	७०	७०	७०	७४	७७	
२८	बाल ल्याम्प फेन्सी टाइप	थान	२३२	२३२	२३२	२३२	२४४	२५६	
२९	टेबल फ्यान कम्पटन	थान	३८००	३८००	३८००	३८००	३९९०	४१९०	
३०	टेबल फ्यान उषा	थान	३८००	३८००	३८००	३८००	३९९०	४१९०	
३१	मेन स्वीच १५ एम्पियर	थान	२६६	२६६	२६६	२६६	२७९	२९३	
३२	मेन स्वीच ३० एम्पियर	थान	७३५	७३५	७३५	७३५	७७२	८१०	
३३	मेन स्वीच ६० एम्पियर	थान	२२०५	२२०५	२२०५	२२०५	२३१५	२४३१	
३४	१/१८ कपर वायर	क्वायल	९५०	९५०	९५०	९५०	९९८	१०४७	
३५	सर्भिस वायर	र.मि.	२४	२४	२४	२४	२५	२६	
३६	५० मिमि बक्स टाइप ट्युब लाइट	सेट	३८९	३८९	३८९	३८९	४०८	४२९	
३७	मरकरी ट्युबलाइट बक्स टाइप (१०० मिमि)	सेट	५३१	५३१	५३१	५३१	५५८	५८५	
३८	चीम साधारण (६० - १०० वाट)	थान	२७	२७	२७	२७	२८	३०	
३९	CFL bulb 5w	थान	१९०	१९०	१९०	१९०	२००	२०९	
४०	CFL bulb 8w	थान	२००	२००	२००	२००	२१०	२२१	
४१	CFL bulb11w	थान	२१०	२१०	२१०	२१०	२२१	२३२	
४२	CFL bulb15w	थान	२२०	२२०	२२०	२२०	२३१	२४३	
४३	CFL bulb18w	थान	२३०	२३०	२३०	२३०	२४२	२५४	
४४	CFL bulb20w	थान	२४०	२४०	२४०	२४०	२५२	२६५	
४५	20 Watt FTL rod	थान	९०	९०	९०	९०	९५	९९	
४६	40 Watt FTL rod	थान	९०	९०	९०	९०	९५	९९	
४७	40 Watt FTL ballast(Chowk)	थान	२७५	२७५	२७५	२७५	२८९	३०३	
४८	150 Watt SV bulb	थान	१२५०	१२५०	१२५०	१२५०	१३१३	१३७८	
४९	250 Watt SV bulb	थान	१४५०	१४५०	१४५०	१४५०	१५२३	१५९९	
५०	40 Watt 220 Volt Starter	थान	१८	१८	१८	१८	१९	२०	
५१	1 Way Switch	थान	७०	७०	७०	७०	७४	७७	
५२	1 Bell Push	गोटा	९२	९२	९२	९२	९७	१०१	
५३	Electric Bell(ding dong)	गोटा	२२०	२२०	२२०	२२०	२३१	२४३	
५४	Electric Bell(BulBul)	गोटा	२५०	२५०	२५०	२५०	२६३	२७६	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६/०७७	०७७/०७८	०७८/०७९	०७९/०८०	०८०/०८१	
१.१	Electric Bell(musical)	गोटा	३००	३००	३००	३००	३१५	३३१	
१.२	2 Way Switch one way	थान	७९	७९	७९	७९	८३	८७	
१.३	3 Way Switch	थान	१०५	१०५	१०५	१०५	११०	११६	
१.४	4 Way Switch	थान	१२१	१२१	१२१	१२१	१२७	१३३	
१.५	6 Way Switch	थान	२००	२००	२००	२००	२१०	२२१	
१.६	16 Amp Switch Indicator	थान	९८	९८	९८	९८	१०३	१०८	
१.७	6 Amp Uni Socket Switch Combined With S	थान	११८	११८	११८	११८	१२४	१३०	
१.८	Dimmer Single 400 Watt	थान	२३४	२३४	२३४	२३४	२८८	३०२	
१.९	Dimmer Single 800 Watt	थान	३३८	३३८	३३८	३३८	३५५	३७३	
१.१०	16/6 Amp Combined S/Socket With Shutter	थान	१४२	१४२	१४२	१४२	१४९	१५७	
१.११	DP Switch 16-32 Amp	थान	१६४	१६४	१६४	१६४	१७२	१८१	
१.१२	Blanking Plate Single	थान	३४	३४	३४	३४	३६	३७	
१.१३	Telephone Socket Single	थान	६६	६६	६६	६६	६९	७३	
१.१४	Angle Holder	थान	३४	३४	३४	३४	३६	३७	
१.१५	Ceiling Rose	थान	२७	२७	२७	२७	२८	३०	
१.१६	Bottom Holder	थान	३४	३४	३४	३४	३६	३७	
१.१७	16 Amp 415 Volt DP Main Switch S	थान	२४७	२४७	२४७	२४७	२५९	२७२	
१.१८	32 Amp 415 Volt DP Main Switch S	थान	५२८	५२८	५२८	५२८	५५४	५८२	
१.१९	63 Amp 415 Volt DP Main Switch S	थान	२११६	२११६	२११६	२११६	२२२२	२३३३	
१.२०	16 Amp 415 Volt TP Main Switch	थान	८८२	८८२	८८२	८८२	९२६	९७२	
१.२१	32 Amp 415 Volt TP Main Switch	थान	१०५८	१०५८	१०५८	१०५८	१११०	११६६	
१.२२	63 Amp 415 Volt TP Main Switch	थान	२५२७	२५२७	२५२७	२५२७	२६५३	२७८६	
१.२३	100 Amp 415 Volt TP Main Switch	थान	३४६८	३४६८	३४६८	३४६८	३६४१	३८२३	
१.२४	200 Amp 415 Volt TP Main Switch		७७५०	७७५०	७७५०	७७५०	८१४८	८५५५	
१.२५	16 Amp 415 Volt Change over Switch 4P	थान	१०८८	१०८८	१०८८	१०८८	११४२	१२००	
१.२६	32 Amp 415 Volt Change over Switch 4P	थान	१३२३	१३२३	१३२३	१३२३	१३८९	१४५९	
१.२७	63 Amp 415 Volt Change over Switch 4P	थान	२७६३	२७६३	२७६३	२७६३	२९०१	३०४६	
१.२८	100 Amp 415 Volt Change over Switch 4P	थान	४११४	४११४	४११४	४११४	४३२०	४५३६	
१.२९	200 Amp 415 Volt Change over Switch 4P	थान	८५२२	८५२२	८५२२	८५२२	८९४८	९३९६	
१.३०	63 Amp Bus Bar Chamber	थान	१६४५	१६४५	१६४५	१६४५	१७२७	१८१४	
१.३१	100 Amp Bus Bar Chamber	थान	२८८०	२८८०	२८८०	२८८०	३०२४	३१७५	
१.३२	200 Amp Bus Bar Chamber	थान	४५२६	४५२६	४५२६	४५२६	४७५२	४९९०	
१.३३	300 Amp Bus Bar Chamber 320 A	थान	५२८९	५२८९	५२८९	५२८९	५५५३	५८३१	
१.३४	6-32 Amp SP MCB	थान	१२३	१२३	१२३	१२३	१२९	१३६	
१.३५	6-32 Amp DP MCB	थान	४१२	४१२	४१२	४१२	४३३	४५४	
१.३६	6-32 Amp TP MCB	थान	६७७	६७७	६७७	६७७	७११	७४६	
१.३७	6-32 Amp TPN MCB	थान	९४०	९४०	९४०	९४०	९८७	१०३६	
१.३८	40-60 Amp SP MCB	थान	२८४	२८४	२८४	२८४	२९८	३१३	
१.३९	40-60 Amp DP MCB	थान	६४७	६४७	६४७	६४७	६७९	७१३	
१.४०	40-60 Amp TP MCB	थान	८८२	८८२	८८२	८८२	९२६	९७२	
१.४१	40-60 Amp TPN MCB	थान	१११८	१११८	१११८	१११८	११७४	१२३३	
१.४२	4 Way SPN DB Double Cover	थान	५८८	५८८	५८८	५८८	६१७	६४८	
१.४३	6 Way SPN DB Double Cover	थान	७०९	७०९	७०९	७०९	७४४	७८२	
१.४४	8 Way SPN DB Double Cover	थान	८२४	८२४	८२४	८२४	८६५	९०८	
१.४५	12 Way SPN DB Double Cover	थान	९९८	९९८	९९८	९९८	१०४८	११००	
१.४६	16 Way SPN DB Double Cover	थान	१२३४	१२३४	१२३४	१२३४	१२९६	१३६०	
१.४७	3 Way TPN DB Double Cover	थान	१४१२	१४१२	१४१२	१४१२	१४८३	१५५७	
१.४८	4 Way TPN DB Double Cover	थान	१७३५	१७३५	१७३५	१७३५	१८२२	१९१३	
१.४९	6 Way TPN DB Double Cover	थान	२११६	२११६	२११६	२११६	२२२२	२३३३	
१.५०	8 Way TPN DB Double Cover	थान	२९	२९	२९	२९	३०	३२	
१.५१	2 Pole PVC MCB Box	थान	५४	५४	५४	५४	५७	६०	
१.५२	4 Pole PVC MCB Box	थान	३१५०	३१५०	३१५०	३१५०	३३०८	३४७३	
१.५३	36" Ceiling Fan Almonard, Bajaj or equivalent	थान	३९९०	३९९०	३९९०	३९९०	४१९०	४३९९	
१.५४	42" Ceiling Fan Almonard, Bajaj or equivalent	थान							

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६/०७७	०७७/०७८	०७८/०७९	०७९/०८०	०८०/०८१	
[illegible]	48" Ceiling Fan Almonard, Bajaj or equivalent	थान	४२००	४२००	४२००	४२००	४४१०	४६३१	
[illegible]	56" Ceiling Fan Almonard, Bajaj or equivalent	थान	४२००	४२००	४२००	४२००	४४१०	४६३१	
[illegible]	16" Wall Fan Almonard, Bajaj or equivalent	थान	२६२५	२६२५	२६२५	२६२५	२७५६	२८९.४	
[illegible]	9" Exhaust Fan Almonard, Bajaj or equivalent	थान	१७३३	१७३३	१७३३	१७३३	१८२०	१९११	
[illegible]	12" Exhaust Fan Almonard, Bajaj or equivalent	थान	१७८५	१७८५	१७८५	१७८५	१८७४	१९६८	
[illegible]	1/18 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	क्वायल	९५०	९५०	९५०	११७०	१२२९	१२९०	
[illegible]	3/22 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	क्वायल	१२३०	१२३०	१२३०	१४१०	१४८१	१५५५	
[illegible]	3/20 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	क्वायल	१९६०	१९६०	१९६०	२२५०	२३६३	२४८१	
[illegible]	7/22 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	क्वायल	२७५०	२७५०	२७५०	३१५०	३३०८	३४७३	
[illegible]	7/20 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	क्वायल	४४००	४४००	४४००	५१५०	५४०८	५६७८	
[illegible]	7/18 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	क्वायल	७०००	७०००	७०००	७८००	८१९०	८६००	
[illegible]	7/16 PVC Copper Wire Nepal, Prakash Cable, Nepal Cable or NS	क्वायल	१४५००	१४५००	१४५००	१६५००	१७३२५	१८१९१	
	Multi stand flexible wire								
[illegible]	2 55 sq mm	coil	२७००	२७००	२७००	३१२०	३२७६	३४४०	
[illegible]	4 00 sq mm	coil	४२००	४२००	४२००	४९००	५१४५	५४०२	
[illegible]	6 00 sq mm	coil	६५००	६५००	६५००	७४००	७७७०	८१५९	
[illegible]	10.00 sq mm	coil	११०००	११०००	११०००	१२५००	१३१२५	१३७८१	
[illegible]	16.00 Sq mm	coil				२००००	२१०००	२२०५०	
[illegible]	16 sq mm Cable Shoe Copper	थान	१६	१६	१६	१६	१७	१८	
[illegible]	25 sq mm Cable Shoe Copper	थान	२४	२४	२४	२४	२५	२६	
[illegible]	35 sq mm Cable Shoe Copper	थान	२७	२७	२७	२७	२८	३०	
[illegible]	50 Sq mm Cable Shoe Copper	थान	३४	३४	३४	३४	३६	३७	
[illegible]	1x20 FTL Patti	थान	३१७	३१७	३१७	३१७	३३३	३४९	
[illegible]	1x40 FTL Patti	थान	३२९	३२९	३२९	३२९	३४५	३६३	
[illegible]	1x40 FTL Box Fitting TMC 501/136 HPF	थान	११६३	११६३	११६३	११६३	१२२१	१२८२	
[illegible]	2x40 FTL Box Fitting TMC 501/236 HPF	थान	१६७५	१६७५	१६७५	१६७५	१७५९	१८४७	
१०००	1x40 FTLIndustrial Channel With Stove EnammellledTKC202/136 HPF	सेट	२०६९	२०६९	२०६९	२०६९	२१७२	२२८१	
१००१	2x40 FTL Industrial Channel With Stove Enammelled TKC202/236	सेट	३९९६	३९९६	३९९६	३९९६	४१९६	४४०६	
१००२	1x40 FTL Opalite With Opal Acrylic Diffuser TCS19/136	सेट	१६५५	१६५५	१६५५	१६५५	१७३८	१८२५	
१००३	2x40 FTL Opalite With Opal Acrylic Diffuser TCS19/236	सेट	२८०१	२८०१	२८०१	२८०१	२९४१	३०८८	
१००४	300/500 Halogen Light Set	सेट	३८३	३८३	३८३	३८३	४०२	४२२	
१००५	1000 Halogen Light Set	सेट	१०००	१०००	१०००	१०००	१०५०	११०३	
१००६	150 Watt HPSV Lamp	सेट	१२३४	१२३४	१२३४	१२३४	१२९६	१३६०	
१००७	250 Watt HPSV Lamp	सेट	१४१०	१४१०	१४१०	१४१०	१४८१	१५५५	
१००८	2/20 Tel wire	क्वायल	१३१३	१३१३	१३१३	१३१३	१३७९	१४४८	
१००९	2/22 Tel wire	क्वायल	८७२	८७२	८७२	८७२	९१६	९६१	
१०१०	2 Pair Tel (2x2x0.45) mm	मिटर	८	८	८	८	८	९	
१०११	3 Pair Tel (3x2x0.45) mm	मिटर	१३	१३	१३	१३	१४	१४	
१०१२	5 Pair Tel (5x2x0.45) mm	मिटर	४१	४१	४१	४१	४३	४५	
१०१३	10 Pair Tel (10x2x0.45) mm	मिटर	८२	८२	८२	८२	८६	९०	
१०१४	15 Pair Tel (15x2x0.45) mm	मिटर	१२४	१२४	१२४	१२४	१३०	१३७	
१०१५	प्लास्टिक मीटर बक्स	गोटा	३४५	३४५	३४५	३४५	३६२	३८०	
१०१६	काठको मीटर बक्स	गोटा	१५८	१५८	१५८	१५८	१६६	१७४	
	Power Cable Copper Conductor Unarmored								
	Nepal Cable, Prakash Cable Or N.S								
१०१७	4 mm^2 4 core Nepal ,Prakash Or NS	मिटर	३००	३००	३००	३००	३१५	३३१	
१०१८	6 mm^2 4 core Nepal ,Prakash Or NS	मिटर	४३५	४३५	४३५	४३५	४५७	४८०	
१०१९	10 mm^2 4 core Nepal ,Prakash Or NS	मिटर	७००	७००	७००	७००	७३५	७७२	

आ व २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६/०७७	०७७/०७८	०७८/०७९	०७९/०८०	०८०/०८१	
[illegible]	16 mm² 4 core Nepal ,Prakash Or NS	मिटर	१०९०	१०९०	१०९०	१०९०	११४५	१२०२	
[illegible]	25 mm² 4 core Nepal ,Prakash Or NS	मिटर	१७००	१७००	१७००	१७००	१७८५	१८७४	
[illegible]	35 mm² 4 core Nepal ,Prakash Or NS	मिटर	२३५०	२३५०	२३५०	२३५०	२४६८	२५९१	
[illegible]	4 mm² 2 core Nepal ,Prakash Or NS	मिटर	१८०	१८०	१८०	१८०	१८९	१९८	
[illegible]	6 mm² 2 core Nepal ,Prakash Or NS	मिटर	२५०	२५०	२५०	२५०	२६३	२७६	
[illegible]	10 mm² 2 core Nepal ,Prakash Or NS	मिटर	४००	४००	४००	४००	४२०	४४१	
	Power cable copper conductor Armored Nepal, Prakash Cable Or NS								
[illegible]	4mm² 4 core Nepal ,Prakash Or NS	मिटर	३७५	३७५	३७५	३७५	३९४	४१३	
[illegible]	6mm² 4 core Nepal ,Prakash Or NS	मिटर	४९०	४९०	४९०	४९०	५१५	५४०	
[illegible]	10mm² 4 core Nepal ,Prakash Or NS	मिटर	७५०	७५०	७५०	७५०	७८८	८२७	
[illegible]	16mm² 4 core Nepal ,Prakash Or NS	मिटर	११२०	११२०	११२०	११२०	११७६	१२३५	
[illegible]	25mm² 4 core Nepal ,Prakash Or NS	मिटर	१७५०	१७५०	१७५०	१७५०	१८३८	१९२९	
[illegible]	35mm² 4 core Nepal ,Prakash Or NS	मिटर	२३७५	२३७५	२३७५	२३७५	२४९४	२६१८	
[illegible]	मिडियम ड्युटी प्लाष्टिक वायर	क्वायल	६००	६००	६००	६००	६३०	६६२	
[illegible]	फ्लेक्जिबल प्लाष्टिक वायर	क्वायल	८६०	८६०	८६०	८६०	९०३	९४८	
[illegible]	०.५ ह पा को इलेक्ट्रिक वाटर पम्प	सेट	१८९०	१८९०	१८९०	१८९०	१९८५	२०८४	
[illegible]	१० ह पा को इलेक्ट्रिक वाटर पम्प	सेट	११५५०	११५५०	११५५०	११५५०	१२१२८	१२७३४	
[illegible]	१० ह पा को इलेक्ट्रिक वाटर पम्प चाइनिज	सेट	३६७५	३६७५	३६७५	३६७५	३८५९	४०५२	
[illegible]	१.५ ह पा को इलेक्ट्रिक वाटर पम्प	सेट	१५७५०	१५७५०	१५७५०	१५७५०	१६५३८	१७३६४	
[illegible]	१.५ ह पा को इलेक्ट्रिक वाटर पम्प चाइनिज	सेठ	४७२५	४७२५	४७२५	४७२५	४९६१	५२०९	
[illegible]	२० ह पा को इलेक्ट्रिक वाटर पम्प	सेट	२३१००	२३१००	२३१००	२३१००	२४२५५	२५४६८	
[illegible]	२ ह पा को इलेक्ट्रिक वाटर पम्प	सेठ	५७७५	५७७५	५७७५	५७७५	६०६४	६३६७	
०४१	११ के. भि डि ओ फ्युज	सेट	१५०००	१५०००	१५०००	१५०००	१५७५०	१६५३८	
०४२	११ के. भि. लाइटनिङ्ग एरेस्टर	सेट	९०००	९०००	९०००	९०००	९४५०	९९२३	
०४३	११ के. भि. डिस्क इन्सुलेरेटर विथ अल एक्सेसरिज	सेट	१७००	१७००	१७००	१७००	१७८५	१८७४	
०४४	११ के. भि. पिन इन्सुलेरेटर विथ अल एक्सेसरिज	सेट	५००	५००	५००	५००	५२५	५५१	
०४५	ए सि एस आर. कण्डक्टर ०.०३ व मि.	कि.मि	२९०००	२९०००	२९०००	२९०००	३०४५०	३१९७३	
०४६	ए सि एस आर. कण्डक्टर ०.०५ व.मि.	कि.मि.	४८०००	४८०००	४८०००	४८०००	५०४००	५२९२०	
०४७	५०० भोल्ट स्याकल इन्सुलेरटर विथ डि आयरन	थान	३१०	३१०	३१०	३१०	३२६	३४२	
०४८	डि आयरन	थान	१९०	१९०	१९०	१९०	२००	२०९	
०४९	स्टे वायर	के.जि	१५०	१५०	१५०	१५०	१५८	१६५	
०५०	च्यानल फर एच पोल (२.७५ मि. लामो)	थान	१३००	१३००	१३००	१३००	१३६५	१४३३	
०५१	५० के.भि.ए. ११/०.४ के.भि. ३ फेज ट्रान्सफर्मर	थान	१६९५९७	१६९५९७	१६९५९७	१६९५९७			
०५२	अर्थिङ सेट ,(अर्थिंग पाइप, रड कपर कोटेड)	सेट	२६००	२६००	२६००	२६००	२७३०	२८६७	
०५३	नट बोल्ट	के.जि.	११५	११५	११५	११५	१२१	१२७	
०५४	पोल क्लैम्प	गोटा	१०९	१०९	१०९	१०९	११४	१२०	
०५५	होल	गोटा	१६	१६	१६	१६	१७	१८	
०५६	थ्री फेज मिटर एम.सि.बी. आवश्यक मेटल आदि (१० एम्पियर)	सेट	११९७	११९७	११९७	११९७	१२५७	१३२०	
०५७	१.५ मिटर लामो च्यानल	गोटा	३५७	३५७	३५७	३५७	३७५	३९४	
०५८	सट डाउन चार्ज (एल.टी. लाइन)	घण्टा	६६६	६६६	६६६	६६६	६९९	७३४	
०५९	सट डाउन चार्ज (११ के. भि. लाइन)	घण्टा	११५७	११५७	११५७	११५७	१२१५	१२७६	
०६०	प्यानल बोर्ड (१५ ह.पा.को मोटरको लागि) आवश्यक केबल तथा अन्य सम्बन्धित सामग्री सहित	सेट	३९८५०	३९८५०	३९८५०	३९८५०	४१८४३	४३९३५	
०६१	मेकिङ्ग एण्ड फिक्सिङ्ग डिस्चार्ज हेड विथ वेस रिङ्ग प्लेट २० देखि २५ मिमि सम्मको आइरन प्लेट वेल्डेड विथ कलम पाइप एण्ड वेण्ड	सेट	८७८८	८७८८	८७८८	८७८८	९२२७	९६८९	
०६२	टयुबुलर स्टील पोल (११ मि.) बिजुलीको लागि	थान	१९०००	१९०००	१९०००	१९०००	१९९५०	२०९४८	
०६३	पि. एस. पोल ८ मी	थान	६०००	६०००	६०००	६०००	६८२५	७१६६	
०६४	पि. एस. पोल ९ मी	थान	६५००	६५००	६५००	६५००	७३५०	७७१८	
०६५	पि. एस. पोल ११ मी	थान	१०५००	१०५००	१०५००	१०५००	१४७००	१५४३५	
०६६	पी.भी.सी. टेप	प्याकेट	२०	२०	२०	२०	२१	२२	
०६७	पी.भी.सी क्लीप (१०० पीस)		७०	७०	७०	७०	७४	७७	

आ व २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी गा पा						कैफियत
		०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
पी वी सी पिपी (१२ मिमि चौडा) २ मि लामो	थान	३०	३०	३०	३०	३२	३३	
पी वी सी पिपी (१८ मिमि चौडा) २ मि लामो	थान	४०	४०	४०	४०	४२	४४	
पी वी सी पिपी (२५ मिमि चौडा) २ मि लामो	थान	५०	५०	५०	५०	५३	५५	
पी वी सी पिपी (४० मिमि चौडा) २ मि लामो	थान	९०	९०	९०	९०	९५	९९	
पी वी सी पिपी (५० मिमि चौडा) २ मि लामो	थान	१५०	१५०	१५०	१५०	१५८	१६५	
0.75 sqm s/c copper wire	coil						१२५०	
1.00 " "	coil						१६५०	
1 S " "	coil						२४५०	
2 S " "	coil						४०००	
4.00 " "	coil						६२००	
6.00 " "	coil						९१७०	
1 watt watt LED lamp/Bulb	pc						५०	
2 watt watt LED lamp/Bulb	pc						७०	
5 watt watt LED lamp/Bulb	pc						१४०	
7 watt watt LED lamp/Bulb	pc						१७०	
9 watt watt LED lamp/Bulb	pc						१९०	
11 watt watt LED lamp/Bulb	pc						२४५	
IS watt watt LED lamp/Bulb	pc						३००	
18 watt watt LED lamp/eulb	pc						३३०	
20 watt watt LED lamp/Bu(b	pc						३८०	
300 watt watt LED lamp/Bu)b	pc						६४०	
2S0 Watt sodium vapour lamp	pc						१३१०	
2S0 Watt sodium vapour choke	pc						२६५०	
250 Watt sodium vapour Ignitor	pc						४२५	
14/60 PVC twin copper wire	coil						७१०	
23/60 PVC twin ¢opper wire	coil						१०५०	
1 modular plate	pc						१२५	
2 modular plate	pc						१२५	
3 modMlar plate	pc						१५०	
4 modular plate	pc						१९५	
6 modular plate	pc						२३५	
8 modMlar plate	pc						३७०	
12 modular plate	pc						४०५	
18 modular plate	pc						५६०	
1 modular box	pc						६५	
2 modular box	pc						६५	
4 modular box	pc						९५	
4 modular box	pc						१५०	
6 modular box	pc						२५०	
8 modular box	pc						२६५	
12 modular box	pc						३६०	
18 modular bpx	pc						४५०	
Strap light standard	mtr						२७०	
6 AMP modular switch	pc						८०	
10 AMP modular switch	pc						९०	
20 AMP modular switch	pc						२२५	
6 AMP modular Indicator	pc						७५	
6 AMt 5 pin modular socket	pc						२२५	
16 AMP modular socket	pc						३२५	
12.S mtr high mast light pole as per speclflcat\on	set						२६००००	
16 mtr high mast light pole as per spedflcatlon	set						३२००००	
20 mtr high mast light pole as per specification	set						३८५०००	

आ.व. २०८०/०८१ को ठोरी गा.पा. दर रेट, पर्या

	विवरण	इकाई	ठोरी गा.पा.						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	Feeder pillar Automatic control box	set						४४५००	
	100 Watt LED flood light	pc						६५००	
	150 Watt LED flood light	pc						१०२००	
	200 Watt LED flood light	pc						१६१००	
	300 Watt LED flood light	pc						२६०००	
	400 Watt LED flood light	pc						३३५००	
	6 Watt surface pannel light	pc						५२५	
	12 Watt surface pannel light	pc						६२५	
	GB Watt surface pannel light	pc						८५०	
	6 Watt cancealed pannel light	pc						४५०	
	12 Watt cancealed pannel light	pc						५५०	
	18 Watt cancealed pannel light	pc						८१०	
	Aviation light	set						३२५०	
	Tranformer NEEK Stardard (Origin in Nepal)								
०३३	11/0 4kv.25 KVA 3 Phase , 50Hz ONAN ,No Load Loss 75 load loss 460 watt	थान	२६१४००	२६१४००	२६१४००	२८००००	२९,४००	३०००००	
०३४	11/0 4kv 50 KVA 3 Phase , 50Hz ONAN ,No Load Loss 120, load loss 750 watt	थान	३७३०००	३७३०००	३७३०००	४०००००	४२००००	४२५०००	
०३५	11/0 41s.,100 KVA 3 Phase , 50Hz ONAN ,No Load Loss 220, load loss 1210watt	थान	५९०६००	५९,०६००	५९,०६००	५९०६००	६२०१३०	६५००००	
०३६	11/0 41s.,150 KVA 3 Phase , 50Hz ONAN ,No Load Loss 295 load loss 1675 watt	थान	८०००००	८०००००	८०००००	८०००००	८४००००	९४००००	
०३७	11/0 410/.200 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt	थान	१०२३९००	१०२३९००	१०२३९००	१०२३९००	१०७५०९५	११७००००	
	11/0 410/.250 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt	थान						१२७५०००	
	11/0 410/.300 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt	थान						१३८००००	
	11/0 410/.400 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt	थान						१६४००००	
	11/0.410/.500 KVA 3 Phase , 50Hz ONAN ,No Load Loss 365, load loss 2100 watt	थान						२००००००	
	Supply, Installation, Testing & Commissioning of PLATE Earthing witn copper plate (650x650x3.15 mm) wiL.h ealt. charcoal dust, as per IS 3043 (Code of pmctlce for earthing) with solid CAD weld (Braking) where there i8 joing & watering 25 mm dia PVC pipe & ıta installation in a pit of 90x00x250 cm wiLh the layers of Earthlng aterials as per standard, apeciflcatlon, drawing and refilling the ground ae per awing.apecification and instruction atl complete.	सेट						५००००	
	Supply, Delivery, Installation, Testing & Commiesionlng of 16 meter High mast syetem, Mast shaft shall be hot dip galvanised octagonal b8se plate and suitable for wind veJocity 50 mls as per IS 875, It shall also include all access¢trles for flag mast Including service door, base plate, lightining protection, arrangement of luminaries,luminaries carriage, head frame, trailing cable, winch with barcket,pulley syatem, Control gear and 24. hours timer feeder panel, suspenaTon eystem,, galvanlsed lantern,mechanlsm for raising and lowering luminaries as per drawing, specification(Technical data sheet) and instruction all complete	सेट						५०००००	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र.सं.	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	Supply, Delivery, Installation, Testing & Commissioning of 12 to 13 meter High mast system, Hast shart shall be hot dip galvanised octagonal base plate and auitad/e for wind velocity 50 mls as per IS BJ'S. It shall also include all accessories for flag mast including service door, baae plate, lightining protection, arrangement of luminariee,luminaries carriage, head frame, trailing cadJe, winch with barcket,pulley system, Control gear and 24 hours timer feeder panel, suspension system,, galvanised lantern,mechanism for raising and lowering luminaries es per arawTng, epecification(Technical data eheet) and instruction all complete	सेट						३५००००	
	Supply, Delivery, Installation, Testing and Cemmiscioning of 13 meter High mast sy8tem, Mast shaft shall be hot dip galvanised tubular pole in three sections It shall also Include all accessories for iightni?ig arrangement such as conFol gear and 24 hours tfmer feeder panel circu1ar galvanished lantern ring of 1 mtr dia aa per drawing specification (Technical data cheet) and instruction all complete	सेट						१०५०००	
	Supplying and Fixing of 10 sq.mm 4core armoured Aluminium cadre form main panel board /NEA Supp\yl ¥ unlclpal Supply through suitable aize HDPE polythene pipe/PVC Listy etc it aslo include excavation, joining the cadre and back filling propedy as per drawing,speclfication and instruction all complete	मिटर						४२०	
	Commissioning of 400W 44000lm AC 150-280a Pressure Oie-cast alumInlum with Toughened glass cover LED flood light all complete as per drawing, speci0cation(Technical data sheet) and instruction net.	सेट						४६०००	
	बोरिङ सम्बन्धी सामानहरु								
७८	४" साइजको क्यासीङ पाइप (फलामे)	र मि	९४५	९४५	९४५	९४५	९९२	१०४२	
७९	४" साइजको स्ट्रेनर पाइप (फलामे)	र मि	१५७५	१५७५	१५७५	१५७५	१६५४	१७३६	
८०	६" साइजको क्यासीङ पाइप (फलामे)	र मि	२३९४	२३९४	२३९४	२३९४	२५१४	२६३९	
८१	६" साइजको स्ट्रेनर पाइप (फलामे)	र मि	३६५४	३६५४	३६५४	३६५४	३८३७	४०२९	
८२	४" X १०' साइजको पि.भि.सी. (६ कि.ग्रा./ब.से.मि.) स्ट्रेनर पाइप	र.मि.	११३४	११३४	११३४	११३४	११९१	१२५०	
८३	६" X १०' साइजको पि.भि.सी. (६ कि.ग्रा./ब.से.मि.) स्ट्रेनर पाइप	र.मि.	१८१४	१८१४	१८१४	१८१४	१९०५	२०००	
८४	४" साइजको प्लाष्टीकको सक्सन पाइप	र.कि.	२६५	२६५	२६५	२६५	२७८	२९२	
८५	४" साइजको प्लाष्टीकको डेलिभरी पाइप	के.जि.	१८९	१८९	१८९	१८९	१९८	२०८	
८६	१५" X ४" जि.आई. मिडियम क्लास ६ मुखे क्रस टी	गोटा	१३९२	१३९२	१३९२	१३९२	१४६२	१५३५	
८७	१०० मिमि व्यासको सि.आई. भल्भ बेण्ड	सेट	२०४८	२०४८	२०४८	२०४८	२१५०	२२५८	
८८	४" साइजको सि.आई. निपल	गोटा	३५३	३५३	३५३	३५३	३७१	३८९	
८९	बेण्टोनाइट (४० केजी)	ब्याग	८८०	८८०	८८०	८८०	९२४	९७०	
९०	१६X१० मिमिको ब्याप सहितको फलेन्ज	गोटा	५६७०	५६७०	५६७०	५६७०	५९५४	६२५१	
९१	४" साइजको क्लाम्प	गोटा	१०७१	१०७१	१०७१	१०७१	११२५	११८१	
९२	५" साइजको क्लाम्प	गोटा	१३८६	१३८६	१३८६	१३८६	१४५५	१५२८	
९३	६" साइजको क्लाम्प	गोटा	१७०१	१७०१	१७०१	१७०१	१७८६	१८७५	
	डिजल पम्प सेट ५ HP	थान				५२०००	५४६००	५७३३०	
	CI बोतल टी चेक भल्व भएको	थान				४२००	४४१०	४६३१	
	बोतल टी चेक भल्व सानो धारा सेट भएको	थान				५८००	६०९०	६३९५	
	GI बेन्ड ३ इन्चको	थान				१४००	१४७०	१५४४	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६/०७७	०७७/०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	ओभरहेड ट्याङ्कका लागि निर्माण सामाग्रीहरु								
४	सोडियम सिलिकेट पेण्ट	लीटर	९६६	९६६	९६६	१०५०	११२४	११८०	
५	बाटर लेभल इण्डिकेटर कम्पलीट सेट विथ कपर	सेट	१२०७५	१२०७५	१२०७५	१२१७५	१३०२७	१३६७९	
६	१२ मिमि X १०० मिमि आइरन प्लेट कन्याम्प	सेट	९०९	९०९	९०९	९५०	१०१७	१०६७	
७	स्टेसेट कम्पलीट	सेट	७९७	७९७	७९७	८५०	९१०	९५५	
८	ओभरहेड ट्याङ्क माथि चीम राख्ने सप्लाई तथा जडान सहित र अन्य आवश्यक सामग्री सहित	सेट	५८७८	५८७८	५८७८	६०००	६४२०	६७४१	
	हयूम पाइप सम्बन्धी								
९९	१०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.	४०४	४०४	४०४	४४०	४६२	४८५	
१००	१५० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.	५४४	५४४	५४४	५९०	६२०	६५०	
१०१	२०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.	७०१	७०१	७०१	७६५	८०३	८४३	
१०२	२२५ मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.							
१०३	२५० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.	८७९	८७९	८७९	९५०	९९८	१०४७	
१०४	३०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी	१४००	१४००	१४००	१६००	१६८०	१७६४	
१०५	४०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी	१६५५	१६५५	१६५५	१८००	१८९०	१९८५	
१०६	४५० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी	१७५५	१७५५	१७५५	१९००	१९९५	२०९५	
१०७	५०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.	१९६९	१९६९	१९६९	२१५०	२२५८	२३७०	
१०८	६०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.	३०००	३०००	३०००	३३००	३४६५	३६३८	
१०९	७०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी	३३९०	३३९०	३३९०	३४००	३५७०	३७४९	
११०	७५० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी	३६७४	३६७४	३६७४	४०००	४२००	४४१०	
१११	८०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी	४०९२	४०९२	४०९२	४५००	४७२५	४९६१	
११२	९०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी	६०००	६०००	६०००	६५००	६८२५	७१६६	
११३	१००० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी	६८००	६८००	६८००	७२००	७५६०	७९३८	
११४	१२०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.	७८००	७८००	७८००	८५००	८९२५	९३७१	
११५	१५०० मिमि व्यासको हयुम पाइप एन.पी. २ क्लास	र.मी.	१२६००	१२६००	१२६००	१३०००	१३६५०	१४३३३	
११६	१५० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी.	११५५	११५५	१२१३	१२५०	१३१३	१३७८	
११७	२०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	१५३३	१५३३	१६१०	१६८०	१७६४	१८५२	
११८	२५० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	१९२५	१९२५	२०२१	२०५०	२१५३	२२६०	
११९	३०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	३०००	३०००	३१५०	३३००	३४६५	३६३८	
१२०	३५० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	३२००	३२००	३३६०	३५००	३६७५	३८५९	
१२१	४०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	३८००	३८००	३९९०	४१००	४३०५	४५२०	
१२२	४५० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	४६००	४६००	४८३०	५०००	५२५०	५५१३	
१२३	५०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	४६४०	४६४०	४८७२	५१००	५३५५	५६२३	
१२४	६०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	६०००	६०००	६३००	६५००	६८२५	७१६६	
१२५	७०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	६६०४	६६०४	६९३४	७०००	७३५०	७७१८	
१२६	७५० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	७३२२	७३२२	७६८८	८०००	८४००	८८२०	
१२७	८०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	८८००	८८००	९२४०	९५००	९९७५	१०४७४	
१२८	९०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	१०२८०	१०२८०	१०७९४	११२००	११७६०	१२३७८	
१२९	१००० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	११३२०	११३२०	११८८६	१२४००	१३०२०	१३६७१	
१३०	१२०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	१३८००	१३८००	१४४९०	१५१००	१५८५५	१६६४८	
१३१	१५०० मिमि व्यासको हयुम पाइप एन.पी. ३ क्लास	र.मी	१८१९३	१८१९३	१९१०३	२००००	२१०००	२२०५०	
१३२	१०० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	९२	९२	९२	१००	१०५	११०	
१३३	१५० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	१२३	१२३	१२३	१२५०	१३१	१३८	
१३४	२०० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	१४९	१४९	१४९	१६०	१६८	१७६	
१३५	२२५ मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	१७९	१७९	१७९	१८०	१८९	१९८	
१३६	२५० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	१९९	१९९	१९९	२००	२१०	२२१	
१३७	३०० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	२७०	२७०	२७०	२८४	२९८		
१३८	३५० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	३२३	३२३	३२३	३२४	३४१	३५८	
१३९	३७५ मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	३४९	३४९	३४९	३५०	३६८	३८६	
१४०	४०० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	३७५	३७५	३७५	३८०	३९९	४१९	
१४१	४५० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	३९९	३९९	३९९	४००	४२०	४४१	
१४२	५०० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	४४३	४४३	४४३	४५०	४७३	४९६	
१४३	६०० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	४९०	४९०	४९०	५००	५२०	५४२	
१४४	७०० मिमि व्यासको हयुम पाइप कलर एन.पी. २	थान	५४०	५४०	५४०	५८०	६१९	६५०	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	७५० मिमि व्यासको हुयुम पाइप कलर एन.पी. २	थान	८३२	८३२	८३२	८४०	८८२	९२६	
	८०० मिमि व्यासको हुयुम पाइप कलर एन.पी. २	थान	९३०	९३०	९३०	९५०	९९८	१०४७	
	९०० मिमि व्यासको हुयुम पाइप कलर एन.पी. २	थान	१०९२	१०९२	१०९२	११००	११५५	१२१३	
	१००० मिमि व्यासको हुयुम पाइपकलर एन.पी. २	थान	१२३८	१२३८	१२३८	१२५०	१३१३	१३७८	
	१२०० मिमि व्यासको हुयुम पाइप कलर एन.पी. २	थान	१४८६	१४८६	१४८६	१४९०	१५६५	१६४३	
	१५०० मिमि व्यासको हुयुम पाइप कलर एन.पी. २	थान	२३८२	२३८२	२३८२	२३८५	२५०४	२६२९	
	१५० मिमि व्यासको हुयुम पाइपकलर एन.पी. ३	थान	२७३	२७३	२७३	२७५	२८९	३०३	
	२०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	३४९	३४९	३४९	३५०	३६८	३८६	
	२५० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	४३६	४३६	४३६	४४०	४६२	४८५	
	३०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	६२७	६२७	६२७	६३०	६६२	६९५	
	३५० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	६८२	६८२	६८२	६८५	७१९	७५५	
	४०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	८०२	८०२	८०२	८२०	८६१	९०४	
	४५० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	९००	९००	९००	९२०	९६६	१०१४	
	५०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	१०००	१०००	१०००	१०५०	११०३	११५८	
	६०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	११८१	११८१	११८१	११८५	१२४४	१३०६	
	७०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	१४९७	१४९७	१४९७	१५००	१५७५	१६५४	
	७५० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	१६६०	१६६०	१६६०	१६८०	१७६४	१८५२	
	८०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	१८७७	१८७७	१८७७	१९००	१९९५	२०९५	
	९०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	२१२०	२१२०	२१२०	२१५०	२२५८	२३७०	
	१००० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	२३५२	२३५२	२३५२	२३८०	२४९९	२६२४	
	१२०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	२७५२	२७५२	२७५२	२७८०	२९१९	३०६५	
	१५०० मिमि व्यासको हुयुम पाइप कलर एन.पी. ३	थान	३९२९	३९२९	३९२९	४०००	४२००	४४१०	
	HDPE Double Wall Corrugated Pipes								
	100mm Dia	rm			५००	५००	५२५	५५१	
	150mm Dia	rm			१०००	१०००	१०५०	११०३	
	200mm Dia	rm			१५००	१५००	१५७५	१६५४	
	250mm Dia	rm			१९००	१९००	१९९५	२०९५	
	300mm Dia	rm			३१६०	३१६०	३३१८	३४८४	
	400mm Dia	rm			४०७०	४०७०	४२७४	४४८७	
	500mm Dia	rm			४८६०	४८६०	५१०३	५३५८	
	600mm Dia	rm			८३७०	८३७०	८७८९	९२२८	
	800mm Dia	rm			१३८७५	१३८७५	१४५६९	१५२९७	
	1000mm Dia	rm			२०९००	२०९००	२१९४५	२३०४२	
	हुयूम पाईप ढुवानी								
६७	०- ५० कि.मी	प्र.श.	१०	१०	१०	१०	११	१२	
६८	५०- १०० कि.मी	प्र.श.	१५	१५	१५	१५	१७	१७	
६९	१००- २०० कि.मी	प्र.श.	२०	२०	२०	२०	२२	२३	
	सडक निर्माण सम्बन्धी सामानहरु								
७०	बिटुमीन ८० - १०० ग्रेडको	के.जि	९३	नेपाल बिटुमिन तथा ब्यारेल उद्योगको दररेट अनुसार कायम गर्ने					
७१	बिटुमिन ६०/ ७० ग्रेड	के.जि.	८८						
७२	बिटुमिन (CRMS- 55)	के.जी.	९२						
७३	बिटुमीन इमल्सन छिटो जम्ने	के.जि.	६८						
७४	बिटुमीन इमल्सन मध्यम जम्ने	के.जि.	७४						
७५	बिटुमीन इमल्सन ढिलो जम्ने	के.जि.	७०						
७६	बिटुमिन ईमल्सन –Slury seal 60%	के.जी.	७५						
७७	Anistrip	के.जी.	४५०	४५०	४५०	४५०	४७३	४९६	
७८	लाइन स्ट्रिड	र.मि.	९	९	९	९	९	१०	
७९	जियो टेक्स्टाइल	ब.मि.	१५०	१५०	१५०	१५०	१५८	१६५	
८०	हेसन जुट	ब.मि.	१६९	१६९	१६९	१६९	१७७	१८६	
८१	टेरेम पेपर	ब.मि.	३३३	३३३	३३३	३३३	३५०	३६७	
८२	एण्टी स्ट्रीपिङ एजेन्ट	के.जि.	४८३	४८३	४८३	४८३	५०७	५३३	
८३	स्टोन डस्ट	घ.मि.	९४५	९४५	९४५	९४५	९९२	१०४२	
८४	रोड मार्किङ पेन्ट (Rubber base)	लिटर	४७३	४७३	४७३	४७३	४९७	५२१	

आ व २०८० ०८१ को ठोरी मा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी मा पा						कैफियत
		०७५/७६	०७६/०७७	०७७/०७८	०७८/०७९	०७९/०८०	०८०/०८१	
[illegible] (Plastic base)	मिटर	१६८०	१६८०	१६८०	१६८०	१७५४	१८४२	
[illegible]	के.जी.	४४	४४	४४	४४	४८	६१	
Thermo Plastic Paints With all Component	Per Sqm	१९.००	१९.००	१९.००	१९.००	१९.९५	२०९५	
Elastomeric (Neoperene) Bearing fixed	Per No	६३६४०	६३६४०	६३६४०	६३६४०	६६८३३	७०१७४	
Elastomeric (Neoperene) Bearing free	Per No	२६६००	२६६००	२६६००	२६६००	२७९३०	२९३२७	
Elastomeric (Neoperene) Expansion	Meter	३२३००	३२३००	३२३००	३२३००	३३९१५	३५६११	
विविध निर्माण सामाग्रीहरु								
Geo bag made of Heavy quality,Geotextile of 300 GSM (1.0*0.6)m2	गोटा		३७५.०	३७५.०	३७५.०	३९४.०	४१३	
Geo bag made of Heavy quality,Geotextile of 300 GSM (1.0*1.0)m2	गोटा		५३०.०	५३०.०	५३०.०	५५७.०	५८४	
Geo bag made of Heavy quality,Geotextile of 130 GSM (1.0*1.0)m2	गोटा		७२.०	७२.०	७२.०	७६.०	७९.	
Geo bag made of Heavy quality,Geotextile of 130 GSM (1.0*1.0)m2	गोटा		८०.०	८०.०	८०.०	८४.०	८८	
Rubber Seal 6" black	र मि		४५०.०	४५०.०	४५०.०	४७३.०	४९६	
Rubber Seal 6" White	र मि		४७५.०	४७५.०	४७५.०	४९९.०	५२४	
Rubber Seal 9" black	र मि		६१५.०	६१५.०	६१५.०	६४६.०	६७८	
Rubber Seal 9" White	र मि		६७०	६७०	६७०	७०४	७३९	
Joint Filler 10mm	व मि		१२००	१२००	१२००	१२६०	१३२३	
Joint Filler 20mm	व मि		२०००	२०००	२०००	२१००	२२०५	
विटोलियम साधारण	र मि	२४२	२४२	२४२	२४२	२५४	२६७	
विटोलियम स्पेशल	र मि	४९६	४९६	४९६	४९६	५२१	५४७	
होर भ्याट (४५० मिमि X ९०० मिमि)	थान	३६२	३६२	३६२	३६२	३८०	३९९	
रबर एक्सपान्सन जोइन्ट ३०० मिमि चौडा	व मि	१२१	१२१	१२१	१२१	१२७	१३३	
प्लास्टिक एनिड पाउडर	के.जि.	७२	७२	७२	७२	७६	७९	
प्लास्टिक सिट	के.जि.	१८२	१८२	१८२	१८२	१९१	२०१	
फुल झाडु	थान	३५	३५	३५	३५	६३	६६	
झाडु	थान	२५	२५	२५	२५	५३	५५	
नायलन डोरी	के.जि.	१३०	१३०	१३०	१३०	१३७	१४३	
नरिवल डोरी	के.जि.	१३०	१३०	१३०	१३०	१३७	१४३	
गोबर	के.जि.	२	२	२	२	२	२	
जुट	के.जि.	६५	६५	६५	६५	६८	७२	
साबेको डोरी	के.जि.	४०	४०	४०	४०	५३	५५	
५०० गेजको पोलिथिन सिट	र.मि.	२०	२०	२०	२०	२१	२२	
पेट्रोलियम पदार्थ	लिटर							
ट्रकको टायर	गोटा	१९९२४	१९९२४	१९९२४	१९९२४	२०९२०	२१९६६	
जुटको खाली बोरा	गोटा	१९.	१९.	१९.	१९.	२०	२१	
सिमेण्टको खाली बोरा पुरानो	गोटा	७	१०	१०	१०	११	११	
सिमेण्टको खाली बोरा नया	गोटा				१५	१६	१७	
१९"X३०" सेतो बाक्लो बोरा	गोटा	१०	१२	१२	१२	१३	१३	
२४"X३०" सेतो बाक्लो बोरा	गोटा	१९	२१	२१	२१	२२	२३	
५ ह पा को इन्जिन प्रयोग गरी ड्रिवाटरिङ गर्ने कार्य (फ्युल, लुब्रिकेण्ट, मर्मत आदि समेत)	घण्टा	३४१	३४१	३४१	३४१	३५८	३७६	
भुसा	के.जि.	४	४	४	४	४	४	
सुतली	कि.लो.	६१	६१	६१	६१	६४	६७	
ज्वाइन्ट फिलर	ब.मी.	६०४	६०४	६०४	६०४	६३४	६६६	
कृषि सम्बन्धि								
जै घासको बीउ	के.जी.	६५	७०	८०	८०	८४	८८	
बाँझम घासको बीउ	के.जी.	३००	३००	३००	३००	३१५	३३१	
टिमोसेन्टी घासको बीउ	के.जी.	१३०	१४०	१४०	१४०	१४७	१५४	
स्टाईलो घासको बीउ	के.जी.	८००	८३०	८३०	८३०	८७२	९१५	
मोलासिस घासको बीउ	के.जी.	७००	७२५	७२५	७२५	७६१	७९९	
अमीसो गानो	गानो	८	८	८	८	८	९	
नेपियर सेट्स साधारण	सेट्स	४	५	५	५	५	६	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी गा पा						कैफियत
		०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
[illegible] मेट्स सुपर	मेट्स	४	५	५	५	५	६	
[illegible] हाले धासको बेना	बेना	१५	१७	१७	१७	१८	१९	
[illegible] हाले धासको बेना	बेना	१०	१२	१२	१२	१३	१३	
हुकका कुखुराका चल्ला	प्रति चल्ला	१६०	१७०	१७०	१७०	१७९	१८७	
बोयका लागि बोका	जीवित प्रति केजी	८५०	९००	९९०	९९०	१०४०	१०९१	
पाठा बढीमा १० केजी का	जीवित प्रति केजी	६००	७००	७००	७००	७३५	७७२	
सुडान			१००	१००	१००	१०५	११०	
सुडान हाइब्रेड			२००	२००	२००	२१०	२२१	
ज्वान्ट भच			२००	२००	२००	२१०	२२१	
भच			२००	२००	२००	२१०	२२१	
किम्बु			११	११	११	१२	१२	

आ.व. २०८०/०८१ को ठोरी गा.पा. दर रेट , पर्सा

क्र	विवरण	इकाई		ठोरी गा.पा.					कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
[illegible]	[illegible]			३	३	३	३	३	
[illegible]	[illegible]			५	५	५	५	६	
[illegible]	काइराला			५	५	५	५	६	
[illegible]	[illegible] ३ फिट माथि अगला			१३५	१३५	१३५	१४२	१४९	
[illegible]	[illegible] ३ फिट भन्दा अगला			२००	२००	२००	२१०	२२१	
	खण्ड (ग) घर मुल्याङ्कन तथा घर भाडाको दररेट								
	स्ट्रक्चरको किसिम	इकाई							
१	भित्र कच्चो बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, झिगटी, टायल वा एस्बेस्टस् भएको	वर्ग फिट	७००	७००	७००	७३५	७७२	८१०	
२	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, झिगटी, टायल वा एस्बेस्टस् भएको	वर्ग फिट	९००	९००	९००	९४५	९९२	१०४२	
३	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना जस्ता, झिगटी, टायल वा एस्बेस्टस् भएको र बाहिर सिमेन्ट प्लाष्टर भएको	वर्ग फिट	१०००	१०००	१०००	१०५०	११०३	११५८	
४	भित्र बाहिर पाको ईटामा माटोको जोडाई, छाना आर.सि.सी./ आर.बि.सी. भएको	वर्ग फिट	१०५०	१०५०	१०५०	११०३	११५८	१२१६	
५	भित्र बाहिर पाको ईटामा बजको जोडाईमा, छाना जस्ता, झिगटी, टायल वा एस्बेस्टस् भएको	वर्ग फिट	१०२०	१०२०	१०२०	१०७१	११२५	११८१	
६	भित्र बाहिर पाको ईटामा बजको जोडाईमा, छाना जस्ता, झिगटी, टायल वा एस्बेस्टस् भएको र सिमेन्ट प्लाष्टर भएको	वर्ग फिट	११००	११००	११००	११५५	१२१३	१२७३	
७	भित्र बाहिर पाको ईटामा बजको जोडाईमा, छाना आर.सि.सी./ आर.बि.सी. भएको र सिमेन्ट प्लाष्टर भएको	वर्ग फिट	११५०	११५०	११५०	१२०८	१२६८	१३३२	
८	सिमेन्ट जोडाई छाना : जस्ता, झिगटी, टायल वा एस्बेस्टस	वर्ग फिट	११२०	११२०	११२०	११७६	१२३५	१२९७	
९	सिमेन्ट जोडाई छाना : आर.सि.सी./ आर.बि.सी. भएको	वर्ग फिट	११८०	११८०	११८०	१२३९	१३०१	१३६६	
१०	आर.सि.सी. फ्रेम स्ट्रक्चर	वर्ग फिट	१२५०	१२५०	१२५०	१३१३	१३७९	१४४८	
११	आर.सि.सी. फ्रेम स्ट्रक्चर भई लिफ्ट जडान भएको	वर्ग फिट	१२००	१२००	१२००	१२६०	१३२३	१३८९	
१२	काठे काठको घर छाना: जस्ता, टायल, झिगटी वा एस्बेस्टस्	वर्ग फिट	१०६०	१०६०	१०६०	१११३	११६९	१२२७	
	घर भाडा मुल्याङ्कन गर्दा जग्गा समेत भवनको हालको मुल्याङ्कनको ८								
	डिप्रसिएसनको लागि देहाय बमोजिम घटाउने								
	स्ट्रक्चरको किसिम	प्रति वर्ष घटाउनू पर्ने दर (%)						प्रति वर्ष घटाउनू पर्ने दर (%)	
१	सबै प्रकारका माटोबाट निर्मित स्ट्रक्चरहरु (१ देखि ४ सम्मका)	२.००						२.००	
२	सबै प्रकारका कंक्रिट बाट निर्मित स्ट्रक्चरहरु (५ देखि ७ सम्मका)	१.२५						१.२५	
३	सबै प्रकारका सिमेन्ट मसलाबाट निर्मित स्ट्रक्चरहरु (८ देखि १० सम्मका)	०.७५						०.७५	
४	सबै प्रकारका फ्रेम स्ट्रक्चरबाट निर्मित स्ट्रक्चरहरु (१० देखि ११ सम्मका)	०.५०						०.५०	
५	सबै प्रकारका काठबाट बनेका स्ट्रक्चरहरु (१२)	२.५०						२.५०	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	Machine made and mechanically selvedged double twisted hexagonal wire mesh.								
A	मेशिनमेड तार जाली(**Mesh type 10cm*12cm,mesh wire 3 mm dia,selvedge wire 3.9 mm dia,Lacing wire 2.4 mm dia,Heavy Zinc Coating) with Transportation.**								
	Box Gabions								
	1.5x1x0.50/0	Nos	१४५८	१४५८	१५०२		१५७७	१६५६	
	2x1x0.50/1	Nos	१९८४	१९८४	२०४३		२१४५	२२५३	
	3x1x0.50/2	Nos	२८३१	२८३१	२९१६		३०६२	३२१५	
	1.5x1x1/0	Nos	२१२०	२१२०	२१८३		२२९२	२४०७	
	2x1x1/1	Nos	२८१७	२८१७	२९०२		३०४७	३१९९	
	3x1x1/2	Nos	३९९७	३९९७	४११७		४३२३	४५३९	
	3x1.5x0.50/2	Nos	४१५९	४१५९	४२८४		४४९८	४७२३	
	3x1.5x1/2	Nos	५८५७	५८५७	६०३२		६३३४	६६५१	
	Concrete Item								
	Precast Concrete bench (59.5"x16"x2"	Nos					११०५०	११६०३	
	Boundary Pillar (6' height, 6"-6" c/s) 4no of 8mm bar with 4.75 mm H shape ring @6"	Nos					२१२५	२२३१	
	Cover block for slab	Nos					६	६	
	Precast Chekcered Tiles (1'*1*1') per piece	Nos					७७	८०	
	Cover block for RCC roads and footing (50mm)	Nos					१२	१२	
	Italian Gamala (16.5"*20.5" Height)	Nos					१४०२	१४०७२	
	Italian Gamala (19.5"*17.5" Height)	Nos					१०६२	१११५	
	Gamala 20.5" dia 19" ht	Nos					९३५	९८२	
	Tulsi Matha (16"*16"*21.5")	Nos					१८२७	१९१८	
	बिभिन्न प्रजातिको ऑप ३ फिट अग्लो	गोटा					१५०	१५८	
	बिभिन्न प्रजातिको ऑप ३ फिट अग्लो	गोटा					२००	२१०	
	लिचि ३ फट अग्लो	गोटा					१५०	१५८	
	कागति ३ फट अग्लो	गोटा					१५०	१५८	
	कटहर ३ फट अग्लो	गोटा					१००	१०५	
	अम्बा	गोटा					१००	१०५	
	बिरुवा उमार्न पोलिटिंयुब	के.जि.					३५०	३६८	
	अर्नामेन्टल बोरुवा बिभिन्न प्रजातिको	गोटा					४००	४२०	
	Hexagon paving block grey 190 5mm'220mm'ù0mm streitgh; m- 3SGrade	ब.मि						१४३५.०५	
	Hexagon paving block coloured(t90.Smm*220mm'60mm) Strenmh ; M-35 Grade	ब.मि						१६५८.२८	
	mllano paver grey coloured(215mm*26Omizt*60mm) Strength ; M-35 grade	ब.मि						१८०७.६८	
	mllano paver coloured(215mm*26Omm*60mm) Strength ; M-35 grade	ब.मि						१९८८.४५	
	L- shape paver grey (200mm*200mm•60mm) Strength . **M35**	ब.मि						१८७५	
	L- sh0pe payer colured (200mm*200mm•60mm)	ब.मि						२०५०	
	zigzag paver grey (120mm*245mm*60mm) **Strength** ; M-35 Grade	ब.मि						१५३०.४५	
	Zizag paver coloured (120mm*45mm*60mm) Strength ; M-35 Grade	ब.मि						१७६८.५२	
	square paver grey (200mm*200mm*60mm] Strength ,M35	ब.मि						१८७५	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी गा पा						कैफियत
		०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
square paver coloured(200mm*200mm*60mm) Strength M35 grade	ब.मि						२०५०	
Rectangular paver grey 200mm*100*600 strength ; M-35 Grade	ब.मि						२१००	
Rectangular paver coloured 200mm*100*60mm strength; M -35 grade	ब.मि						२४५०	
Square paver grey(100mm*100mm*60mm) ;M-35 grade	ब.मि						२१००	
Square paver colored 100mm*100*60mm .Strength 35 Grade	ब.मि						२५००	
Nostalgic paver grey 1140mm*960mm*strength;M-35 Grade	ब.मि						३१५०	
Nostalgic paver coloured1140mm*960mm*strength;M-35 Grade	ब.मि						३३८०	
I-shape paver grey 200mm*165mm*60mm strength,M-35 Grade	ब.मि						१६०६.९५	
I-shape paver coloured 200mm*165mm*60mm strength;M-35 Grade	ब.मि						१८५६.९२	
Zigzag paver grey 245mm*120mm*60mm Strength; M-35 Grade or above	ब.मि						२३८०.७०	
Zigzag paver coloured 245mm*120mm*60mm Strength; M-35 Grade or above	ब.मि						२६१८.७७	
Checkard Tile colour 36 dost design (300*300mm*25mm) strength ;M-35 Grade	ब.मि						१२२२.१०	
Checkard Tile colour circle design (300*300mm*25mm) strength ;M-35 Grade	ब.मि						१२२२.१०	
Kerbstone (300mm*300mm*150mm) strength,M-20/25 grade	ब.मि						११६५.५०	
Kerbstone (300mm*450mm*150mm) strength;M-20/25 grade	ब.मि						१६६५	
Arch paver grey 140mm*335mm*60mmStrength M-35 Grade	ब.मि						२२५५.२५	
Arch paver coloured 140mm*335mm*60mm Strength M-35 Grade	ब.मि						२४६५.७४	
cover block for footing, Road 55mm*S5mm*50mm Strength; M-30 Grade	गोटा						१२	
Cover block for slab 45mm*45mm*20mm strength;M-30 grade	गोटा						६	
Gamala 20"*21"* (with plastic Emulsion paint)	गोटा						२०००	
Gamala 16.5"*17" (with plastic Emulson paint)	गोटा						१०००	
Boundary pillar 150mm*150mm*2400mm Strength ;M25- Grade	गोटा						३२००	
Boundary wall slab 45mm*300mm*1800mm Strength; M-25 Grade	गोटा						१०५०	
Italian Gamala Big 18.5"*20"(with plastic Emultion paint)	गोटा						३०००	
Italian Gamala small 21"*16"(with plastic Emulsion paint)	गोटा						२०००	
Tulsi Chaura 21.5 "*16.5" (with plastic Emulsion paint)	गोटा						३०००	
Tulsi Chaura 18"* 10" (with plastic Emulsion paint)	गोटा						२५००	
Concrete Chair (1:2:2) with Cement ,Sand and chip pebbles 60"*35.5"	गोटा						१२०००	
Concrete Chair (1:2:2) with Cement ,Sand and chips pebble 60"*37.5"	गोटा						१२०००	
Ready mix concrete								

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी गा पा						कैफियत
		०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
M10	घ.मी						१०५००	
M15	घ.मी						११०००	
M20	घ.मी						१२०००	
M25	घ.मी						१३०००	
M30	घ.मी						१४०००	
M35	घ.मी						१५०००	
M40	घ.मी						१७०००	
M45	घ.मी						१८०००	
Fly ash brick 230*110*65 mm	गोटा						१८	
Fly ash brick 230*110*75mm	गोटा						२०	
SDR-11(3Mtr.Length)CPVC SIZE IN MM								
15	mtr						१६०	
20	mtr						२३५	
25	mtr						३६३	
32	mtr						५३२	
40	mtr						८१३	
50	mtr						१२८७	
SDR-13.5(3Mtr.Lenth)cpvc								
15	mtr						१५७	
20	mtr						२२०	
25	mtr						३२६	
32	mtr						४७४	
40	mtr						७२७	
50	mtr						१०९२	
COUPLE PLAIN CPVC								
15	गोटा						२३	
20	गोटा						२६	
25	गोटा						४८	
32	गोटा						९५	
40	गोटा						१५५	
50	गोटा						३२५	
BEND 45° PLAIN CPVC								
15	गोटा						४८	
20	गोटा						४०	
25	गोटा						१११	
32	गोटा						२६६	
40	गोटा						४११	
50	गोटा						८४५	
TEE 90° PLAIN CPVC								
15	गोटा						४६	
20	गोटा						५९	
25	गोटा						९४	
32	गोटा						३३७	
40	गोटा						३४०	
50	गोटा						७२०	
REDUCED TEE 90° PLAIN CPVC								
20*15	गोटा						१०७	
25*20	गोटा						१६५	
40*25	गोटा						४३०	
40*32	गोटा						५०४	
50*25	गोटा						९१७	
ELBOW 90° PLAIN CPVC								
15	गोटा						३३	
20	गोटा						४०	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	25	गोटा						७२	
	32	गोटा						१६१	
	40	गोटा						२६०	
	50	गोटा						६०५	
	REDUCED BUSH PLAIN CPVC								
	20*15	गोटा						२५	
	25*15	गोटा						५९	
	25*20	गोटा						४७	
	32*20	गोटा						९१	
	32*25	गोटा						७६	
	40*20	गोटा						१४०	
	40*25	गोटा						१६६	
	40*32	गोटा						१०८	
	50*20	गोटा						२९९	
	50*25	गोटा						३२१	
	50*32	गोटा						२४८	
		गोटा						१३९	
	FEMALE ADAPTOR PLASTIC THREADED (FAPT) CPVC								
	15	गोटा						५३	
	20	गोटा						५८	
	25	गोटा						८६	
	32	गोटा						२१०	
	40	गोटा						२६०	
	50	गोटा						४८६	
	MALE ADAPTOR PLASTIC THREADED (MAPT)CPVC								
	15	गोटा						४०	
	20	गोटा						४०	
	25	गोटा						६३	
	32	गोटा						१०८	
	40	गोटा						१५४	
	50	गोटा						३२३	
	END CAP PLAIN CPVC								
	15	गोटा						२५	
	20	गोटा						२८	
	25	गोटा						४५	
	32	गोटा						१०३	
	40	गोटा						१५३	
	50	गोटा						३३४	
	REDUCED CPVC								
	20*15	गोटा						५४	
	25*15	गोटा						६७	
	25*20	गोटा						७६	
	32*15	गोटा						२१५	
	32*20	गोटा						१५८	
	32*25	गोटा						१६२	
	40*20	गोटा						२६८	
	40*25	गोटा						२३०	
	40*32	गोटा						२३४	
	50*20	गोटा						५४९	
	50*25	गोटा						३३०	

आ.व. २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

क्र	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	50*32	गोटा						४६८	
	50*40	गोटा						४९०	
	THREADED END PLUG CPVC								
	15	गोटा						२५	
	20	गोटा						३९	
	UNION CPVC								
	15	गोटा						१७९	
	20	गोटा						२४५	
	25	गोटा						३०५	
	32	गोटा						४३०	
	40	गोटा						६२५	
	50	गोटा						१२०२	
	CROSS TEE 90°CPVC								
	15	गोटा						८७	
	20	गोटा						१२८	
	25	गोटा						२३०	
	BALL VALVE CPVC								
	15	गोटा						२७३	
	20	गोटा						४१५	
	25	गोटा						७२५	
	32	गोटा						१३३०	
	40	गोटा						२१२५	
	50	गोटा						३३२५	
	BALL VALVE HANDLE CPVC								
	20	गोटा						६७	
	25	गोटा						१०१	
	32	गोटा						१६०	
	40	गोटा						१९२	
	50	गोटा						३००	
	TANK NIPPLE CPVC								
	20	गोटा						१४५	
	25	गोटा						२१०	
	32	गोटा						४५२	
	40	गोटा						५३०	
	50	गोटा						८४०	
	MIXER ADAPTOR CPVC								
	20*15	गोटा						७५०	
	TEE(BRASS)CPVC								
	20*15	गोटा						१९२	
	20*20	गोटा						३४९	
	20*25	गोटा						५३८	
	32*15	गोटा						५२२	
	32*32	गोटा						५४८	
	REDUCED MAT-HEXA NUT CPVC								
	20*15	गोटा						२६५	
	25*20	गोटा						४००	
	REDUCED FAT(BRASS)CPVC								
	20*15	गोटा						१६५	
	25*15	गोटा						३३७	
	25*20	गोटा						२२७	
	STEP OVER BEND CPVC								
	20	गोटा						२३०	
	25	गोटा						४१८	
	CONCEALED VALVES CPVC								

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी गा पा						कैफियत
		०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
20	गोटा						२८०९	
20	गोटा						२८०९	
20	गोटा						२५८९	
25	गोटा						३९७१	
ELBOW90°(BRASS)CPVC								
20*15	गोटा						१३८	
20*20	गोटा						१८५	
25*25	गोटा						७२७	
32*15	गोटा						४६३	
32*32	गोटा						९८८	
POWER COATED MEATL CLAMPS CPVC								
15	गोटा						३३७	
20	गोटा						४१८	
25	गोटा						६३२	
32	गोटा						१५८७	
40	गोटा						१९३५	
50	गोटा						३३९०	
MALE ADAPTOR BRASS THREDED(MABT)CPVC								
15	गोटा						३३७	
20	गोटा						४१८	
25	गोटा						६३२	
32	गोटा						१५८७	
40	गोटा						१९२५	
50	गोटा						३३९०	
FEMALE ADAPTOR BRASS THREDED(FABT)CPVC								
15	गोटा						३१०	
20	गोटा						३४०	
25	गोटा						७५०	
32	गोटा						१६८०	
40	गोटा						१९००	
50	गोटा						३०००	
CPVC SOLVENT AND CEMENT								
TIN	गोटा						२१४	
TIN	गोटा						४४०	
TIN	गोटा						७३५	
PVC SOLVENT CPVC								
TIN	गोटा						१४२	
TN	गोटा						२३२	
RUBBER LUBRICANT							६५	
BEND 45° CPVC								
75	गोटा							
110	गोटा						२०४	
							३५०	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र	विवरण	इकाई	ठोरी गा पा						फैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	BEND 87.5 CPVC								
	75	गोटा						२२५	
	110	गोटा						४००	
	BEND 87.5° WITH DOOR CPVC								
	75	गोटा						२९०	
	110	गोटा						४९०	
	160	गोटा						१३३२	
	COUPLER CPVC								
	75	गोटा						१६८	
	110	गोटा						२९०	
	ECENTRIC REDUCER CPVC								
	110*75							२८३	
	Single Tee cpvc								
	75	गोटा						२९९	
	110	गोटा						५६९	
	Single Tee with Door cpvc								
	75	गोटा						४२१	
	110	गोटा						७५९	
	DOUBLE TEE CPVC								
	75	गोटा						६५१	
	110	गोटा						११४९	
	Reducing Tee								
	110*75	गोटा						५९५	
	REDUCING TEE WITH DOOR CPVC								
	110*75	गोटा						५९५	
	160*75	गोटा						५५१	
	160*110	गोटा						९१५	
	Swept Tee with Door cpvc								
	75	गोटा						४१७	
	single Y cpvc								
	75	गोटा						४०९	
	110	गोटा						७६९	
	single Y with door cpvc								
	75	गोटा						४७९	
	110	गोटा						९१९	

आ व २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

क्र	विवरण	इकाई	ठोरी गा पा						कैफियत
			०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
	Double Y CPVC								
	75	गोटा						७५५	
	110	गोटा						१४८९	
	Reducing Y with Door CPVC								
	110*75							९३५	
	Cleaning pipe cpvc								
	110	गोटा						६३०	
	Double Y with centre Door cpvc								
	75	गोटा						९९९	
	110	गोटा						१४५५	
	Reducing Y cpvc								
	110*75							७६५	
	Bend 40° cpvc								
	75	गोटा						११०	
	110	गोटा						३३०	
	160	गोटा						१४०६	
	Bend 87.5° cpvc								
	75	गोटा						२०५	
	110	गोटा						३८०	
	Bend 87.5° with Door cpvc								
	75	गोटा						२९९	
	110	गोटा						४९९	
	160	गोटा						१४१५	
	coupler SWR FITTINGS-SELFIT CPVC								
	160	गोटा						७०५	
	Straight Reducer (concentric)cpvc								
	110*75	गोटा						४६४	
	160*110	गोटा						९८४	
	Height Riser cpvc								
	100*50/40	गोटा						२९९	
	Single Tee CPVC								
	75	गोटा						२९९	
	100	गोटा						५९९	

आ.व. २०८०/०८१ को ठोरी गा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी गा पा						कैफियत
		०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
160	गोटा						१६२५	
Single Tee with Door cpvc								
75	गोटा						३७०	
110	गोटा						८२७	
Socket plug cpvc								
75	गोटा						१५१	
75	गोटा						२१०	
single Y cpvc								
75	गोटा						४२०	
110	गोटा						७३९	
Reducing Tee cpvc								
110*75							४७६	
160*110							१४७८	
Multi floor Trap with Jali cpvc								
110	गोटा						९०१	
Multi floor Trap without Jail cpvc								
110	गोटा						७७५	
Nahani Trap with jail cpvc								
110*75							४४०	
Round jail cpvc								
110	गोटा						७०	
Ripe clip cpvc								
75	गोटा						७०	
110	गोटा						७९	
Vent cowl cpvc								
75	गोटा						७९	
110	गोटा						१४०	
P Trap								
110*110	गोटा						७४९	
solvent cement-HSN CODE;3506 CPVC								
TIN	गोटा						१४२	
TIN	गोटा						२३२	

आ.व. २०८० ०८१ को ठोरी गा पा दर रेट , पर्सा

विवरण	इकाई	ठोरी गा पा						कैफियत
		०७५/७६	०७६।०७७	०७७।०७८	०७८/०७९	०७९/०८०	०८०/०८१	
Rubber Lubricant-HSN CODE;3403 cpvc								
Box	गोटा						६५	
Elbow 90 PALIN 6kgf/cm² Pressure-ISI Marked cpvc								
50	गोटा						७७	
Reducer -Heavy cpvc								
70*50							९८	
Bend 45 -6kf/cm² pressure-ISI Marked cpvc								
50	गोटा						७६	
Tee 90 PALIN-6kgf/cm² pressure-ISI Marked								
50	गोटा						१४०	
१. माथि उल्लेखित दररेटमा भ्याट समावेश गरिएको छैन ।								
२. माथि उल्लेखित निर्माण सामग्रीको दररेट जिल्ला सदरमुकामको लागि छ ।								
३. यसमा समावेस नभएका निर्माण सामग्रीको दररेट स्थानीय बजारबाट संकलन गरी निर्धारण गर्ने निर्णय गरियो।								